

Willacy County Hazard Mitigation Action Plan

2023

"Under the Federal Disaster Mitigation Act of 2000 (DMA 2000 or "the Act"), Willacy County (County) is required to have a Federal Emergency Management Agency ("FEMA") - approved Local Hazard Mitigation Plan ("the Plan") in order to be eligible for certain pre- and post-disaster mitigation funds. Adoption of this Plan by the County and approval by FEMA will serve the dual objectives of providing direction and guidance on implementing hazard mitigation in the County, and qualify the County to obtain federal assistance for hazard mitigation. Solely to help achieve these objectives, the Plan attempts to systematically identify and address hazards that can affect the County. Nothing in this Plan is intended to be an admission, either expressed or implied, by or on behalf of the County, of any County obligation, responsibility, duty, fault or liability for any particular hazard or hazardous condition, and no such County obligation, responsibility, duty, fault or liability should be inferred or implied from the Plan, except where expressly stated."

Contents

List of Figures	6
List of Tables.....	7
1. Introduction and Background.....	9
1) Participating Jurisdictions	9
2) Hazards to be Addressed	9
2. Planning Process.....	12
1) Existing Plans, Reports, Ordinances, and Technical Information Sources	15
2) Project Meetings.....	17
3) Public Input	17
4) Plan Maintenance	20
5) Plan Monitoring	22
6) Plan Evaluation	22
7) Plan Update	23
3. Determining Risk	24
1) Risk Assessment.....	24
2) Distribution of Property by Housing Density and Potential Damage Values	25
3) Distribution of Vulnerable Populations	25
4. Hurricane / Tropical Storms	34
1) Hurricanes / Tropical Storms History.....	34
2) Likelihood of Future Occurrence	35
3) Extent	35
4) Location and Impact	36
5) Vulnerability.....	36
6) Climate Change.....	41
5. Floods	42
1) Flood History.....	42
2) Likelihood of Future Events	45
3) Extent	45
4) Location and Impact	45

5) Vulnerability.....	51
6) Climate Change.....	55
6. Wildfire.....	56
1) Wildfire History.....	56
2) Likelihood of Future Events	56
3) Extent.....	57
4) Location and Impact	58
5) Vulnerability.....	64
6) Climate Change.....	66
7. Tornado.....	67
1) Tornado History	67
2) Likelihood of Future Events	67
3) Extent.....	67
4) Location and Impact	69
5) Vulnerability.....	69
6) Climate Change.....	73
8. Drought	74
1) Drought History	76
2) Likelihood of Future Events	77
3) Extent.....	77
4) Location and Impact	79
5) Vulnerability.....	79
6) Climate Change.....	83
9. Extreme Cold	84
1) Extreme Cold History	84
2) Likelihood of Future Occurrence	85
3) Extent.....	85
4) Location and Impact	86
5) Vulnerability.....	86

6) Climate Change	87
10. Extreme Heat.....	88
1) Extreme Heat History.....	89
2) Likelihood of Future Events	90
3) Extent	90
4) Location and Impact	92
5) Vulnerability.....	92
6) Climate Change	92
11. Hailstorm.....	94
1) Hailstorm History	94
2) Likelihood of Future Events	95
3) Extent	95
4) Location and Impact	96
5) Vulnerability.....	96
6) Climate Change	99
12. Winter Storms	100
1) Winter Storm History.....	100
2) Likelihood of Future Events	101
3) Extent	101
4) Location and Impact	102
5) Vulnerability.....	103
6) Climate Change	105
13. Windstorms.....	107
1) Windstorm History.....	107
2) Likelihood of Future Events	108
3) Extent	108
4) Location and Impact	109
5) Vulnerability.....	110
6) Climate Change	114

14. Lightning.....	115
1) Lightning History	115
2) Likelihood of Future Events	115
3) Extent	115
4) Location and Impact	116
5) Vulnerability.....	117
6) Climate Change	119
15. Dam / Levee Failure.....	120
1) Dam History	120
2) Likelihood of Future Occurrence	120
3) Extent	120
4) Location and Impact	122
5) Vulnerability.....	125
6) Climate Change	125
16. Coastal Erosion.....	126
1) Coastal Erosion History	126
2) Probability	126
3) Extent	126
4) Location and Impact	127
5) Vulnerability.....	130
6) Climate Change	130
17. Mitigation Strategy.....	132
1) Capability Assessment	132
2) Incorporation and Integration of Existing Capabilities and Hazard Mitigation.....	135
3) Goals and Objectives Overview	138
4) Long-Term Vision	138
5) Goals	139
6) Mitigation Action Plan	140
Appendix A – FIRM Maps	186

List of Figures

Figure 1: Survey Responses for Question 1	18
Figure 2: Survey Responses for Question 2	18
Figure 3: Survey Response for Question 3.....	19
Figure 4: Survey Choices for Question 7.....	20
Figure 5: Willacy County Social Vulnerability Index.....	28
Figure 6: City of Lyford Social Vulnerability Index.....	29
Figure 7: City of Raymondville Social Vulnerability Index.....	30
Figure 8: Mobile and Manufacturing Clusters in Willacy County and the Participating Jurisdictions.....	32
Figure 9: Willacy County FEMA Special Flood Hazard Areas	46
Figure 10: City of Lyford FEMA Special Flood Hazard Areas.....	47
Figure 11: City of Raymondville FEMA Special Flood Hazard Areas	48
Figure 12: Delta Lake Irrigation District FEMA Special Flood Hazard Areas.....	49
Figure 13: Willacy County Drainage District #1 FEMA Special Flood Hazard Areas.....	50
Figure 14: Willacy County Wildland Urban Interface	59
Figure 15: City of Lyford Wildland Urban Interface	60
Figure 16: City of Raymondville Wildland Urban Interface.....	61
Figure 17: Delta Lake Irrigation District Wildland Urban Interface.....	62
Figure 18: Willacy County Drainage District #1 Wildland Urban Interface	63
Figure 19: Sequence of Drought Occurrence and Impacts for Commonly Accepted Drought Types	75
Figure 20: Willacy County Drought History.....	76
Figure 21: Minimum Recorded Daily Temperature 2000-2023	84
Figure 22: NOAA's NWS Wind Chill Index	85
Figure 23: Maximum Recorded Daily Temperature 2000-2022	89
Figure 24: NOAA's NWS Heat Index Chart	90
Figure 25: Willacy County Dams and Levees of Concern	123
Figure 26: Delta Lake Irrigation District Dams and Levees of Concern.....	124
Figure 27: Areas Subject to Coastal Erosion in Willacy County.....	128
Figure 28: Areas Subject to Coastal Erosion in Willacy County.....	129

List of Tables

Table 1: List of Hazards Addressed	10
Table 2: Local Planning Team Representatives	12
Table 3: Plan Schedule	14
Table 4: Planning Team Data Sources.....	15
Table 5: Local Stakeholders Contacted	16
Table 6: Maintenance Responsibility.....	21
Table 7: Major Disaster Declarations since 2018	25
Table 8: Estimated Values by Location	25
Table 9: Age, Disability, and Poverty Level Percentages by Jurisdiction	26
Table 10: Historical Hurricanes & Tropical Storms that affected Willacy County and the Participating Jurisdictions	35
Table 11: Saffir-Simpson Scale	35
Table 12: Willacy County Critical Facilities Vulnerable to Hurricanes and Tropical Storms.....	38
Table 13: Estimated Potential Damage Values by Jurisdiction.....	41
Table 14: Willacy County Critical Facilities Vulnerable to Flooding.....	52
Table 15: Vulnerable Parcels by Flood Zone in Willacy County.....	53
Table 16: Vulnerable Parcels by Flood Zone in the City of Lyford	53
Table 17: Vulnerable Parcels by Flood Zone in the City of Raymondville	54
Table 18: Vulnerable Parcels by Flood Zone in the Delta Lake Irrigation District	54
Table 19: Vulnerable Parcels by Flood Zone in the Willacy County Drainage District #1	54
Table 20: Willacy County Wildfire History	56
Table 21: Characteristic Fire Intensity Scale	57
Table 22: National Wildfire Coordinating Group Size Class of Fire	58
Table 23: Critical Facilities Vulnerable to Wildfire and Potential Impacts	65
Table 24: Parcels Vulnerable to Wildfire	66
Table 25: City of Raymondville Tornado History	67
Table 26: Fujita Scale	68
Table 27: Enhanced Fujita Scale.....	68
Table 28: Critical Facilities Vulnerable to Tornadoes and Potential Impacts	71
Table 29: Parcels Vulnerable to Tornadoes	73
Table 30: Drought Classifications.....	74
Table 31: Willacy County Drought History.....	77
Table 32: Palmer Drought Index	78
Table 33: Palmer Drought Category Descriptions	78
Table 34: Critical Facilities Vulnerable to Drought and Potential Impacts	81
Table 35: Parcels Vulnerable to Drought.....	83
Table 36: Heat Index Intensity	91

Table 37: City of Raymondville Hailstorm History	95
Table 38: Hailstorm Intensity'	95
Table 39: Critical Facilities Vulnerable to Hailstorms and Potential Impacts	97
Table 40: All Parcels Vulnerable to Hailstorms	99
Table 41: Willacy County Winter Storm History	101
Table 42: Winter Storm Extent Scale	101
Table 43: Critical Facilities Vulnerable to Winter Storms	103
Table 44: Parcels Vulnerable to Winter Storm	105
Table 45: City of Lyford Windstorm History	108
Table 46: City of Raymondville Windstorm History.....	108
Table 47: Beaufort Wind Scale.....	108
Table 48: Critical Facilities Vulnerable to Windstorms and Potential Impacts	112
Table 49: Parcels Vulnerable to Windstorms	114
Table 50: Lightning Activity Levels.....	116
Table 51: Critical Facilities Vulnerable to Lightning and Potential Impacts	117
Table 52: Parcels Vulnerable to Lightning	118
Table 53: Dam Failure Extent Classification.....	121
Table 54: Critical Facilities Vulnerable to Coastal Erosion.....	130
Table 55: Parcels Vulnerable to Coastal Erosion	130
Table 56: Capability Assessment by Jurisdiction	132
Table 57: Building Codes Per Jurisdiction	134
Table 58: Plan Integration.....	136
Table 59: Integration Process	137
Table 60: Previous Mitigation Actions – All Jurisdictions	142

1. Introduction and Background

1) Participating Jurisdictions

The 2023 Willacy County Hazard Mitigation Action Plan (HMAP) is an update of the County's most recent plan that expired in March 2023. The 2023 Plan update includes five participating jurisdictions: Willacy County, the City of Lyford, the City of Raymondville, the Delta Lake Irrigation District, and the Willacy County Drainage District #1.

2) Hazards to be Addressed

Previously, the expired plan identified 11 hazards facing the County: hurricane / tropical storms, drought, hail, flooding, tornado, severe wind, wildfire, lightning, extreme heat, dam failure, and coastal erosion (Willacy County only).

The mitigation planning regulation of the Disaster Mitigation Act¹ requires that mitigation plans be reviewed and updated every five years to maintain eligibility for mitigation grant funding. As part of this plan, Willacy County will develop a schedule to ensure that its hazard mitigation plan is regularly updated.

The 2023 Willacy County Hazard Mitigation Action Plan update will address the following natural hazards identified in the State of Texas' 2018 Hazard Mitigation Plan as threats throughout the state. The participating jurisdictions will address the following natural hazards listed below in Table 1.

¹ 44 CFR §201.6(d)(3)

Table 1: List of Hazards Addressed

Hazard	Jurisdiction				
	Willacy County	City of Lyford	City of Raymondville	Delta Lake Irrigation District	Willacy County Drainage District #1
Flooding	x	x	x	x	x
Hurricane / Tropical Storms	x	x	x	x	x
Wildfire	x	x	x	x	x
Tornados	x	x	x	x	x
Drought	x	x	x	x	x
Extreme Cold	x	x	x	x	x
Extreme Heat	x	x	x	x	x
Hailstorm	x	x	x	x	x
Winter Weather	x	x	x	x	x
Severe Winds	x	x	x	x	x
Lightning	x	x	x	x	x
Additional Optional Hazards					
Coastal Erosion	x				
Riverine Erosion					
Land Subsidence/Sinkhole					
Earthquakes					
Expansive Soils					
Dam / Levee Failure	x			x	

A) Omission Statements

Willacy County and the participating jurisdictions will not be addressing the following hazards: Expansive Soils, Earthquakes, Land Subsidence, and Riverine Erosion. The history of impacts for all the omitted hazards have been negligible (or non-existent), therefore the County and participating jurisdictions expect that future impacts will be negligible as well, nor do the County and participating jurisdictions anticipate applying for grant funding to address any of them.

Only Willacy County and the Delta Lake Irrigation District will be profiling Dam / Levee Failure. The remaining jurisdictions have no dams or levees nearby that pose an inundation risk and therefore face no impact.

Only Willacy County will profiling Coastal Erosion. The remaining jurisdictions will not be profiling coastal erosion as their boundaries are inland and/or they own no property or facilities on the coast, and therefore face no impact.

2. Planning Process

The Willacy County Hazard Mitigation Action Plan (HMAP) is a multi-jurisdiction plan. Representatives of the local planning team were selected by each jurisdiction. Planning team members represented the following offices and departments:

Table 2: Local Planning Team Representatives

Title	Jurisdiction
County Judge	Willacy County
Emergency Management Coordinator	
Community Development Specialist	
County Auditor	
Mayor	City of Lyford
City Manager	City of Raymondville
General Manager	Delta Lake Irrigation District
District Manager	Willacy County Drainage District #1

Once the planning team was established, members developed a schedule with specific goals and proposed meeting dates over the planning period.

Hazard mitigation planning team (HMPT) members contributed to the following activities throughout the planning process:

1. Providing technical assistance and necessary data to the HMPT.
2. Scheduling, coordinating, and facilitating community meetings.
3. Providing necessary materials for public planning meetings.
4. Collecting and analyzing data.
5. Developing mitigation goals and implementation strategies.
6. Preparing the first draft of the plan and providing technical writing assistance for review, editing, and formatting.

Each member of the HMPT participated in the following activities associated with development of the plan:

1. Identifying, contacting, coordinating, and implementing input from stakeholders.

2. Attending, conferencing in, or providing meeting support and information for regular HMPT meetings.
3. Identifying hazards and estimating potential losses from future hazard events.
4. Developing and prioritizing mitigation actions to address identified risks.
5. Coordinating public meetings to develop the plan.
6. Identifying community resources available to support planning effort.
7. Submitting proposed plan to all appropriate departments for review and comment and working with the County to incorporate the resulting comments into the proposed plan.

Table 3: Plan Schedule

TIMELINE										
Planning Tasks	2023									Completed
	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	
Organize Resources and Identify Planning Team										
Create Outreach Strategy										
Review Community Capabilities										
Conduct Risk Assessment										
Identify Mitigation Goals and Actions										
Develop Action Plan for Implementation										
Identify Plan Maintenance Procedures										
Review Plan Draft										
Submit Plan to State and FEMA										
Adopt Plan										TBD
MEETINGS / OUTREACH										
Planning Team Meetings	3/1/23		5/31/23							
Public Outreach										
Stakeholder Outreach										

1) Existing Plans, Reports, Ordinances, and Technical Information Sources

Each planning team member worked to collect and provide the input and information necessary to develop the hazard mitigation strategy. Research was coordinated and conducted by local planning team members. The local planning team reviewed the following documents during the planning process:

Table 4: Planning Team Data Sources

Data Source	Data Incorporation	Purpose
National Centers for Environmental Information (NCEI)	Hazard occurrences	Previous event occurrences, damage dollars, and mapping for all hazards
National Oceanic and Atmospheric Administration (NOAA)	Historic Weather Data	Previous event occurrences, damage dollars, and mapping for all hazards
Willacy County Hazard Mitigation Plan, 2018-2023	Previous planning approach, hazards addressed, and mitigation actions	Previous planning team representatives, plan maintenance, hazard histories, and mitigation actions
State of Texas Hazard Mitigation Plan 2018 Update	Hazard Descriptions	Official descriptions of hazards and their potential impacts
Estimated Base Flood Elevation – Federal Emergency Management (FEMA)	Flood Zones maps	GIS mapping of flood zones and potential flooding risk areas
Willacy County Flood Damage Prevention Order	Flood damage prevention requirements	Identifying building requirements and restrictions for structures in the floodplain
City of Lyford Flood Damage Prevention Ordinance	Flood damage prevention requirements	Identifying building requirements and restrictions for structures in the floodplain
City of Lyford Drought Contingency Plan	Local drought controls	Identify opportunities to increase drought controls and opportunities for water conservation to reduce drought's impact
City of Raymondville Flood Damage Prevention Ordinance	Flood damage prevention requirements	Identifying building requirements and restrictions for structures in the floodplain
City of Raymondville Drought Contingency Plan	Local drought controls	Identify opportunities to increase drought controls and opportunities for water conservation to reduce drought's impact
Delta Lake Irrigation District Drought Contingency Plan	Local drought controls	Identify opportunities to increase drought controls and opportunities for water conservation to reduce drought's impact

Additional information sources included: USDA Census of Agriculture, United States Geological Survey, Vaisala, and specific details about previous natural hazard events from planning team participants. Sources are noted throughout the document. Report titles and links to the most recently accessed websites hosting the related information are also noted, where appropriate.

Area stakeholders contacted to participate in the planning process included the following offices and departments within the participating jurisdictions and neighboring jurisdictions. In many cases of non-participation, the title listed is reflective of the office the planning team tried to contact.

Table 5: Local Stakeholders Contacted

Stakeholder	Title	Participated
Cameron County	Emergency Management Coordinator	N
Hidalgo County	Emergency Management Coordinator	Y
Kenedy County	Emergency Management Coordinator	N
City of San Perlita	Mayor	N
City of San Perlita	Hazard Mitigation Project Manager	N
Loaves and Fishes of the Rio Grande Valley	Director	N
Texas A&M University	Willacy County Extension Agent-Family & Community Health	Y
Texas A&M University	Willacy County Extension Agent-Agricultural & Natural Resources	N
Raymondville Chamber of Commerce	President	N

Area stakeholders were contacted by phone and email. In an effort to increase participation, each stakeholder was contacted at least twice. In order to reach a diverse group of stakeholders, a non-profit organization that supports vulnerable populations was contacted. Loaves and Fishes of the Rio Grande Valley, focuses on short-term assistance for rent and utilities, basic health services, and free meals. Area stakeholders who chose to participate provided important supplemental input and information that helped shape mitigation strategies for each hazard, in particular by making the planning team aware of actions neighboring communities were successful in implementing, and what actions they think should take priority.

2) Project Meetings

The planning team met on two separate occasions. Additional communication was regularly carried out via email and over the phone.

The first planning team meeting was held virtually on March 1, 2023. During this meeting, the planning team decided which hazards needed to be addressed in the mitigation plan and which were not relevant. To make these decisions, a hazard handout was produced to show previous occurrences of each hazard, associated deaths and injuries, and total dollar damages. The team agreed to use the collected hazard data, as the foundation for its hazard risk assessment and ongoing research into hazard extent, impact, and vulnerability. At the end of the meeting, planning team members were tasked with compiling relevant data, including city ordinances; identifying critical facilities; identifying stakeholders, and completing a capability assessment.

The second planning team meeting was held in-person on May 31, 2023. To stay on schedule, the planning team needed to meet the following objectives: Provide a status update on previous mitigation actions, review and refine the critical facilities list, and review possible mitigation actions and potential eligible projects for each participant. The planning team discussed and identified new mitigation actions, discussed changes to the plan drafts, and agreed to work on completing all deliverables for the plan. Additional work was done over email in preparation for submitting the plan for official review in October 2023.

3) Public Input

Members of the public were invited to participate in two public comment periods to provide input and feedback during the planning process. The public comment periods were held virtually. The first public comment period took place in May 2023. A Microsoft Form survey was posted to the County website and Facebook page for a period of two weeks for members of the public to fill out. A newspaper ad was placed to announce to the public for the opportunity to provide input via online survey. The County and participating jurisdictions actively announced the online survey on their own websites and social medias. The planning team appreciated receiving responses to the survey which helped inform them when identifying and prioritizing new mitigation actions for this plan update. The survey received 54 anonymous responses.

The survey asked nine questions:

1. Where do you live?
2. Do you own or rent?
3. Lamar County is looking at addressing the following hazards. Which hazards do you believe impact the County and/or participating cities the most? Please select all that apply (multiple choice answer).
4. Which of the above hazards have affected you directly within the past five years? Please select all that apply (multiple choice answer).

5. How have you been affected by the hazards selected above? (Open-ended question)
6. Have you taken any actions to reduce your risk to these hazards? If so, what actions have you taken? (Open-ended question)
7. Which of the following mitigation project types do you believe local government agencies should focus on to reduce disruptions of services and to strengthen the community? Please check all that apply (multiple choice answer).
8. What is the best means of communication for you? Please select all that apply (multiple choice answer).
9. Do you have any other thoughts or concerns relating to the Hazard Mitigation Plan? (Open-ended question).

1. Where do you live? Please include the name of your town/city/community, if applicable.

[More Details](#)




Figure 1: Survey Responses for Question 1

2. Do you rent or own your home?

[More Details](#)



Figure 2: Survey Responses for Question 2

As Figure 1 above shows, majority of the respondents live in the City of Raymondville. About 78% of respondents own their home as shown in Figure 2.

3. Willacy County is looking at addressing the following hazards. Which hazards do you believe impact the County and/or participating cities the most? Please select all that apply.

[More Details](#)

● Hurricanes / Tropical Storms	50
● Drought	24
● Hailstorm	8
● Flooding	50
● Tornado	5
● Severe Winds	40
● Wildfire	1
● Winter Weather	17
● Lightning	12
● Extreme Cold	20
● Extreme Heat	27
● Dam Failure	2
● Coastal Erosion	7




Figure 3: Survey Response for Question 3

The chart in Figure 3 above shows the breakdown of responses for survey question three. The answer choices were Hurricane / Tropical Storms, Drought, Hailstorm, Flooding, Tornados, Severe Winds, Wildfire, Winter Weather, Lightning, Extreme Cold, Extreme Heat, Dam Failure, and Coastal Erosion. Hurricane, Flood, and Severe Wind ranked the highest out of all the hazards addressed in the plan, with each choice getting more than 50% of the votes.

7. Which of the following mitigation project types do you believe local government agencies should focus on to reduce disruptions of services and to strengthen the community? Please check all that apply.

[More Details](#)

Provide better information about hazard risk and high-hazard areas	21
Reinforce essential facilities such as elevating roadways and improving drainage systems	27
Educate property owners on water damage prevention	27
Replace or improve inadequate structures, such as floodwalls or levees	22
Reinforce or improve infrastructure, such as elevating roadways and improving drainage systems	42
Work on mitigating risk to utilities	39
Install or improve protective structures, such as floodwalls or levees	30
Buyout flood-prone properties	12
Strengthen codes, ordinances, and standards	21
Assist vulnerable property owners	31
Work with schools, churches, local businesses, and other community organizations	23
Other	0




Figure 4: Survey Choices for Question 7

Figure 4 shows the choices for Question 7: Which of the following mitigation project types do you believe local government agencies should focus on to reduce disruptions of services and to strengthen the community? Please check all that apply. Respondents could choose from 11 answers such as “Provide better information about hazard risk and high-hazard areas,” “Reinforce or improve infrastructure, such as elevating roadways and improving drainage systems,” “Install or improve protective structures, such as floodwalls or levees,” or input their own answer. The most popular answer was “Reinforce or improve infrastructure,” with 77% of respondents voting for it.

The second public comment period took place in September 2023. A copy of the in-progress plan draft was posted to the County website for two weeks for the public to review and comment or provide suggestions. This public comment period was advertised in the newspaper and shared on social media.

4) Plan Maintenance

The hazard mitigation plan is not a static document. As conditions change and mitigation actions are implemented, the plan will need to be updated to reflect new and changing conditions in each jurisdiction.

The planning team has identified specific departments to oversee action implementation in each jurisdiction. The planning team has also identified potential funding sources and an implementation timeframe for each mitigation action. The expected timeframes will be an

important component in determining whether actions are implemented efficiently. The departments or persons identified for each jurisdiction include but are not limited to:

Table 6: Maintenance Responsibility

Title	Jurisdiction	Agency or Department
County Judge	Willacy County	County Judge
Community Development Specialist	Willacy County	County Judge
Emergency Management Coordinator	Willacy County	Office of Emergency Management
Mayor	Lyford	Mayor's Office
City Manager	Raymondville	City Administration
General Manager	Delta Lake Irrigation District	District
District Manager	Willacy County Drainage District #1	District

Within one year of adoption of this plan, each department or agency will review and, as appropriate, integrate implementation of their respective mitigation actions with their existing internal plans and policies relating to capital improvements, land use, design and construction, and emergency management.

On a biannual basis, representatives from each jurisdiction serving as the planning team will evaluate progress on implementing the plan's mitigation actions. The planning team will review departmental / agency findings, public input, and future development plans to evaluate the effectiveness and appropriateness of the plan.

Considering changing funding sources, hazard vulnerability, and local mitigation priorities, the planning team will identify changes to plan goals and priorities for their respective jurisdictions, and they will report their findings to the rest of the planning team. It will be the planning team's responsibility to identify relevant reasons for delay or obstacles to completing the plan's mitigation actions, along with recommended strategies to overcome any deficiencies.

Any significant change to the plan, including but not limited to changing mitigation actions, abandoning mitigation actions, or pursuing new mitigation actions, will require the County and participating jurisdictions to provide opportunities for the public to make its views and concerns known. Willacy County and the participating jurisdictions will provide notice to the public through announcements in the local paper, fliers posted at City and County offices, and on the County's website and/or social media accounts.

5) Plan Monitoring

The Willacy County Emergency Management Coordinator (EMC) will be responsible for the overall continued coordination and monitoring of the mitigation plan in its entirety, including but not limited to the planning process, risk assessment, strategy, and the actions assigned for each hazard. The agency or department identified above in Table 6 shall serve as the responsible party for each respective jurisdiction. The plan monitoring worksheet outlined below will serve as the basis for revision of the plan.

At a minimum, the mitigation plan will be reviewed by the EMC and planning team representatives from each jurisdiction quarterly, during budget workshops, and as other plans are being developed or revised including comprehensive plans, capital improvement project plans, and emergency plans.

Regularly monitoring the plan implementation process in each participating jurisdiction will ensure that every component of the plan gets reviewed for potential amendments.

After adoption of this plan, it will be posted to each participating jurisdiction's website or Facebook page, and a printed copy will be available for review in the Office of Emergency Management. The goal is to create the opportunity for constant and continued feedback from local officials, stakeholders, and the public.

6) Plan Evaluation

Proper evaluation will measure the progress and effectiveness of the mitigation actions identified in the plan. On a bi-annual basis the Emergency Management Coordinator along with the planning team representatives from each jurisdiction will use the following criteria, along with additional metrics as necessary, to assess the effectiveness of the plan in its entirety, including but not limited to the planning process, risk assessment, strategy, and the actions:

- Do the specified goals and objectives still address current and expected conditions?
- Has the nature, magnitude, and/or risk of any hazard changed?
- Have there been changes in land development that the plan needs to address?
- Are available resources suitable for implementing the plan?
- Is funding budgeted or available to successfully implement prioritized mitigation actions?
- Are there opportunities in the local budgeting process or local, state, and national grant funding cycles to increase funding to implement mitigation actions?

Other steps will include site visits to completed mitigation projects in each jurisdiction to measure and ensure their success. The planning team will evaluate the causes of the shortcoming in the event that a mitigation project fails to meet its goal. The planning team will use their assessment to amend the project and related projects in other jurisdictions, allocate

additional resources to achieve the desired outcome for the project and related projects in other jurisdictions, or replace the project and similar projects in other jurisdictions with better projects.

The EMC and planning team members will also work to implement any additional revisions required to ensure that the plan and their respective jurisdiction is in full compliance with federal regulations and state statutes.

The approved plan will be hosted on the County website to allow the public to view and provide feedback during the 5-year lifespan of the plan.

7) Plan Update

The plan is designed to address a five-year period. In accordance with 44CFR Section 201.6, it will be updated every five years to maintain compliance with State and Federal regulations. However, at least every two years from the date of approval, and quarterly on the fifth and final year of the plan, the EMC and planning team representatives from each participating jurisdiction will thoroughly review any significant changes in their respective jurisdictions that might impact the plan update.

During the update process, planning team representatives will do the following for their respective jurisdictions: collect data on recent occurrences of each natural hazard identified in the plan, record how each natural hazard impacted their jurisdiction during the preceding years, determine whether or not implemented mitigation actions produced the desired outcomes in their jurisdiction, and determine whether or not to modify their jurisdiction's list of hazards to be addressed in the update.

Additional considerations to address on a jurisdictional level include but are not limited to changes in local development, changes in exposure to natural hazards, the development of new mitigation capabilities or techniques, and revisions to state or federal legislation.

The update process will provide continued opportunity for the public and elected officials to determine which actions succeeded, failed, or are no longer relevant. It is also an opportunity for each jurisdiction to identify recent losses due to natural hazards and to consider whether any of those losses could have been avoided.

3. Determining Risk

1) Risk Assessment

Throughout the plan, each hazard addressed will be considered in light of its history, likelihood of future events, extent, jurisdictional vulnerability, location and impact.

Likelihood of Future Events is measured based on a hazard's expected frequency of occurrence in terms of previous frequency. Each hazard's likelihood of future events will be considered using the following standardized parameters:

- **Highly likely** – event probable in the next year
- **Likely** – event probable in the next three years
- **Occasional** – event possible in the next five years
- **Unlikely** – event possible in the next 10 years

Given this plan's five-year duration, hazards likely to occur during that period will be given priority when selecting and prioritizing mitigation actions.

The population of Willacy County, and the Cities of Lyford and Raymondville have stayed relatively the same over the last five years, and there has been little development. However, increasing development in neighboring Hidalgo County has affected flooding downstream in Willacy County and increased vulnerability to that hazard. Additionally, the effects of climate change have increased the frequency and intensity of hazard events. Climate change is expected to exacerbate hazard events in the future. Climate change may also affect population migration and land use development in the future. As climate change exacerbates hazards, habitability of certain areas may be impacted. It is unclear how these effects will intersect with population migration patterns and land use changes. In the case of Willacy County, the severity and frequency of hurricanes, floods, and coastal erosion may necessitate construction of appropriate infrastructure to address these threats as well as related land use changes. Additionally, population may consider relocation if appropriate measures are not taken.

Vulnerability in the Delta Lake Irrigation District and Willacy County Drainage District are similar to that in the County.

A) Major Disaster Declarations

The following table outlines all major disaster declarations that have occurred in Willacy County since the 2018 HMAP.

Table 7: Major Disaster Declarations since 2018

Willacy County Major Disaster Declarations		
Disaster	Incident Period	Declaration Date
DR-4454 Texas Severe Storms and Flooding	June 24, 2019 – June 25, 2019	July 17, 2019
DR-4485 Texas Covid-19 Pandemic	January 20, 2020 - Present	March 25, 2020
DR-4586 Texas Severe Winter Storms	February 11, 2021 – February 21, 2021	February 19, 2021

2) Distribution of Property by Housing Density and Potential Damage Values

Table 8: Estimated Values by Location²

Category	Willacy County	City of Lyford	City of Raymondville
Total Housing Units ³	6,828	707	3,234
Housing Unit Density (per square mile)	9 units/sq. mi	390 units/sq. mi	784 units/sq. mi
Median Housing Value ⁴	\$62,000	\$57,700	\$51,800
Estimated Value of Housing Units ⁵	\$423.4 million	\$40.8 million	\$167.5 million

3) Distribution of Vulnerable Populations

The planning team identified a set of indicators it could use to identify each jurisdiction's vulnerable population. The indicators include demographic data like age and income, as well as

² Source: U.S. Census 2021 American Community Survey 5-Year Estimates.

³ Table [B25001](#) 2021 ACS Housing unit information for Lamar County includes totals for cities and unincorporated areas.

⁴ Table [B25077](#) 2021 ACS

⁵ Total value of housing units derived from median value multiplied by number of units

geographic data including the location of low income or subsidized housing units, concentrations of manufactured and mobile homes, and concentrations of homes in substandard condition.

A) Age, Disability, and Income

The populations of each jurisdiction were broken down into four categories: young residents, elderly residents, disabled residents, and low-income residents. Residents falling into these categories were deemed most likely to suffer disproportionate losses due to natural hazards because of their potentially limited means to prepare for and recover from a hazard event.

Table 9: Age, Disability, and Poverty Level Percentages by Jurisdiction⁶

Demographic Category	Willacy County	City of Lyford	City of Raymondville	Texas	U.S.
Population Under Age 5⁷	6.3%	4.9%	7.1%	6.8%	5.9%
Population Over Age 65	13.8%	11.9%	11.6%	12.5%	16%
Disability Status⁸	14.6%	11.9%	14%	11.4%	12.6%
Individuals Below Poverty Level⁹	26%	9.8%	32.8%	14%	12.6%

B) Distribution of Vulnerable Populations

The following vulnerable populations map is based on a social vulnerability index created specifically for the planning area. The index considers six relevant Census Block Group-level factors: poverty rate, population of residents 65 years old and older, population of residents younger than 18, the population of residents without a high school diploma or GED, the

⁶ Source: U.S. Census 2021 American Community Survey 5-Year Estimates

⁷ [Table S0101](#), Age and Sex, 2021 ACS 5-Year Estimates

⁸ [Table S1810](#), Disability Characteristics. The U.S. Census defines a person as having a work disability if one or more of the following conditions are met:

1. Persons with a health problem or disability which prevents them from working or which limits the kind or amount of work they can do
2. Persons who have retired or left a job for health reasons
3. Persons currently not in the labor force because of a disability.
4. Persons who did not work at all in the previous year because of illness or disability
5. Under 65 years old and covered by Medicare in previous year.
6. Under 65 years old and received Supplemental Security Income (SSI) in previous year.
7. Received VA disability income in previous year.

⁹ [Table DP03](#), Selected Economic Characteristics, 2021 5-Year Estimates

population of residents with a low English proficiency, and the number of homes constructed before 1980.

To create the index, each factor is re-scaled by assigning the largest population in each category a score of 1. The remaining population counts for each category are then given a score based the ratio of the relevant population to the largest population. Once each factor has a re-scaled score, the scores for each factor are totaled to create an overall index number for each Census Block Group. The vulnerable populations map is representative of each Census Block Group's overall vulnerability, based on the six factors outlined above, relative to the other Census Block Groups in the planning area.

I. Willacy County




Figure 5: Willacy County Social Vulnerability Index

II. City of Lyford




Figure 6: City of Lyford Social Vulnerability Index

III. City of Raymondville




Figure 7: City of Raymondville Social Vulnerability Index

C) Low Income and Subsidized Housing

Low-income residents in Willacy County are primarily served through rental assistance programs and low-income housing. The Willacy County Housing Authority is the primary operator of low-income housing in the County¹⁰. There are five affordable apartment communities offering 278 units in Willacy County, the majority of which are in the City of Raymondville.¹¹

Residents of low-income housing and/or subsidized housing facilities are expected to suffer disproportionate losses due to natural hazards because of their potentially limited means to prepare for and recover from a hazard event.

D) Housing Type and Condition

The participating jurisdictions have used housing type and housing conditions to identify additional vulnerable areas and concentrations of vulnerable residents.

I. Manufactured / Mobile Homes

In particular, the jurisdictions have identified areas with large numbers of mobile/manufactured housing as being disproportionately vulnerable to certain hazards including but not limited to hurricanes and tropical storms, floods, tornados, droughts, and severe winds.

Mobile and manufactured homes can be found throughout Willacy County, including several RV parks. These parks' populations fluctuate on a seasonal basis. Due to the express portability of RVs, most of these structures are expected to evacuate ahead of hazard events with significant warning times. However, RVs may not have enough time to evacuate ahead of less predictable hazard events like tornados.

Locations with clusters of three or more mobile / manufactured homes, including named mobile home parks, are shown in Figure 12 below.

¹⁰ Affordable Housing Online, 2023. <https://affordablehousingonline.com/housing-search/Texas/Willacy-County>

¹¹ Affordable Housing Online, 2023.




Figure 8: Mobile and Manufacturing Clusters in Willacy County and the Participating Jurisdictions

II. Homes in Substandard Condition

The jurisdictions have determined that homes in sub-standard condition, regardless of structure type, may indicate that residents are low-income or otherwise means-limited and thus more vulnerable to certain hazards.

To be considered standard condition, a home must show few or no minor visible exterior defects such as:

- cracked, peeling, or missing paint
- cracked, sagging, rotting, or missing siding, steps, porch planks, or other wooden surfaces
- cracked or broken windowpanes
- cracked masonry, brick, or mortar surfaces
- missing or damaged roof shingles
- small rust spots on mobile homes

Structures in sub-standard condition may provide less protection to residents during certain hazard events like tropical storms, tornados, or hurricanes. Furthermore, because they're already in a state of disrepair, additional damages due to hazard events may compound existing ones and potentially make these homes uninhabitable.

4. Hurricane / Tropical Storms

Once a tropical depression has intensified to the point where its maximum sustained winds are between 35-64 knots (39 – 73 mph), it becomes a tropical storm. At these wind speeds the storm becomes more organized and begins to become more circular in shape – resembling a hurricane. The rotation of a tropical storm is more recognizable than for a tropical depression. Tropical storms can cause many problems without becoming a hurricane. However, most of the problems a tropical storm causes stem from heavy rainfall and high winds.

According to National Oceanic and Atmospheric Administration (NOAA)¹², a hurricane is an intense tropical weather system of strong thunderstorms with a well-defined surface circulation and maximum sustained winds of 74 mph or higher. Hurricanes are categorized according to the strength of their winds using the Saffir-Simpson Hurricane Scale. A Category 1 storm has the lowest wind speeds, while a Category 5 hurricane has the highest.

1) Hurricanes / Tropical Storms History

The 2018 Willacy County HMAP recorded 18 hurricane / tropical storm events between 1961 – 2018. Tropical storm and hurricane data isn't broken down beyond the county level. However, given the County's location on the Texas Gulf Coast and its Tier I Status, hurricanes and tropical storms affect the entire County, including the City of Lyford, City of Raymondville, Delta Lake Irrigation District and Willacy County Drainage District #1.

Using data from NOAA's National Centers for Environmental Information, local news reports, and data from the National Climatic Data Center, the planning team created the following table to illustrate Willacy County and the participating jurisdictions' hurricane and tropical storm history between 2018 - 2023. There have been no recorded events since Hurricane Hanna in 2020.

¹² <https://www.noaa.gov/education/resource-collections/weather-atmosphere/hurricanes>

Table 10: Historical Hurricanes & Tropical Storms that affected Willacy County and the Participating Jurisdictions

Hurricane & Tropical Storm Events	Date	Hurricane Category	Maximum Wind Speed	Local Fatalities	Local Injuries	Local Property Damage \$2023	Local Crop Damage \$2023
1	7/25/2020	Hurricane - Category 1	100	0	0	\$3,210,327	\$40,867,307

2) Likelihood of Future Occurrence

Hurricanes occur in seasonal patterns between June 1 and November 30. Based on the historical frequency of hurricane events in Willacy County and the participating jurisdictions outlined above, the likelihood of a future event affecting any of the participating jurisdictions is occasional, that is a hurricane is possible in the next five years.

3) Extent

The Saffir-Simpson Scale categorizes hurricane intensity linearly based upon maximum sustained winds, barometric pressure, and storm surge potential. Wind, pressure, and surge are combined to estimate potential damage. Categories 3, 4 and 5 are classified as “major” hurricanes. Major hurricanes comprise only 20 percent of total tropical cyclone landfalls but they account for over 70 percent of the damage in the United States. Damage from hurricanes can result from spawned tornados, coastal flooding from storm surge, and inland flooding from heavy rainfall.

Table 11: Saffir-Simpson Scale

Category	Maximum Sustained Wind Speed (MPH)	Minimum Surface Pressure (Millibars)	Storm Surge (Feet)
1	74-95	Greater than 980	3-5
2	96-110	979-965	6-8
3	111-130	964-945	9-12
4	131-155	944-920	13-18
5	155+	Less than 920	19+

The worst hurricanes known to have affected Willacy County and the participating jurisdictions have been as intense as Category 5 with sustained wind gusts exceeding 155 MPH. Along the coast, storm surge has been as high as 15'. Previous hurricanes and tropical storms have inflicted the inflation adjusted equivalent of over \$58 million in property damages and over \$22 million in crop damages, and they've injured up to 6 people in a single event.

Future hurricanes affecting the participating jurisdictions may meet previous worst-case Category 5 events in terms of storm strength, storm surge, damage inflicted, flooding, injuries, and even death.

4) Location and Impact

A) Location

Location is often referred to in terms of Tier I, II, and III counties, designated by the Texas State Office of Risk Management¹³ for property insurance purposes, to represent differing levels of loss exposure to coastal counties and adjacent counties. Tier I counties are those adjacent to the Gulf of Mexico and Tier II counties are those typically adjacent to Tier I counties. Tier III counties are typically those adjacent to Tier II counties. Willacy County is a Tier I county.

As a Tier 1 county, all of Willacy County and its participating jurisdictions are in direct threat of tropical storms and hurricanes, including associated flooding and high winds. The effects of tropical storms and hurricanes begin to diminish as they move inland. However, the winds alone from Hurricane Ike reached as far as 120 miles from the eye of the storm. Tropical storms and hurricanes vary tremendously in terms of size, location, intensity, and duration.

B) Impact

Impacts from a tropical Storm or hurricane in Willacy County and the participating jurisdictions may include but are not limited to: loss of power due to downed lines caused by flying debris or fallen trees, flooding, flooding due to damaged or destroyed roofs, damaged or broken windows, damage due to flying debris, wind damage, escaped livestock and pets, injured or killed livestock and pets, crop damage or destruction. In the worst storms, residents may be injured or even killed.

5) Vulnerability

A) Population

As described in Section 3 of Chapter 3 above, Willacy County and the participating jurisdictions are home to many vulnerable residents. Increased vulnerability may be due to many factors

¹³ <https://www.sorm.state.tx.us/insurance-services/statewide-property-insurance-program>

including but not limited to: age, physical ability, financial means, housing type, and housing condition. Many of these vulnerabilities often overlap.

The participating jurisdictions recognize that vulnerable populations may need additional help preparing for and recovering from a hurricane or tropical storm.

Residents of mobile / manufactured housing are of particular concern. These structures are never considered safe during a hurricane, and depending on tie-down methods, may also be unsafe during strong tropical storms.

Residents of sub-standard structures are also of particular concern. Structures in sub-standard condition ahead of a tropical storm or hurricane, whether due to structural damages, missing windows or doors, holes in exterior walls or the roof, may be less safe during a hurricane or tropical storm than structures in standard condition. Existing structural weaknesses may mean increased damages, injuries, or loss of life.

B) Critical Facilities

The planning team identified 46 critical facilities spread across Willacy County and participating jurisdictions. Because of Willacy County's status as a Tier 1 County, all critical facilities, no matter their jurisdictional location, are equally vulnerable to a hurricane / tropical storm event. The following critical facilities and infrastructure in each jurisdiction are expected to play particularly important roles in a hurricane or tropical storm recovery process.

Table 12: Willacy County Critical Facilities Vulnerable to Hurricanes and Tropical Storms

Jurisdiction	Critical Facilities	Potential Hurricane Impacts								
		Loss of Power	Flying Debris	Uprooted Trees	Flooding Due to Physical Damages	Damaged or Destroyed Roofs	Damaged or Broken Windows	Wind Damage	Injuries	Death
Willacy County	Charles R. Johnson Airport	X	X	X	X	X	X	X	X	X
	Lasara Community Center	X	X	X	X	X	X	X	X	X
	Lasara Fire Station	X	X	X	X	X	X	X	X	X
	Lasara ISD	X	X	X	X	X	X	X	X	X
	Port Mansfield Public Utility	X	X	X	X	X	X	X	X	X
	Port Mansfield Utility District Elevated Water Tank	X	X						X	
	Port Mansfield VFD	X	X	X	X	X	X	X	X	X
	Port Mansfield Wastewater Treatment Plant	X	X	X	X	X	X	X	X	X
	Sebastian Head Start	X	X	X	X	X	X	X	X	X
	Sebastian Water Utility Elevated Storage Tank	X	X						X	
	Sebastian Water Utility Water Treatment Plant	X	X	X	X	X	X	X	X	X
	Willacy County Community Safe Room	X	X	X	X	X	X	X	X	X
	Willacy County Courthouse	X	X	X	X	X	X	X	X	X
	Willacy County Courthouse Annex	X	X	X	X	X	X	X	X	X
	Willacy County EMS	X	X	X	X	X	X	X	X	X
	Willacy County Sherriff's Dept.	X	X	X	X	X	X	X	X	X
	WSC Water Plant #3	X	X	X	X	X	X	X	X	X
	CR 156 & Humphry Rd. Bridge				X				X	X
	All Bridges				X				X	X
Lyford	Lyford City Hall									
	Lyford Elementary School	X	X	X	X	X	X	X	X	X
	Lyford Middle School	X	X	X	X	X	X	X	X	X
	Lyford High School	X	X	X	X	X	X	X	X	X
	Lyford Elevated Water Tank #1	X	X						X	

	Lyford Elevated Water Tank #2	X	X						X	
	Lyford Fire Dept.	X	X	X	X	X	X	X	X	X
	Lyford Police Dept.	X	X	X	X	X	X	X	X	X
	Lyford Water Treatment Plant	X	X	X	X	X	X	X	X	X
	Lyford Wastewater Treatment Plant	X	X	X	X	X	X	X	X	X
Raymondville	LC Smith Elementary School	X	X	X	X	X	X	X	X	X
	Otis Klar Head Start	X	X	X	X	X	X	X	X	X
	Texas Migrant Council Head Start	X	X	X	X	X	X	X	X	X
	Pittman Elementary School	X	X	X	X	X	X	X	X	X
	Raymondville Early College High School	X	X	X	X	X	X	X	X	X
	Raymondville Elevated Water Storage Tank - Gem Ave. & 5 th St.	X	X						X	
	Raymondville Elevated Water Storage Tank – Industrial Drive	X	X						X	
	Raymondville Elevated Water Storage Tank – S. 12 th	X	X						X	
	Raymondville Fire Dept.	X	X	X	X	X	X	X	X	X
	Raymondville Police Dept.	X	X	X	X	X	X	X	X	X
	Raymondville Water Treatment Plant	X	X	X	X	X	X	X	X	X
	Regional Detention Facility	X	X	X	X	X	X	X	X	X
	Raymondville City Hall	X	X	X	X	X	X	X	X	X
Delta Lake Irrigation District	Delta Lake Office	X	X	X	X	X	X	X	X	X
	Delta Lake Reservoir Unit #1				X					
	Delta Lake Reservoir Unit #2				X					
Willacy County Drainage District #1	DD #1 Office	X	X	X	X	X	X	X	X	X

C) Critical Infrastructure

Interstate Highway 69E is a TxDOT-designated major hurricane evacuation route for the Pharr area. The distance between the southernmost and northernmost points of I-69E that serves as a designated evacuation route in Willacy County is roughly 10 miles. The highway passes through the City of Lyford. It meets SH 186 in central Raymondville.

State Highway 186 is a TxDOT-designated major hurricane evacuation route for the Pharr area. It starts in Port Mansfield at the Gulf Coast and runs west for 38 miles across the entire width of Willacy County.

Flooding on either of these routes during a hurricane evacuation could strand motorists trying to escape the storm. These drivers may need to be rescued and could be injured or killed.

D) Vulnerable Parcels

Central Appraisal District data was used to estimate potential damage values for each participating jurisdiction. Given the broad nature of vulnerability, damage values were calculated on the jurisdictional level.

Table 13: Estimated Potential Damage Values by Jurisdiction

Jurisdiction	Parcel Count	Estimated Potential Damage Value
Willacy County	13,711	\$1,321,365,490
City of Lyford	1,079	\$84,713,893
City of Raymondville	3,314	\$285,288,746
Delta Lake Irrigation District	6	\$2,114,717
Willacy County Drainage District	N/A	N/A

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“Climate change is expected to affect tropical cyclones by increasing sea surface temperatures, a key factor that influences cyclone formation and behavior. The U.S. Global Change Research Program and the Intergovernmental Panel on Climate Change¹⁴ project that tropical cyclones will become more intense over the 21st century, with higher wind speeds and heavier rains.”¹⁵

¹⁴ <https://science2017.globalchange.gov/www.ipcc.ch/report/ar5/wg1>

¹⁵ <https://www.epa.gov/climate-indicators/climate-change-indicators-tropical-cyclone-activity#ref1>

5. Floods

According to the National Oceanic and Atmospheric Administration, flood is defined as an overflow of water onto normally dry land. The inundation of a normally dry area caused by rising water in an existing waterway, such as a river, stream, or drainage ditch. Ponding of the water at or near the point where the rain fell. Flooding is a longer-term event than flash flooding: it may last days or weeks.

Flash flood is defined as a flood caused by heavy or excessive rainfall in a short period of time, generally less than 6 hours. Flash floods are usually characterized by raging torrents after heavy rains that rip through riverbeds, urban streets, or mountain canyons sweeping everything before them. They can occur within minutes or a few hours of excessive rainfall. They can also occur even if no rain has fallen, for instance after a levee or dam has failed, or after a sudden release of water by a debris or ice jam.¹⁶

1) Flood History

The planning team relied on data from the National Centers for Environmental Information (NCEI) to develop a flood history for the County and each participating jurisdiction.

According to the 2018 Willacy County HMAP, the County and jurisdictions addressing the hazard recorded 45 flood events between 1960 and 2015. The 2018 plan recorded about \$38 million in property damages during that time, adjusted to \$2023. The 2018 plan found that the frequency of flood occurrences is likely.

Flood events are only recorded at the county or city level, therefore there are no recorded events for Delta Lake Irrigation District or Willacy County Drainage District #1. For planning purposes, we can assume that events recorded for the County may have also impacted the Districts.

There have been no recorded events for Willacy County, the City of Lyford or the City of Raymondville since the 2018 HMAP, although the jurisdictions have reported minor localized events have occurred since and went unreported.

A) National Flood Insurance Program

The National Flood Insurance Program (NFIP) is administered by FEMA to provide flood insurance coverage to the nation. Willacy County, and the Cities of Lyford and Raymondville are participating NFIP communities in the FEMA Community Status Book Report. The Delta Lake Irrigation District and Willacy County Drainage District #1 are not eligible to participate in the NFIP.

¹⁶ https://www.weather.gov/mrx/flood_and_flash

Willacy County has adopted and enforced a flood damage prevention ordinance in their jurisdiction and adopted their current FIRM on 4/5/2017. Willacy County's Flood Damage Prevention Ordinance designates the County Engineer as the Floodplain Administrator responsible for implementing its floodplain management regulations and ensuring regulations meet or exceed the minimum NFIP requirements. Floodplain management ordinances and any future updates will guide the jurisdiction as it continues to comply with NFIP requirements through permitting, inspection, and recordkeeping, especially for new and substantially redeveloped construction. The permitting process, presented to the floodplain administrator, may include plans showing location, dimension, and elevation of proposed landscape alterations, existing and proposed structures, and the location of the foregoing in relation to areas of the special flood hazard. Additionally, information including elevation of new and substantially improved structures, nonresidential structures, floodproofing, certificates from registered professional engineers, watercourse or natural drainage alterations, and records are required. General standards for all new construction or substantial improvements require prevention of floatation, collapse or lateral movement and practices that minimize flood damage.

The City of Lyford has adopted and enforced a flood damage prevention ordinance in their jurisdiction and adopted their current FIRM on 4/5/2017. The City of Lyford's Flood Damage Prevention Ordinance designates the Mayor as the Floodplain Administrator responsible for implementing its floodplain management regulations and ensuring regulations meet or exceed the minimum NFIP requirements. Floodplain management ordinances and any future updates will guide the jurisdiction as it continues to comply with NFIP requirements through permitting, inspection, and recordkeeping, especially for new and substantially redeveloped construction. The permitting process, presented to the floodplain administrator, may include plans showing location, dimension, and elevation of proposed landscape alterations, existing and proposed structures, and the location of the foregoing in relation to areas of the special flood hazard. Additionally, information including elevation of new and substantially improved structures, nonresidential structures, floodproofing, certificates from registered professional engineers, watercourse or natural drainage alterations, and records are required. General standards for all new construction or substantial improvements require prevention of floatation, collapse or lateral movement and practices that minimize flood damage.

The City of Raymondville has adopted and enforced a flood damage prevention ordinance in their jurisdiction and adopted their current FIRM on 4/5/2017. The City of Raymondville's Flood Damage Prevention Ordinance designates the City Manager as the Floodplain Administrator responsible for implementing its floodplain management regulations and ensuring regulations meet or exceed the minimum NFIP requirements. Floodplain management ordinances and any future updates will guide the jurisdiction as it continues to comply with NFIP requirements through permitting, inspection, and recordkeeping, especially for new and substantially

redeveloped construction. The permitting process, presented to the floodplain administrator, may include plans showing location, dimension, and elevation of proposed landscape alterations, existing and proposed structures, and the location of the foregoing in relation to areas of the special flood hazard. Additionally, information including elevation of new and substantially improved structures, nonresidential structures, floodproofing, certificates from registered professional engineers, watercourse or natural drainage alterations, and records are required. General standards for all new construction or substantial improvements require prevention of floatation, collapse or lateral movement and practices that minimize flood damage.

The flood mitigation actions outlined in Chapter 17 below were developed with flood mitigation and NFIP compliance in mind. Public engagement will be an ongoing effort in each participating jurisdiction to reduce future losses due to flooding and will continue even after recommended corrective actions have been implemented.

A Repetitive Loss (RL) property is any insurable building for which two or more claims of more than \$1,000 were paid by the NFIP within any rolling ten-year period, since 1978. According to the best information available, there are 13 RL properties in the City of Raymondville, 12 of which are residential and 1 is commercial. There are 4 RL properties in Willacy County, all are residential. There are no RL properties in the City of Lyford.

A severe repetitive loss (SRL) property is: a single family property (consisting of 1 to 4 residences) that is covered under flood insurance by the NFIP and has incurred flood-related damage for which 4 or more separate claims payments have been paid under flood insurance coverage, with the amount of each claim payment exceeding \$5,000 and with cumulative amount of such claims payments exceeding \$20,000; or for which at least 2 separate claims payments have been made with the cumulative amount of such claims exceeding the reported value of the property. According to the best information available, there are 2 SRL properties in the City of Raymondville, both are residential. There are no SRL properties in Willacy County or the City of Lyford.

2) Likelihood of Future Events

In the case of the FEMA 100-year floodplain there is a 1% annual chance, while in the 500-year floodplain there is a 0.02% annual chance. Thus, the likelihood of a 100-year flood event is occasional and the likelihood of a 500-year flood event is unlikely. However, based on the frequency of previous flood events, every jurisdiction can expect to experience some type of flooding that may or may not meet the definition of a 100-year or 500-year event on a more regular basis.

The local planning team determined it is probable that Willacy County and the participating jurisdictions will experience a flood event in the next three years, meaning an event is likely.

3) Extent

Flood magnitude is generally measured by depth of flood waters in feet or inches. Throughout Willacy County and the participating jurisdictions, the worst flood events have resulted in up to 5' of water and inflicted over \$50 million in damages.¹⁷

Future worst-case flood events in Willacy County and the participating jurisdictions may meet or exceed previous worst-case 5' flood depths.

4) Location and Impact

Roughly 0.1% (545 acres out of 424,329) of Willacy County is in the FEMA 100-year floodplain (Zone A). In contrast, about 12% (52,660 acres out of 424,329) of Willacy County is in the FEMA Base Floodplain (Zone AE), and roughly 83% (351,989 acres out of 424,329) of Willacy County is in the 500-year floodplain (Zone X).

¹⁷ 2018 Willacy County Hazard Mitigation Plan

A) Location

I. Willacy County




Figure 9: Willacy County FEMA Special Flood Hazard Areas

II. City of Lyford




Figure 10: City of Lyford FEMA Special Flood Hazard Areas

III. City of Raymondville




Figure 11: City of Raymondville FEMA Special Flood Hazard Areas

IV. Delta Lake Irrigation District




Figure 12: Delta Lake Irrigation District FEMA Special Flood Hazard Areas

V. Willacy County Drainage District #1




Figure 13: Willacy County Drainage District #1 FEMA Special Flood Hazard Areas

B) Impact

Residents in the participating jurisdictions may temporarily lose power due to downed power lines. Motorists and residents may be left stranded and needing rescue. Affected structures may be flooded, damaged by foodborne contaminants, damaged by debris flow, or even completely washed away. Crops may be damaged or destroyed. Estimated damage totals to vulnerable parcels affected during a 100-year flood event may meet the totals outlined in Tables 15 through 19.

Despite the unlikely probability of a so-called 500-year flood, 0.02% in any given year, the danger is not negligible. Similar to 100-year flood events, parts of the County may temporarily lose power due to downed power lines; motorists and residents may be left stranded and needing rescue; affected structures may be flooded, damaged by flood borne contaminants, damaged by debris flow, or even completely washed away; crops may be damaged or destroyed. Estimated damage totals to vulnerable parcels affected during a 500-year flood event may meet the totals outlined in Tables 15 through 19.

In addition to flooding's direct effects, the participating jurisdictions may be subject to indirect effects. These may include but aren't limited to loss of power, limited travel due to flooded and/or washed-out roads, and limited access to nearby emergency care centers.

5) Vulnerability

A) Population

As described in Section 3 of Chapter 3 above, Willacy County and the participating jurisdictions are home to many vulnerable residents. Increased vulnerability may be due to many factors including but not limited to age, physical ability, financial means, housing type, and housing condition. Many of these vulnerabilities often overlap.

The participating jurisdictions recognize that vulnerable populations may need additional help preparing for and recovering from a flood.

Residents of mobile / manufactured housing are of particular concern. These structures are never considered safe during a flood, and depending on tie-down methods, may threaten surrounding structures.

Residents of sub-standard structures are also of particular concern. Structures in sub-standard condition ahead of a flood, whether due to structural damages, missing windows or doors, holes in exterior walls or the roof, may be less safe during a flood than structures in standard condition. Existing structural weaknesses may mean increased damages, injuries, or loss of life.

B) Critical Facilities

The planning team identified 46 critical facilities spread across the County and participating jurisdictions. All are located in some variation of a flood zone.

Table 14: Willacy County Critical Facilities Vulnerable to Flooding

Willacy County Critical Facilities
Charles R. Johnson Airport
Lasara Community Center
Lasara Fire Station
Lasara ISD
Port Mansfield Public Utility
Port Mansfield Utility District Elevated Water Tank
Port Mansfield VFD
Port Mansfield Wastewater Treatment Plant
Sebastian Head Start
Sebastian Water Utility Elevated Storage Tank
Sebastian Water Utility Water Treatment Plant
Willacy County Community Safe Room
Willacy County Courthouse
Willacy County Courthouse Annex
Willacy County EMS
Willacy County Sherriff's Dept.
WSC Water Plant #3
CR 156 & Humphry Rd. Bridge
All Bridges
City of Lyford Critical Facilities
Lyford City Hall
Lyford Elementary School
Lyford Middle School
Lyford High School
Lyford Elevated Water Tank #1
Lyford Elevated Water Tank #2
Lyford Fire Dept.
Lyford Police Dept.
Lyford Water Treatment Plant
Lyford Wastewater Treatment Plant
City of Raymondville Critical Facilities
LC Smith Elementary School
Otis Klar Head Start
Texas Migrant Council Head Start
Pittman Elementary School
Raymondville Early College High School
Raymondville Elevated Water Storage Tank - Gem Ave. & 5 th St.
Raymondville Elevated Water Storage Tank – Industrial Drive

Raymondville Elevated Water Storage Tank – S. 12 th
Raymondville Fire Dept.
Raymondville Police Dept.
Raymondville Water Treatment Plant
Regional Detention Facility
Raymondville City Hall
Delta Lake Irrigation District
Delta Lake Office
Delta Lake Reservoir Unit #1
Delta Lake Reservoir Unit #2
Willacy County Drainage District #1
DD#1 Office

C) Vulnerable Parcels¹⁸

The planning team developed a parcel inventory to identify estimated damage values during a flood event. Parcels vulnerable to flooding have been identified by their complete or partial location within the FEMA 100-year floodplain and the FEMA 500-year floodplain. Actual damages will vary based on the location and extent of flooding.

Table 15: Vulnerable Parcels by Flood Zone in Willacy County

Jurisdiction	Total Parcels	Estimated Potential Damage Value
<u>FEMA 100-Year Flood Zone A</u>		
Willacy County	0	\$0
<u>FEMA 500-Year Flood Zone</u>		
Willacy County	8,066	\$1,009,877,149

Table 16: Vulnerable Parcels by Flood Zone in the City of Lyford

Jurisdiction	Total Parcels	Estimated Potential Damage Value
<u>FEMA 100-Year Flood Zone A</u>		
Lyford	0	\$0

¹⁸ County Parcel Count Includes All Parcels in Willacy County

FEMA 500-Year Flood Zone		
Lyford	372	\$15,376,065

Table 17: Vulnerable Parcels by Flood Zone in the City of Raymondville

Jurisdiction	Total Parcels	Estimated Potential Damage Value
FEMA 100-Year Flood Zone A		
Raymondville	0	\$0
FEMA 500-Year Flood Zone		
Raymondville	379	\$27,121,310

Table 18: Vulnerable Parcels by Flood Zone in the Delta Lake Irrigation District

Jurisdiction	Total Parcels	Estimated Potential Damage Value
FEMA 100-Year Flood Zone A		
Delta Lake Irrigation District	0	\$0
FEMA 500-Year Flood Zone		
Delta Lake Irrigation District	4	\$49,836

Table 19: Vulnerable Parcels by Flood Zone in the Willacy County Drainage District #1

Jurisdiction	Total Parcels	Estimated Potential Damage Value
FEMA 100-Year Flood Zone A		
Willacy County Drainage District #1	N/A	N/A
FEMA 500-Year Flood Zone		
Willacy County Drainage District #1	N/A	N/A

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“Climate change may cause river floods to become larger or more frequent than they used to be in some places yet become smaller and less frequent in other places. As warmer temperatures cause more water to evaporate from the land and oceans, changes in the size and frequency of heavy precipitation events may in turn affect the size and frequency of river flooding.”¹⁹

¹⁹ <https://www.epa.gov/climate-indicators/climate-change-indicators-river-flooding>

6. Wildfire

Wildfire is defined as a sweeping and destructive conflagration and can be further categorized as wildland, interface, or intermix fires.

Wildland fires are fueled almost exclusively by natural vegetation. Wildland/Urban Interface (WUI) fires include both vegetation and the built environment. The wildfire disaster cycle begins when homes are built adjacent to wildland areas. When what would have been rural wildfires occur, they advance through all available fuels, which can include homes and structures.²⁰

1) Wildfire History

The Texas A&M Forest Service Wildfire Risk Assessment Portal provides wildfire data on fires that occurred as recently as 2015. Additional data came from local planning team members.

In the 2018 Willacy County HMAP, the County and participating jurisdictions looked at Texas A&M Forest Service Wildfire Risk Assessment Portal data, and Cities of Lyford and Raymondville Volunteer Fire Department’s data to determine wildfire risk across Willacy County. The 2018 plan reported 298 fires between 2005 - 2014.

The following table represents all events recorded in the National Centers for Environmental Information (NCEI) database between 2018 – 2023. Wildfire events are only recorded at the county or city level, therefore there are no recorded events for Delta Lake Irrigation District or Willacy County Drainage District #1. For planning purposes, we can assume that events recorded for the County may have also impacted the Districts.

Table 20: Willacy County Wildfire History

Location	Date Range	Wildfire Events	Acres Burned	Fatalities	Injuries	Property Damage \$2023	Crop Damage \$2023
Countywide	3/2/2022	1	73	0	0	\$0	\$0

2) Likelihood of Future Events

Although the County and participating jurisdictions have only one recorded event since the 2018 HMAP, it is possible that some wildfires may have gone unreported. A wildfire event in any of the jurisdictions addressing the hazard is occasional, meaning an event is probable within the next five years.

²⁰ 2018 State of Texas Hazard Mitigation Plan

3) Extent

The Texas A&M Forest Service's Characteristic Fire Intensity Scale (FIS) specifically identifies areas where significant fuel hazards and associated dangerous fire behavior potential exist. The FIS is a fire behavior output, which is influenced by three environmental factors - fuels, weather, and topography. According to Texas A&M Forest Service data, Willacy County and the participating jurisdictions are rated between Class 1 and Class 4.

Table 21: Characteristic Fire Intensity Scale²¹

Class 1 Very Low	Very small, discontinuous flames, usually less than one foot in length; very low rate of spread; no spotting. Fires are typically easy to suppress by firefighters with basic training and non-specialized equipment.
Class 2 Low	Small flames, usually less than two feet long; small amount of very short-range spotting possible. Fires are easy to suppress by trained firefighters with protective equipment and specialized tools.
Class 3 Moderate	Flames up to 8 feet in length; short-range spotting is possible. Trained firefighters will find these fires difficult to suppress without support from aircraft or engines, but dozer and plows are generally effective. Increasing potential for harm or damage to life and property.
Class 4 High	Large flames, up to 30 feet in length; short-range spotting common; medium range spotting possible. Direct attack by trained firefighters, engines, and dozers is generally ineffective, indirect attack may be effective. Significant potential for harm or damage to life and property.
Class 5 Very High	Very large flames up to 150 feet in length; profuse short-range spotting, frequent long-range spotting; strong fire-induced winds. Indirect attack marginally effective at the head of the fire. Great potential for harm or damage to life and property.

The National Wildfire Coordinating Group (NWCG) provides an additional way to measure extent by accounting for fire size. Based on Texas A&M Forest Service data, the average fire in Willacy County and the participating jurisdictions is a Class C event.

²¹ <https://www.texaswildfirerisk.com>

Table 22: National Wildfire Coordinating Group Size Class of Fire²²

Class A	¼ acre or less
Class B	More than ¼ acre, but less than 10 acres
Class C	10 acres or more, but less than 100 acres
Class D	100 acres or more, but less than 300 acres
Class E	300 acres or more, but less than 1,000 acres
Class F	1,000 acres or more, but less than 5,000 acres
Class G	5,000 acres or more

Future fire events in Willacy County and the participating jurisdictions may meet previous worst-case Class C (NWCGSCF) and Class 4 (FIS) wildfires in terms of intensity, acreage burned, and inflicted damage.

4) Location and Impact

A) Location

Due to wildfire's ability to inflict damages to both structures and landscapes, wildfire location has been assessed by parcel, rather than by structure. Parcels have been determined to be either partially or completely vulnerable to wildfire based on TxWRAP's Wildland Urban Interface boundaries.

Because wildfires are dynamically unpredictable, the following maps and tables may not be representative of every location and parcel at risk of wildfire.

²² <http://www.nwcg.gov/term/glossary/size-class-of-fire>

I. Willacy County




Figure 14: Willacy County Wildland Urban Interface

II. City of Lyford




Figure 15: City of Lyford Wildland Urban Interface

III. City of Raymondville




Figure 16: City of Raymondville Wildland Urban Interface

IV. Delta Lake Irrigation District




Figure 17: Delta Lake Irrigation District Wildland Urban Interface

V. Willacy County Drainage District #1




Figure 18: Willacy County Drainage District #1 Wildland Urban Interface

B) Impact

Impacts from a wildfire in Willacy County and the participating jurisdictions may include but are not limited to crop damage or destruction; damaged or destroyed agricultural, residential, commercial, and industrial buildings; escaped, lost, injured, or killed livestock and pets. In the worst cases, residents may be injured or killed.

5) Vulnerability

A) Population

As described in Section 3 of Chapter 3 above, Willacy County and the participating jurisdictions are home to many vulnerable residents. Increased vulnerability may be due to many factors including but not limited to age, physical ability, financial means, housing type, and housing condition. Many of these vulnerabilities often overlap.

The jurisdictions recognize that vulnerable populations may need additional help preparing for and recovering from wildfire.

Residents of mobile homes, specifically those built before HUD's Manufactured Housing and Standards requirements were introduced in 1976, are of particular concern²³. These structures are more prone to fire and have a higher incidence of occupant death than modern manufactured homes.

Residents of sub-standard structures are also of particular concern. Structures in sub-standard condition ahead of a wildfire, whether due to structural damage, missing windows or doors, holes in exterior walls or the roof, may be less safe during a wildfire than structures in standard condition. Exterior damage may make the homes more prone to fire by more readily exposing flammable materials to flame. Missing windows and other exterior gaps may leave residents and structures prone to smoke inhalation and smoke damage.

All of these issues may increase damages and lead to injuries or loss of life.

²³ <https://www.usfa.fema.gov/downloads/pdf/statistics/rural.pdf>

B) Critical Facilities

There are 46 critical facilities located throughout the County and participating jurisdictions. Of the 46 critical facilities, 12 are located in the wildland urban interface (WUI), as defined by the Texas A&M Forest Service. Because of their location in the WUI, the density of development, and proximity to wildland areas, these facilities are believed to be particularly susceptible to future wildfire threats.

Table 23: Critical Facilities Vulnerable to Wildfire and Potential Impacts

Jurisdiction	Critical Facilities	Potential Wildfire Impacts				
		Destruction	Partial Destruction	Heat Damage	Smoke Damage	Water Damage
Willacy County	Charles R. Johnson Airport	X	X	X	X	X
	Port Mansfield Utility District Elevated Water Tank	X	X	X	X	X
	Port Mansfield VFD	X	X	X	X	X
	Willacy County Sherriff's Dept.	X	X	X	X	X
	WSC Water Plant #3	X	X	X	X	X
Lyford	Lyford Elementary School	X	X	X	X	X
	Lyford Middle School	X	X	X	X	X
	Lyford High School	X	X	X	X	X
Raymondville	Otis Klar Head Start	X	X	X	X	X
	Raymondville Early College High School	X	X	X	X	X
	Raymondville Elevated Water Storage Tank – S. 12 th	X	X	X	X	X
	Raymondville Water Treatment Plant	X	X	X	X	X

C) Vulnerable Parcels

Table 24: Parcels Vulnerable to Wildfire

Jurisdiction	Parcel Count	Estimated Potential Damage Value
Willacy County	1,666	\$88,670,561
City of Lyford	205	\$7,260,962
City of Raymondville	821	\$44,511,805
Delta Lake Irrigation District	0	\$0
Willacy County Drainage District	N/A	N/A

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“Research shows that changes in climate create warmer, drier conditions, leading to longer and more active fire seasons. Increases in temperatures and the thirst of the atmosphere due to climate change have increased aridity of forest fuels during the fire season. These drivers were found to be responsible for over half the observed decrease in the moisture content of fuels in western U.S. forests from 1979 to 2015, and the doubling of forest fire burned area over the period 1984 to 2015. For much of the U.S. West, projections show that an average annual 1 degree C temperature increase would increase the median burned area per year by as much as 600%.²⁴

²⁴ <https://www.noaa.gov/noaa-wildfire/wildfire-climate-connection#:~:text=Research%20shows%20that%20changes%20in,fuels%20during%20the%20fire%20season.https://www.c2es.org/content/wildfires-and-climate-change/#:~:text=For%20much%20of%20the%20U.S.,in%20some%20types%20of%20forests.>

7. Tornado

A tornado is defined as a violently rotating column of air touching the ground, usually attached to the base of a thunderstorm.²⁵ Most of the time, vortices remain suspended in the atmosphere and are visible as a funnel cloud. However, when the lower tip of a vortex touches the ground, the tornado becomes a force of destruction. Tornado strength is currently measured using the Enhanced Fujita (EF) Scale. Like the previously used Fujita scale, the EF Scale uses damage to estimate tornado wind speeds and assign a number between 0 and 5. A rating of EF0 represents minor to no damage whereas a rating of EF5 represents destruction of buildings.

1) Tornado History

The 2018 Willacy County HMAP reported 28 tornadoes between 1957 – 2015 for the County and jurisdictions. The following table represents all recorded events between 2018 – 2023. Tornado events are only recorded at the county or city level, therefore there are no recorded events for Delta Lake Irrigation District or Willacy County Drainage District #1. For planning purposes, we can assume that events recorded for the County may have also impacted the Districts. There have been no recorded events for Willacy County or City of Lyford since the 2018 HMAP.

Table 25: City of Raymondville Tornado History

Location	Date Range	Number of Tornadoes	F / EF Magnitude Range	Fatalities	Injuries	Property Damage \$2023	Crop Damage \$2023
Raymondville	7/27/2018	1	EF0	0	0	\$0	\$297

2) Likelihood of Future Events

The likelihood of future tornadoes will be determined in consideration of all tornadoes in Willacy County. Tornado events in Willacy County are considered an occasional hazard given the frequency of previous tornadoes in the County and participating jurisdictions, meaning one is possible in the next five years.

3) Extent

Before 2007, the Fujita Scale was used for rating tornado strength. The Fujita Scale is based on damage intensity instead of wind speed, with estimated wind speed ranges based on the extent of observed damage.

²⁵ <https://www.weather.gov/phi/TornadoDefinition>

Table 26: Fujita Scale

Fujita Scale			
Enhanced Fujita Category	Wind Speed (MPH)	Character	Potential Damage
Zero (F0)	40-72	Weak	Light Damage. Some damage to chimneys; branches broken off trees, shallow-rooted trees uprooted, sign boards damaged.
One (F1)	73-112	Weak	Moderate damage. Roof surfaces peeled off; mobile homes pushed foundations or overturned; moving autos pushed off road.
Two (F2)	113-157	Strong	Considerable damage. Roofs torn from frame houses; mobile homes demolished; boxcars pushed over; large trees snapped or uprooted; light objects become projectiles.
Three (F3)	158-206	Strong	Severe damage. Entire stories of well-constructed houses destroyed; severe damage to large buildings such as shopping malls; trains overturned; trees debarked; heavy cars lifted off the ground and thrown; structures with weak foundations blown away some distance.
Four (F4)	207-260	Violent	Devastating damage. Well-constructed houses and whole frame houses completely leveled; cars thrown and small missiles generated.
Five (F5)	260-318	Violent	Incredible damage. Strong frame houses leveled off foundations and swept away; automobile-sized missiles fly through the air in excess of 100 m (109 yds.); high-rise buildings have significant structural deformation; incredible phenomena will occur.

Adopted after 2007, the Enhanced Fujita Scale, or EF Scale, is the scale for rating the strength of tornados via the damage they cause. Six categories from zero to five represent increasing degrees of damage. The scale considers how most structures are designed and is thought to be an accurate representation of the surface wind speeds in the most violent tornados.

Table 27: Enhanced Fujita Scale²⁶

Enhanced Fujita (EF) Scale		
Enhanced Fujita Category	Wind Speed (MPH)	Potential Damage
EF0	65-85	Light damage. Peels surface off some roofs; some damage to gutters or siding; branches broken off trees; shallow-rooted trees pushed over.
EF1	86-110	Moderate damage. Roofs severely stripped; mobile homes overturned or badly damaged; loss of exterior doors; windows and other glass broken.

²⁶ 2018 State of Texas Hazard Mitigation Plan

EF2	111-135	Considerable damage. Roofs torn off well-constructed houses; foundations of frame homes shifted; mobile homes completely destroyed; large trees snapped or uprooted; light-object missiles generated; cars lifted off ground.
EF3	136-165	Severe damage. Entire stories of well-constructed houses destroyed; severe damage to large buildings such as shopping malls; trains overturned; trees debarked; heavy cars lifted off the ground and thrown; structures with weak foundations blown away some distance.
EF4	166-200	Devastating damage. Well-constructed houses and whole frame houses completely leveled; cars thrown and small missiles generated.
EF5	200+	Incredible damage. Strong frame houses leveled off foundations and swept away; automobile-sized missiles fly through the air in excess of 100 m (109 yds.); high-rise buildings have significant structural deformation; incredible phenomena will occur.

The most recent tornados in Willacy County and the participating jurisdictions have been classified as EF0 – EF1s on the Enhanced Fujita Scale. Willacy County sits within Zone III (200 mph winds) of the IBC’s wind speed map²⁷. Future tornados in Willacy County and the participating jurisdictions may meet up to EF5 on the Enhanced Fujita Category.

4) Location and Impact

A) Location

Tornados are not constrained by any distinct geographic boundary. Tornados can occur across all participating jurisdictions and may freely cross from one jurisdiction into another.

B) Impact

Impacts from a tornado may include but are not limited to damaged or destroyed personal property including vehicles, damaged or destroyed agricultural, residential, commercial, and industrial buildings, and loss of power. Crops may be damaged or destroyed. Pets and livestock may be injured or killed by tornados or flying debris. Pets and livestock may escape due to damaged or destroyed structures and fences.

In the worst cases, tornados may cause injuries and/or be deadly.

5) Vulnerability

Tornadoes have the potential to impact the entire planning area. All existing and future buildings, critical facilities, critical infrastructure, improved property, and the population of the participating jurisdictions are considered vulnerable to this hazard.

A) Population

As described in Section 3 of Chapter 3 above, Willacy County and the participating jurisdictions are home to many vulnerable residents. Increased vulnerability may be due to many factors

²⁷ <https://iibec.org/giving-tornadoes-their-due/>

including but not limited to age, physical ability, financial means, housing type, and housing condition. Many of these vulnerabilities often overlap.

The participating jurisdictions recognize that vulnerable populations may need additional help preparing for and recovering from a tornado. Residents of mobile / manufactured homes are of particular concern. These structures are never considered safe during a tornado.

Residents of sub-standard structures are also of particular concern. Structures in sub-standard condition ahead of a tornado, whether due to structural damage, missing windows or doors, holes in exterior walls or the roof, may be less safe during a tornado than structures in standard condition. Existing structural weaknesses, due to housing type or existing damages, may lead to compounded damages, injuries, or loss of life.

B) Critical Facilities

Certain critical facilities and infrastructure in each jurisdiction may be particularly vulnerable to tornados. These facilities have been identified for reasons including: the number of people who use the facility or infrastructure, the facility's role in providing basic services to begin the cleanup process and get the jurisdictions running again, and the facility's ability to offer goods and materials residents will need to resume normalcy as quickly as possible. The selected critical facilities are built from a variety of materials with varying levels of resistance to tornadic damage. Additionally, their varying ages mean they weren't constructed to uniform building standards. Given tornados' violent nature, these facilities may experience increased levels of vulnerability to the hazards. Damage to any of these facilities may have a disproportionately negative impact on each jurisdiction's recovery from a tornado if that damage affects the facility's ability to reopen and resume normal business right away.

Table 28: Critical Facilities Vulnerable to Tornadoes and Potential Impacts

Jurisdiction	Critical Facilities	Potential Tornado Impacts								
		Loss of Power	Flying Debris	Uprooted Trees	Flooding Due to Physical Damages	Damaged or Destroyed Roofs	Damaged or Broken Windows	Wind Damage	Injuries	Death
Willacy County	Charles R. Johnson Airport	X	X	X	X	X	X	X	X	X
	Lasara Community Center	X	X	X	X	X	X	X	X	X
	Lasara Fire Station	X	X	X	X	X	X	X	X	X
	Lasara ISD	X	X	X	X	X	X	X	X	X
	Port Mansfield Public Utility	X	X	X	X	X	X	X	X	X
	Port Mansfield Utility District Elevated Water Tank	X	X					X		
	Port Mansfield VFD	X	X	X	X	X	X	X	X	X
	Port Mansfield Wastewater Treatment Plant	X	X	X	X	X	X	X	X	X
	Sebastian Head Start	X	X	X	X	X	X	X	X	X
	Sebastian Water Utility Elevated Storage Tank	X	X					X		
	Sebastian Water Utility Water Treatment Plant	X	X	X	X	X	X	X	X	X
	Willacy County Community Safe Room	X	X	X	X	X	X	X	X	X
	Willacy County Courthouse	X	X	X	X	X	X	X	X	X
	Willacy County Courthouse Annex	X	X	X	X	X	X	X	X	X
	Willacy County EMS	X	X	X	X	X	X	X	X	X
	Willacy County Sherriff's Dept.	X	X	X	X	X	X	X	X	X
	WSC Water Plant #3	X	X	X	X	X	X	X	X	X
	CR 156 & Humphry Rd. Bridge				X				X	X
	All Bridges				X				X	X
Lyford	Lyford City Hall	X	X	X	X	X	X	X	X	X
	Lyford Elementary School	X	X	X	X	X	X	X	X	X
	Lyford Middle School	X	X	X	X	X	X	X	X	X
	Lyford High School	X	X	X	X	X	X	X	X	X

	Lyford Elevated Water Tank #1	X	X					X		
	Lyford Elevated Water Tank #2	X	X					X		
	Lyford Fire Dept.	X	X	X	X	X	X	X	X	X
	Lyford Police Dept.	X	X	X	X	X	X	X	X	X
	Lyford Water Treatment Plant	X	X	X	X	X	X	X	X	X
	Lyford Wastewater Treatment Plant	X	X	X	X	X	X	X	X	X
Raymondville	LC Smith Elementary School	X	X	X	X	X	X	X	X	X
	Otis Klar Head Start	X	X	X	X	X	X	X	X	X
	Texas Migrant Council Head Start	X	X	X	X	X	X	X	X	X
	Pittman Elementary School	X	X	X	X	X	X	X	X	X
	Raymondville Early College High School	X	X	X	X	X	X	X	X	X
	Raymondville Elevated Water Storage Tank - Gem Ave. & 5 th St.	X	X					X		
	Raymondville Elevated Water Storage Tank – Industrial Drive	X	X					X		
	Raymondville Elevated Water Storage Tank – S. 12 th	X	X					X		
	Raymondville Fire Dept.	X	X	X	X	X	X	X	X	X
	Raymondville Police Dept.	X	X	X	X	X	X	X	X	X
	Raymondville Water Treatment Plant	X	X	X	X	X	X	X	X	X
	Regional Detention Facility	X	X	X	X	X	X	X	X	X
	Raymondville City Hall	X	X	X	X	X	X	X	X	X
Delta Lake Irrigation District	Delta Lake Office	X	X	X	X	X	X	X	X	X
	Delta Lake Reservoir Unit #1				X					
	Delta Lake Reservoir Unit #2				X					
Willacy County Drainage District #1	DD#1 Office	X	X	X	X	X	X	X	X	X

C) Vulnerable Parcels

Table 29: Parcels Vulnerable to Tornadoes

Jurisdiction	Parcel Count	Estimated Potential Damage Value
Willacy County	13,711	\$1,321,365,490
City of Lyford	1,079	\$84,713,893
City of Raymondville	3,314	\$285,288,746
Delta Lake Irrigation District	6	\$2,114,717
Willacy County Drainage District	N/A	N/A

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“Scientists must attempt to predict how climate change might affect the individual weather ‘ingredients’ that support the development of supercell thunderstorms (the type that produce tornadoes). These weather ingredients are:

- warm, moist air;
- an unstable atmosphere; and
- wind at different levels moving in different directions at different speeds, a phenomenon known as wind shear.

Some studies predict that climate change could provide the opportunity for more severe thunderstorms to form. However, this does not necessarily mean that more tornadoes will occur, especially in light of the fact that only about 20 percent of supercell thunderstorms produce tornadoes.”²⁸

²⁸ <https://education.nationalgeographic.org/resource/tornadoes-and-climate-change/>

8. Drought

Drought is defined as the consequence of a natural reduction in the amount of precipitation expected over an extended period, usually a season or more in length.²⁹

Droughts are one of the most complex natural hazards to identify because it is difficult to determine their precise beginning or end. In addition, droughts can lead to other hazards such as extreme heat and wildfires. Their impact on wildlife and area farming is enormous, often killing crops, grazing land, edible plants and even in severe cases, trees. A secondary hazard to drought is wildfire because dying vegetation serves as a prime ignition source. Therefore, a heat wave combined with a drought is a very dangerous situation.

Table 30: Drought Classifications

Meteorological Drought	The degree of dryness or departure of actual precipitation from an expected average or normal amount based on monthly, seasonal, or annual time scales.
Hydrologic Drought	The effects of precipitation shortfalls on stream flows and reservoir, lake, and groundwater levels.
Agricultural Drought	Soil moisture deficiencies relative to water demands of plant life, usually crops.
Socioeconomic Drought	The effect of demands for water exceeding the supply as a result of a weather-related supply shortfall.

²⁹ 2018 State of Texas Hazard Mitigation Plan




Figure 19: Sequence of Drought Occurrence and Impacts for Commonly Accepted Drought Types³⁰

³⁰ Source: National Drought Mitigation Center, University of Nebraska-Lincoln, <http://drought.unl.edu/DroughtBasics/TypesofDrought.aspx>

1) Drought History




Figure 20: Willacy County Drought History³¹

³¹ Source: United States Drought Monitor <https://droughtmonitor.unl.edu/Data.aspx>

Drought history is recorded at the county level. However, the data is measured by the percentage of the county affected by drought. Although no specific data regarding drought's occurrences in the remaining jurisdictions is available, it's possible to use the data in Figure 21 to infer when the participating jurisdictions addressing the hazard previously experienced drought conditions due to the fact that the conditions impacted 100% of the county. According to the data, Willacy County and the participating jurisdictions have regularly experienced drought conditions since 2000.

Table 31: Willacy County Drought History

Location	Date Range	Number of Drought Events	Fatalities	Injuries	Property Damage \$2023	Crop Damage \$2023
Countywide	3/1/2000 – 5/4/2021	206	0	0	\$0	\$12,531,378

2) Likelihood of Future Events

Based on historical drought in Texas and Willacy County, it is highly likely that a future drought will affect Willacy County and the participating jurisdictions, meaning an event affecting any or all the participating jurisdictions is probable in the next year, and a major drought every 20 years.

3) Extent

Since 2000, Willacy County has regularly experienced county-wide droughts classified as periods ranging from abnormal dryness to exceptional drought. Between 2011 and 2013, the entire County, including all participating jurisdictions, was in a state of extreme or exceptional drought, the most severe drought categories.

The Palmer Drought Index is used to measure the extent of drought by measuring the duration and intensity of long-term drought-inducing circulation patterns. Long-term drought is cumulative, with the intensity of drought during the current month dependent upon the current weather patterns plus the cumulative patterns of previous months. The hydrological impacts of drought (e.g., reservoir levels, groundwater levels, etc.) take longer to develop.

Table 32: Palmer Drought Index

Drought Index	Drought Conditions Classifications						
	Extreme	Severe	Moderate	Normal	Mostly Moist	Very Moist	Extremely Moist
Z Index	-2.75 and below	-2.00 to -2.74	-1.25 to -1.99	-1.24 to +.99	+1.00 to +2.49	+2.50 to +3.49	n/a
Meteorological	-4.00 and below	-3.00 to -3.99	-2.00 to -2.99	-1.99 to +1.99	+2.00 to +2.00	+3.00 to +3.00	+4.00 and above
Hydrological	-4.00 and below	-3.00 to -3.99	-2.00 to -2.99	-1.99 to +1.99	+2.00 to +2.00	+3.00 to +3.00	+4.00 and above

Table 33: Palmer Drought Category Descriptions³²

Category	Description	Possible Impacts	Palmer Drought Index
D0	Abnormally Dry	Going into drought: short-term dryness slowing planting, growth of crops or pastures; fire risk above average. Coming out of drought: some lingering water deficits; pastures or crops not fully recovered.	-1.0 to -1.9
D1	Moderate Drought	Some damage to crops, pastures; fire risk high; streams, reservoirs, or wells low, some water shortages developing, or imminent, voluntary water use restrictions requested.	-2.0 to -2.9
D2	Severe Drought	Crop or pasture losses likely; fire risk very high; water shortages common; water restrictions imposed.	-3.0 to -3.9
D3	Extreme Drought	Major crop/pasture losses; extreme fire danger; widespread water shortages or restrictions.	-4.0 to -4.9
D4	Exceptional Drought	Exceptional and widespread crop/pasture losses; exceptional fire risk; shortages of water in reservoirs, streams, and wells, creating water emergencies.	-5.0 or less

Drought is monitored nationwide by the National Drought Mitigation Center (NDMC). Indicators are used to describe broad scale drought conditions across the U.S. Indicators correspond to the intensity of drought.

Based on the historical occurrences of drought, Willacy County and all participating jurisdictions should anticipate experiencing droughts ranging from abnormally dry to exceptional drought or D0 to D4 based on the Palmer Drought Category. Given varying conditions, droughts may start on the low end of the Index but will intensify with duration and ongoing lack of precipitation. Future drought events may reach the intensity of D4 on the Palmer Drought Index.

³² www.droughtmonitor.unl.edu

4) Location and Impact

A) Location

Drought has no distinct geographic boundary. Drought can occur across all participating jurisdictions.

B) Impact

General impacts may include water shortage, risk to public safety due to wildfire risk increases, respiratory impacts to the public due to affected air quality, and degradation of fish and wildlife habitat. Economic impacts may include increased prices for food, unemployment for farm workers and ranch hands, livestock mortality from limited grazing availability, and reduced tax revenues because of reduced supplies of agriculture products and livestock that are dependent on rainfall, along with other supply shortages.

The City of Lyford adopted its current Drought Contingency Plan in 2020. The plan describes six stages of water restrictions ranging from voluntary conservation to a prohibition of activities and water allocation. Each stage is triggered by changes in the level of water demand relative to the safe operating capacity of the City's water supply facilities or the occurrence of a water supply emergency.

The City of Raymondville adopted its current Drought Contingency Plan in 2020. The plan describes six stages of water restrictions ranging from voluntary conservation to a prohibition of activities and water allocation. Each stage is triggered by changes in the level of water demand relative to the safe operating capacity of the City's water supply facilities or the occurrence of a water supply emergency.

The Delta Lake Irrigation District adopted its current Drought Contingency Plan in 2023. The plan describes allocation of water based on reservoir storage balances.

Willacy County and the Willacy County Drainage District #1 do not have a Drought Contingency Plan.

5) Vulnerability

Because drought has the potential to impact every jurisdiction equally, all improved property and the entire population is exposed to this hazard. General impacts may include water shortage, risk to public safety due to wildfire risk increases, respiratory impacts to the public due to affected air quality, and degradation of fish and wildlife habitat.

Economic impacts may include increased prices for food, unemployment for farm workers and ranch hands, livestock mortality from limited grazing availability, and reduced tax revenues

because of reduced supplies of agriculture products and livestock that are dependent on rainfall.

Lower income populations who may not have the resources to buy large quantities of bottled water in the event of a shortage may be more vulnerable than other populations.

A) Population

As described in Section 3 of Chapter 3 above, Willacy County and the participating jurisdictions are home to many vulnerable residents. Increased vulnerability may be due to many factors including but not limited to age, physical ability, financial means, housing type, and housing condition. Many of these vulnerabilities often overlap.

The jurisdictions recognize that vulnerable populations may need additional help preparing for and recovering from a drought. Lower income populations who may not have the resources to buy large quantities of bottled water in the event of a shortage may be more vulnerable than other populations.

B) Critical Facilities

In addition to triggering various components of participating jurisdictions' Drought Contingency Plans, drought conditions may affect local critical facilities. Area fire departments may see increased demand for controlling wildland fire due to dry conditions. Drought is likely to require increased output from the local power companies to keep up with electrical demand. Depending on factors like time of year, temperature, and duration, increased electrical demand may cause brownouts that would impact critical facilities.

Table 34: Critical Facilities Vulnerable to Drought and Potential Impacts

Jurisdiction	Critical Facilities	Potential Drought Impacts	
		Increased Demand for Services	Economic Damages
Willacy County	Charles R. Johnson Airport	X	X
	Lasara Community Center	X	X
	Lasara Fire Station	X	X
	Lasara ISD	X	X
	Port Mansfield Public Utility	X	X
	Port Mansfield Utility District Elevated Water Tank	X	X
	Port Mansfield VFD	X	X
	Port Mansfield Wastewater Treatment Plant	X	X
	Sebastian Head Start	X	X
	Sebastian Water Utility Elevated Storage Tank	X	X
	Sebastian Water Utility Water Treatment Plant	X	X
	Willacy County Community Safe Room	X	X
	Willacy County Courthouse	X	X
	Willacy County Courthouse Annex	X	X
	Willacy County EMS	X	X
	Willacy County Sherriff's Dept.	X	X
	WSC Water Plant #3	X	X
	CR 156 & Humphry Rd. Bridge		
	All Bridges		
Lyford	Lyford City Hall	X	X
	Lyford Elementary School	X	X
	Lyford Middle School	X	X
	Lyford High School	X	X
	Lyford Elevated Water Tank #1	X	X
	Lyford Elevated Water Tank #2	X	X

	Lyford Fire Dept.	X	X
	Lyford Police Dept.	X	X
	Lyford Water Treatment Plant	X	X
	Lyford Wastewater Treatment Plant	X	X
Raymondville	LC Smith Elementary School	X	X
	Otis Klar Head Start	X	X
	Texas Migrant Council Head Start	X	X
	Pittman Elementary School	X	X
	Raymondville Early College High School	X	X
	Raymondville Elevated Water Storage Tank - Gem Ave. & 5 th St.	X	X
	Raymondville Elevated Water Storage Tank – Industrial Drive	X	X
	Raymondville Elevated Water Storage Tank – S. 12 th	X	X
	Raymondville Fire Dept.	X	X
	Raymondville Police Dept.	X	X
	Raymondville Water Treatment Plant	X	X
	Regional Detention Facility	X	X
	Raymondville City Hall	X	X
	Delta Lake Office	X	X
Delta Lake Irrigation District	Delta Lake Reservoir Unit #1	X	X
	Delta Lake Reservoir Unit #2	X	X
Willacy County Drainage District #1	DD#1 Office	X	X

C) Vulnerable Parcels

Given drought's geographic reach, all parcels within the participating jurisdictions are equally vulnerable to the hazard. However, given the limited damages inflicted by previous droughts, future damages are expected to be similarly limited.

Table 35: Parcels Vulnerable to Drought

Jurisdiction	Parcel Count	Estimated Potential Damage Value
Willacy County	13,711	\$1,321,365,490
City of Lyford	1,079	\$84,713,893
City of Raymondville	3,314	\$285,288,746
Delta Lake Irrigation District	6	\$2,114,717
Willacy County Drainage District	N/A	N/A

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“As average temperatures have risen because of climate change, the Earth’s water cycle has sped up through an increase in the rate of evaporation from soil and transpiration from plants. An increase in evapotranspiration makes more water available in the air for precipitation, but contributes to drying over some land areas, leaving less moisture in the soil. As the climate continues to change, many historically wet areas are likely to experience increased precipitation and increased risk of flooding, while historically dry areas are likely to experience less precipitation and increased risk of drought.”³³

³³ <https://www.epa.gov/climate-indicators/climate-change-indicators-drought>

9. Extreme Cold

Extreme cold can happen anywhere in the state, although its levels can range extensively. In the panhandle extreme cold means days below zero Fahrenheit while in the Rio Grande Valley it means reaching temperatures below freezing.³⁴ Extreme cold is an issue any time winter temperatures drop significantly below normal and make staying warm and safe a challenge.

Extreme cold can accompany winter weather, but it can also be independent of those storms. For that reason, the impacts of extreme cold are presented here separately from the impacts of winter weather.

1) Extreme Cold History




Figure 21: Minimum Recorded Daily Temperature 2000-2023³⁵

Willacy County and the jurisdictions addressing the hazard have not previously included extreme cold in their mitigation plan as a standalone hazard. Prior to the 2018 update to the State of Texas Mitigation Plan, extreme cold was considered part of the winter weather hazard.

Between 2000 to 2023, Willacy County experienced 111 days with a minimum temperature of 32°F or colder. At least 5 of those days had a maximum temperature of 32°F or below. During the same timeframe, the coldest temperature recorded was 4°F on January 10, 2004.

Temperature data is recorded at the county level. However, given the nature of extreme cold and the proximity of all jurisdictions to each other, it is assumed that all jurisdictions addressing

³⁴ 2018 State of Texas Hazard Mitigation Plan

³⁵ Source: National Centers for Environmental Information, <https://www.ncdc.noaa.gov/cdo-web/datasets>

the hazard experienced the same extreme cold events. There were no events recorded in the NCEI database from 2000 – 2023, however based on recorded daily temperatures, it is clear that many events have gone unreported.

2) Likelihood of Future Occurrence

Based on historic weather data, extreme cold in Willacy County and the participating jurisdictions is occasional, meaning an event affecting any or all the participating jurisdictions is probable in the next five years.

3) Extent

The magnitude or intensity of an extreme cold event is measured according to temperature in relation to wind speed. The relationship is referred to as the “Wind Chill,” and is depicted in Figure 22.




Figure 22: NOAA's NWS Wind Chill Index

As displayed in Figure 22, the wind chill temperature is a measurement of how cold the wind makes the air feel to the human body. Since wind can dramatically accelerate heat loss from the body, a 20° day could feel just as cold as a calm day with 0° temperatures. The Wind Chill Chart factors the wind chill; it is not applicable in calm winds or when the temperature is over 50°.

The coldest temperatures in Willacy County and the participating jurisdictions may meet or exceed the current record temperature of 4°F. Future extreme cold events may be as intense, long-lasting, and dangerous as previous ones.

4) Location and Impact

A) Location

Extreme cold has no distinct geographic boundary. Extreme cold can occur across the entire planning area and uniformly affect all participating jurisdictions.

B) Impact

The potential impact of extreme cold is normally minor, resulting in few, if any, injuries. No property or crop damage specifically tied to extreme cold events has been recorded in any of the participating jurisdictions. No deaths related to extreme cold have ever been reported in the participating jurisdictions. However, based on the hazard's potential, in the worst cases, especially if combined with winter weather, the hazard may inflict property or crop damage, and it can even be deadly. Electrical grid failure, power outages, impacts to water and sewer infrastructure and pipe damage due to freezes are possible. Any shutdown of facilities due to extreme cold is expected to be temporary.

5) Vulnerability

A) Population

As described in Section 3 of Chapter 3 above, Willacy County and the participating jurisdictions are home to many vulnerable residents. Areas with concentrations of young, elderly, and low-income residents may feel greater impacts from extreme cold due to those populations' limited ability to properly address the hazard. Deficiencies may include but aren't limited to lack of heating in their homes or vehicles, lack of access to heated public spaces during the coldest part of the day or night, and frozen pipes that may jeopardize access to drinking water, and in the worst cases, lead to severe structural damage that can render a home unlivable. The consequences for these populations' exposure to extreme cold may include but are not limited to complications for those suffering from hypertension, hypothyroidism, and diabetes, as well as exhaustion, hypothermia, trench foot, or death.

B) Critical Facilities

While all the jurisdictions are exposed to extreme temperatures, existing buildings, infrastructure, and critical facilities were historically not considered vulnerable to damages significant enough to interrupt or stop normal operations. However, damage to existing buildings and infrastructure as a result of winter weather and extreme cold in recent years has shown exceptions to long held assumptions about the threat of extreme cold. Therefore, all facilities are potentially vulnerable to the impacts noted in section 4b.

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“Stretching of the Arctic polar vortex—a strong band of winds in the stratosphere surrounding the North Pole— has increased with Arctic amplification, and is linked with extreme cold across parts of Asia and North America. Climate change is favorable for increasing Arctic polar vortex stretching events.³⁶ When the Arctic polar vortex is strong and stable, the polar air remains in place over the North Pole; when the polar vortex weakens or stretches, extremely cold air can dip south. Results show that stronger Arctic polar vortex conditions are decreasing in frequency, while weaker Arctic polar vortex conditions and stretching disruptions are increasing in frequency for October through February.”³⁷

³⁶ <https://cpo.noaa.gov/Divisions-Programs/Earth-System-Science-and-Modeling/MAPP>

³⁷ <https://cpo.noaa.gov/Divisions-Programs/Communication-Education-and-Engagement/CEE-News/ArtMID/8293/ArticleID/2369/Research-Links-Extreme-Cold-Weather-in-the-United-States-to-Arctic-Warming>

10. Extreme Heat

Extreme heat is defined as a combination of very high temperatures and, usually, exceptionally humid conditions.³⁸ Humid conditions, which add to the discomfort of high temperatures, occur when a "dome" of high atmospheric pressure traps hazy, damp air near the ground.

Although heat can damage buildings and facilities, it presents a more significant threat to the safety and welfare of citizens. The major human risks associated with severe summer heat include heat cramps; sunburn; dehydration; fatigue; heat exhaustion; and heat stroke. The most vulnerable population to heat casualties are children and the elderly or infirm, who frequently live on low fixed incomes and cannot afford to run air-conditioning on a regular basis. This population is sometimes isolated, with no immediate family or friends to look out for their wellbeing.

Severe summer heat is an invisible killer. Although a heat wave does not happen with the spectacle of other hazards such as tornados and floods, the National Center for Environmental Health reports that extreme heat caused 7,415 heat-related deaths in the United States from 1999 to 2010³⁹. Extreme heat kills more people than hurricanes, floods, tornados, and lightning combined, according to the National Weather Service. In 2001, 300 deaths were caused by excessive heat exposure.

³⁸ 2018 State of Texas Hazard Mitigation Plan

³⁹ http://www.bt.cdc.gov/disasters/extremeheat/heat_guide.asp

1) Extreme Heat History




Figure 23: Maximum Recorded Daily Temperature 2000-2022⁴⁰

In the 2018 HMAP, Willacy County and the participating jurisdictions reported 270 days with a maximum temperature of 100°F or hotter from 2000 – 2017. The 2018 HMAP also reported that it is highly likely Willacy County, and its jurisdictions, will experience extreme heat with urban areas possibly being at greater risk than within rural areas.

Between 2000 to 2023, Willacy County and the participating jurisdictions experienced 354 days with a maximum temperature of 100°F or hotter and 3500 days where the combination of humidity and moderate-to-high temperatures warranted a heat advisory, if not an extreme heat warning.

Extreme heat data is recorded at the county level. However, given the nature of extreme heat and the proximity of all jurisdictions to each other, it is assumed that all jurisdictions experienced the same extreme heat events. There were no events recorded in the NCEI database from 2000 – 2023, however based on recorded daily temperatures, it is clear that many events have gone unreported.

⁴⁰ Source: National Centers for Environmental Information, <https://www.ncdc.noaa.gov/cdo-web/datasets>

2) Likelihood of Future Events

Based on historic weather data, extreme heat in Willacy County and the participating jurisdictions is highly likely, meaning an event affecting any or all of the participating jurisdictions is probable in the next year.

3) Extent

The magnitude or intensity of an extreme heat event is measured according to temperature in relation to the percentage of humidity. According to the National Oceanic Atmospheric Administration (NOAA), this relationship is referred to as the “Heat Index,” and is depicted in Figure 24. This index measures how hot it feels outside when humidity is combined with high temperatures.




Figure 24: NOAA's NWS Heat Index Chart⁴¹

The extent scale in Figure 24 displays varying degrees of caution depending on the relative humidity combined with the temperature. For example, when the temperature is below 90°F, caution should be exercised if the humidity level is at or above 40 percent.

The shaded zones on the chart indicate varying symptoms or disorders that could occur depending on the magnitude or intensity of the event. “Caution” is the first level of intensity where fatigue due to heat exposure is possible. “Extreme Caution” indicates that sunstroke,

⁴¹ <http://www.nws.noaa.gov/om/heat/ht-images/heatindexchart.png>

muscle cramps or heat exhaustion are possible, whereas a “Danger” level means that these symptoms are likely. “Extreme Danger” indicates that heat stroke is likely.

The National Weather Service (NWS) initiates alerts based on the Heat Index Intensity as shown in Table 36.

Table 36: Heat Index Intensity

Intensity	Description
Heat Advisory	Extreme heat index making it feel hot, typically between 105°F to 110°F for 3 hours or more during the day and at or above 75°F at night.
Excessive Heat Warning	Extreme heat index making it feel very hot, typically above 105°F for 3 hours or more during the day and at or above 80°F at night.

Given an estimated daily average relative humidity level of 75%⁴², highs as low as 89°F can produce a heat index temperature of 106°F. The combination of high humidity and moderate temperatures creates an environment that reaches the Danger Zone on NOAA’s Heat Index Chart and may trigger an NWS Heat Advisory.

Between 2000 and 2023 Willacy County and the participating jurisdictions experienced 3500 days with highs of 89°F or hotter and overnight lows of 75°F or hotter. Based on the NWS descriptions in Table 36 above, and the average daily humidity level, these days likely warranted a heat advisory.

The hottest temperature recorded in Willacy County in the recent past, 113°F, was reached on July 13, 2009. Based on the NWS descriptions in Table 36 above, at least 462 of the 3500 heat advisory days warranted an excessive heat warning based on daytime highs, the average daily humidity level, and overnight lows not falling below 80°F.

Future extreme heat events may meet the heat index requirements for issuing an Excessive Heat Warning as described in the Heat Intensity scale in Table 36 above. The hottest temperatures in Willacy County and the participating jurisdictions may meet or exceed the current record temperature of 113°F. Future extreme heat events may be as intense, long-lasting, and dangerous as previous ones.

⁴² Used Houston Average, closest to County - <https://www.currentresults.com/Weather/Texas/humidity-annual.php>

4) Location and Impact

A) Location

Extreme heat has no distinct geographic boundary. Extreme heat can occur across the entire planning area and uniformly affect all participating jurisdictions.

B) Impact

The potential impact of excessive summer heat is normally minor, resulting in few, if any, injuries. No property or crop damage specifically tied to extreme heat events has been recorded in any of the participating jurisdictions. No deaths related to extreme heat have ever been reported in the participating jurisdictions. However, based on the hazard's potential, in the worst cases, especially if combined with drought conditions, the hazard may inflict property or crop damage, and it can even be deadly. Electrical grid failure, power outages, and damage to critical roadways are potential impacts. Any shutdown of facilities due to extreme heat is expected to be temporary.

5) Vulnerability

A) Population

As described in Section 3 of Chapter 3 above, Willacy County and the participating jurisdictions are home to many vulnerable residents. Vulnerable populations may feel greater impacts from extreme heat due to these populations' limited ability to properly address the hazard due to deficiencies including but not limited to lack of air conditioning in their homes or vehicles, lack of access to air-conditioned public spaces during the hottest part of the day, insufficient numbers of box or ceiling fans, or lack of access to other means of cooling. The consequences for these populations' exposure to extreme heat can include but are not limited to heat cramps, sunburn, dehydration, fatigue, heat exhaustion, heat stroke, or death.

B) Critical Facilities

While all the jurisdictions are exposed to extreme temperatures, existing buildings, infrastructure, and critical facilities were historically not considered vulnerable to damages significant enough to interrupt or stop normal operations. However, damage to existing building and infrastructure as a result of extended periods of extreme heat and record high temperatures in recent years has shown exceptions to long held assumptions about the threat of extreme heat. Therefore, all critical facilities are potentially vulnerable to the impacts noted in section 4b.

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time.

Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“Record-setting daily temperatures, heat waves, and cold spells are a natural part of day-to-day variation in weather. As the Earth’s climate warms overall, however, heat waves are expected to become more frequent and more intense. Higher heat index values (which combine temperature and humidity to describe perceived temperature) are expected to increase discomfort and aggravate health issues.”⁴³

⁴³ <https://www.epa.gov/climate-indicators/climate-change-indicators-high-and-low-temperatures>
<https://science2017.globalchange.gov/>

11. Hailstorm

Hail is a form of solid precipitation. It consists of balls or irregular lumps of ice, each of which is called a hailstone. Hailstones usually measure between 5 millimeters (0.2 in) and 15 centimeters (6 in) in diameter. Hail is possible within most thunderstorms as it is produced by cumulonimbus clouds. Hail formation requires environments of strong, upward motion of air, similar to tornadoes, and lowered heights of the freezing level. In the mid-latitudes, hail forms near the interiors of continents, while in the tropics, it tends to be confined to high elevations. Any thunderstorm which produces hail that reaches the ground is known as a hailstorm. Hailstorms can happen anywhere in the state of Texas.

Hailstones form by colliding with super cooled water drops. Super cooled water will freeze on contact with ice crystals, frozen raindrops, dust or some other nuclei. The storm's updraft blows the forming hailstones up the cloud. As the hailstone ascends it passes into areas of the cloud where the concentration of humidity and super cooled water droplets varies. When the hailstone moves into an area with a high concentration of water droplets, it captures the latter and acquires a translucent layer. Should the hailstone move into an area where mostly water vapor is available, it acquires a layer of opaque white ice.

The hailstone will keep rising in the thunderstorm until its mass can no longer be supported by the updraft. It then falls toward the ground while continuing to grow, based on the same processes, until it leaves the cloud. It will later begin to melt as it passes into air that is above freezing temperature.⁴⁴

1) Hailstorm History

The 2018 Willacy County HMAP reported that Willacy County and the participating jurisdictions experienced 42 hail events between 1960 – 2016, with the likelihood of many events going unreported. Historically, the County reported highly likely probability of hailstorms, particularly in association with seasonal patterns during the spring and early fall.

The following table identifies the most comprehensive list available of hailstorm events and associated damages in Willacy County and the participating jurisdictions from 2018 -2023. Hailstorm events are only recorded at the county or city level, therefore there are no recorded events for Delta Lake Irrigation District or Willacy County Drainage District #1. For planning purposes, we can assume that events recorded for the County may have also impacted the Districts. There have been no recorded events for Willacy County or the City of Lyford since the 2018 HMAP.

⁴⁴ 2018 State of Texas Hazard Mitigation Plan

Table 37: City of Raymondville Hailstorm History

Location	Date Range	Number of Hailstorms	Hail Diameter in inches	Fatalities	Injuries	Property Damage \$2023	Crop Damage \$2023
Raymondville	4/18/2021	1	0.75 – 0.88	0	0	\$0	\$0

2) Likelihood of Future Events

Based on the history of hailstorms, and the likelihood that many events have gone unreported, a hailstorm in Willacy County and each of the participating jurisdictions is likely, meaning that an event is probable within the next three years.

3) Extent

The severity of hail events ranges based on the size of the hail, wind speed, and the number and types of structures in the path of the hailstorm. Storms that produce high winds in addition to hail are most damaging and can result in numerous broken windows and damaged siding.

When hail breaks windows, water damage from accompanying rains can also be significant. A major hailstorm can easily cause damage running into the millions of dollars. Nationwide hail is responsible for over \$1 billion in property and crop damages per year. The scale showing intensity categories in

Table 38 was developed by combining data from National Climatic Data Center (NCDC) and the Tornado and Storm Research Organization (TORRO).

Table 38: Hailstorm Intensity^{45,46}

Size Code	Intensity Category	Size (Diameter in inches)	Descriptive Term	Typical Damage
H0	Hard Hail	Up to 0.33	Pea	No damage
H1	Potentially Damaging	0.33-.060	Mothball	Slight damage to plants and crops
H2	Significant	.060-.080	Penny	Significant damage to fruit, crops, and vegetation
H3	Severe ⁴⁷	0.80-1.20	Nickel – Half dollar	Severe damage to fruit and crops, damage to glass and plastic structures, paint and wood scored
H4	Severe	1.2-1.6	Half dollar – Ping pong ball	Widespread glass damage and vehicle bodywork damage

⁴⁵ <http://www1.ncdc.noaa.gov/pub/data/cmb/extremes/sccec/reports/SCEC-Hail-Guide.pdf>

⁴⁶ <http://www.torro.org.uk/hscale.php>

⁴⁷ Hail must be 1" or larger to be classified as severe.

H5	Destructive	1.6-2.0	Ping pong ball – hen egg	Wholesale destruction of glass, damage to tiled roofs, and significant risk of injuries
H6	Destructive	2.0-2.4	Hen egg – tennis ball	Bodywork of grounded aircraft dented, and brick walls pitted
H7	Destructive	2.4-3.0	Tennis ball – Baseball	Severe roof damage and risk of serious injuries
H8	Destructive	3.0-3.5	Hockey puck	Severe damage to aircraft bodywork
H9	Super Hailstorms	3.5-4.0	Softball	Extensive structural damage could cause fatal injuries
H10	Super Hailstorms	4.0+	Greater than softball-sized	Extensive structural damage could cause fatal injuries

According to NCEI data, the worst hailstorms in Willacy County and the participating jurisdictions have produced hail up to 2.75” in diameter, H7 on the Hailstorm Intensity Scale.

Future hailstorms may meet or exceed previous worst-case H7 storms in terms of strength, intensity, hailstone size, damage dollars inflicted, and the number of residents injured or killed.

4) Location and Impact

A) Location

Hailstorms vary in terms of size, location, intensity, and duration but are considered frequent occurrences in the planning area. Each jurisdiction is uniformly exposed to hail events just as each is uniformly exposed to the thunderstorms that typically produce the hail events.

B) Impact

The severity of a hailstorm’s impact is considered limited since they generally result in injuries treatable with first aid, shut down critical facilities and services for 24 hours or less, and less than ten percent of affected properties are destroyed or suffer major damage. All existing and future buildings, facilities, and populations in the participating jurisdictions are considered exposed to this hazard and could potentially be impacted.

5) Vulnerability

A) Population

As described in Section 3 of Chapter 3 above, Willacy County and the participating jurisdictions are home to many vulnerable residents. Increased vulnerability may be due to many factors including but not limited to age, ability, financial means, housing type, and housing condition. Many of these vulnerabilities often overlap.

Since hailstorms arise with little to no warning, the participating jurisdictions recognize that vulnerable populations may primarily need additional help recovering from a hailstorm. Residents of sub-standard structures are of particular concern. Structures in sub-standard condition ahead of a hailstorm, whether due to structural damage, missing windows or doors, holes in exterior walls or the roof, may sustain more damage than structures in standard condition.

Existing weaknesses, especially those related to the condition of a structure's roof, due to housing type or existing damages, may lead to compounded damage, injuries, or loss of life.

B) Critical Facilities

The presence of older structures that have not been hardened against hailstorms, and/or the presence of metal buildings that may be more susceptible to hail. Thus, the following critical facilities were determined to be especially vulnerable to hailstorms due to the presence of structures with flat roofs and its increased vulnerability.

Table 39: Critical Facilities Vulnerable to Hailstorms and Potential Impacts

Jurisdiction	Critical Facilities	Potential Hailstorm Impacts		
		Damaged or Destroyed Roof	Damaged Windows	Water damage due to Physical Damages
Willacy County	Charles R. Johnson Airport	X	X	X
	Lasara Community Center	X	X	X
	Lasara Fire Station	X	X	X
	Lasara ISD	X	X	X
	Port Mansfield Public Utility	X	X	X
	Port Mansfield Utility District Elevated Water Tank			
	Port Mansfield VFD	X	X	X
	Port Mansfield Wastewater Treatment Plant	X	X	X
	Sebastian Head Start	X	X	X
	Sebastian Water Utility Elevated Storage Tank			
	Sebastian Water Utility Water Treatment Plant	X	X	X
	Willacy County Community Safe Room	X	X	X
	Willacy County Courthouse	X	X	X
	Willacy County Courthouse Annex	X	X	X
	Willacy County EMS	X	X	X
	Willacy County Sherriff's Dept.	X	X	X
	WSC Water Plant #3	X	X	X
	CR 156 & Humphry Rd. Bridge			

	All Bridges	X	X	X
Lyford	Lyford City Hall	X	X	X
	Lyford Elementary School	X	X	X
	Lyford Middle School	X	X	X
	Lyford High School	X	X	X
	Lyford Elevated Water Tank #1			
	Lyford Elevated Water Tank #2			
	Lyford Fire Dept.	X	X	X
	Lyford Police Dept.	X	X	X
	Lyford Water Treatment Plant	X	X	X
	Lyford Wastewater Treatment Plant	X	X	X
Raymondville	LC Smith Elementary School	X	X	X
	Otis Klar Head Start	X	X	X
	Texas Migrant Council Head Start	X	X	X
	Pittman Elementary School	X	X	X
	Raymondville Early College High School	X	X	X
	Raymondville Elevated Water Storage Tank - Gem Ave. & 5 th St.			
	Raymondville Elevated Water Storage Tank – Industrial Drive			
	Raymondville Elevated Water Storage Tank – S. 12 th			
	Raymondville Fire Dept.	X	X	X
	Raymondville Police Dept.	X	X	X
	Raymondville Water Treatment Plant	X	X	X
	Regional Detention Facility	X	X	X
	Raymondville City Hall	X	X	X
Delta Lake Irrigation District	Delta Lake Office	X	X	X
	Delta Lake Reservoir Unit #1			
	Delta Lake Reservoir Unit #2			
Willacy County Drainage District #1	DD #1 Office	X	X	X

C) Vulnerable Parcels

Table 40: All Parcels Vulnerable to Hailstorms

Jurisdiction	Parcel Count	Estimated Potential Damage Value
Willacy County	13,711	\$1,321,365,490
City of Lyford	1,079	\$84,713,893
City of Raymondville	3,314	\$285,288,746
Delta Lake Irrigation District	6	\$2,114,717
Willacy County Drainage District	N/A	N/A

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“As a result of anthropogenic warming, it is generally anticipated that low-level moisture and convective instability will increase, raising hailstorm likelihood and enabling the formation of larger hailstones; the melting height will rise, enhancing hail melt and increasing the average size of surviving hailstones.”⁴⁸

⁴⁸ <https://www.nature.com/articles/s43017-020-00133-9>

12. Winter Storms

Winter storms includes heavy snow and blizzards, sleet, ice storms (or freezing rain), frost/freeze or a mix of these. Winter storms can down trees, cause widespread power outages, damage property, and cause fatalities and injuries. The effect of winter storms on Texas is quite disruptive compared to other regions that normally experience winter storms.

A heavy snowfall for the State is an accumulation of four or more inches of snow in a 12-hour period. This amount of snow accumulation usually occurs in the northern half of the state and in the higher elevations of West Texas. South of the line from Del Rio to Port Arthur snow is rare.

Blizzards are the most perilous of all winter storms, characterized by low temperatures and strong winds in excess of 35 mph, bearing large amounts of blowing or drifting snow. Blizzards take a terrible toll on livestock and people caught in the open. In Texas, blizzards are most likely to occur in the Panhandle and South Plains Regions.

An ice storm occurs when rain falls out of the warm upper layers of the atmosphere into a cold and dry layer near the ground. The rain freezes on contact with the cold ground and accumulates on exposed surfaces. Damage can occur with half an inch of rain freezing on trees and utility wires; the damage increases if there are high winds. Based on this, an icing event is categorized an ice storm at half an inch.⁴⁹

1) Winter Storm History

The 2018 Willacy County HMAP did not profile Winter Storm. This is a new hazard for the 2023 update.

NCEI data shows that the participating jurisdictions experienced 54 winter storm events between 2000 – 2023, the majority being freeze events. One of the most significant winter storms in recent history was Winter Storm Uri in February 2021, during which Willacy County was impacted with up to 1” in ice accumulation and over \$47 million in crop damage. Winter storm events are only recorded at the county or city level, therefore there are no recorded events for Delta Lake Irrigation District or Willacy County Drainage District #1. For planning purposes, we can assume that events recorded for the County may have also impacted the Districts. The following table represents all recorded events between 2000 - 2023 for the County and all participating jurisdictions.

⁴⁹ 2018 State of Texas Hazard Mitigation Plan

Table 41: Willacy County Winter Storm History

Location	Date Range	Number of Winter Storms	Winter Storm Types	Fatalities	Injuries	Property Damage \$2023	Crop Damage \$2023
Countywide	13/23/2004 – 12/23/2022	54	Winter Storm, Freeze/Frost	0	0	\$19,032	\$48,817,336

2) Likelihood of Future Events

Future winter storms in Willacy County and the participating jurisdictions are considered likely, meaning an event affecting any or all of the participating jurisdictions is probable in the next three years.

3) Extent

Table 42 below displays the magnitude of winter storms.

Table 42: Winter Storm Extent Scale⁵⁰

Frost Advisory*	Issued when nighttime minimum temperatures are expected to range from 33°F to 36°F in the growing season.
Freeze Warning*	Issued when nighttime minimum temperatures are expected to reach 32°F or lower in the growing season. They are usually issued to highlight the first few freezes of the fall or unusually late freezes in the spring. <i>A Freeze Watch is issued when these conditions may be met 12 to 48 hours in the future.</i>
Snow Advisory	Issued when accumulating snow of 2 to 4 inches is expected. An advisory may still be warranted if lesser accumulations will produce travel difficulties, especially early in the winter season.
Blowing Snow Advisory	Issued when blowing snow is expected to occasionally reduce visibilities to 1/4 mile or less with winds generally 25 to 34 mph. The event should last at least 3 hours.
Snow and Blowing Snow Advisory	Issued when winds of 25 to 34 mph are expected to be accompanied by falling snow and blowing snow, occasionally reducing the visibility to 1/4 mile or less. The event should last at least 3 hours
Freezing Rain / Drizzle Advisory	Issued for freezing rain when ice accumulations are expected to cause travel problems, but not exceed 1/4".
Sleet Advisory	Issued for accumulating sleet of 1/4" to 1". Because sleet usually occurs with other precipitation types, a winter weather advisory will almost always be used in such cases.
Winter Weather Advisory	Issued for a winter weather event in which there is more than one hazard present, but all precipitation is expected to remain below warning criteria. For example, it would be issued if 2 inches of snow were expected with a small amount of sleet mixing in at times.

⁵⁰ Source: National Weather Service Weather Forecast Office; Norman, Oklahoma. <http://www.srh.noaa.gov/oun/?n=spotter-wwa-definitions>

Wind Chill Advisory⁵¹	Issued when wind chill temperatures are expected to be a significant inconvenience to life with prolonged exposure, and, if caution is not exercised, could lead to hazardous exposure.
Wind Chill Warning⁵²	Issued when wind chill temperatures are expected to be hazardous to life within several minutes of exposure.
Ice Storm Warning	Issued when a period of freezing rain is expected to produce ice accumulations of 1/4" or greater, or cause significant disruptions to travel or utilities.
Heavy Sleet Warning	Issued when a period of sleet is expected to produce ice accumulations of 1" or greater, or cause significant disruptions to travel or utilities.
Heavy Snow Warning	Issued when snow is expected to accumulate 4 inches or more in 12 hours, or 6 inches or more in 24 hours.
Winter Storm Warning	Issued for a winter weather event in which there is more than one hazard present, and one of the warning criteria listed above is expected to be met. For example, it would be issued if 5 inches of snow were expected in 12 hours, with some sleet mixing in at times. It is commonly issued for heavy snow with strong winds of 25-34 mph that will cause blowing and drifting of the snow. <i>A Winter Storm Watch is issued when these conditions may be met 12 to 48 hours in the future.</i>
Blizzard Warning	Issued for sustained wind or frequent gusts greater than or equal to 35 mph accompanied by falling and/or blowing snow, frequently reducing visibility to less than 1/4 mile for three hours or more. <i>A Blizzard Watch is issued when these conditions may be met 12 to 48 hours in the future.</i>

* - Non-precipitation watch / warning / advisory

Based on previous winter storm events, future events in Willacy County and the participating jurisdictions may see ice accumulation of up to 1".

4) Location and Impact

A) Location

Winter storms have no distinct geographic boundary. Winter storms can occur across the entire planning area and uniformly affect all participating jurisdictions.

B) Impact

The potential impact of winter storms is normally minor, resulting in few, if any, injuries. Drivers, especially those unfamiliar with or unable to drive in icy conditions, may be at the highest risk of crashing their vehicle and sustaining injuries.

Beyond accidents caused by icy conditions, winter storms have the potential to cause widespread power outages. Trees and other vegetation that grow along or near power lines and utility lines can become overburdened by ice and snow accumulation. Falling limbs or trees can easily take down power and utility lines. Neglected vegetation is especially at risk of failure

⁵¹ https://www.osha.gov/dts/weather/winter_weather/windchill.html

⁵² https://www.osha.gov/dts/weather/winter_weather/windchill.html

due to increased weight loads. Power outages can create a cascading effect depending on residents’ ability to heat their homes without electricity, especially for those young, elderly, and low-income residents as identified in Section 3 of Chapter 3 above. Although no deaths related to winter storms have been reported in the participating jurisdictions, in the worst cases, the hazard has the potential to be deadly.

Winter storms will likely cause only minor property damage and minimal disruption to the quality of life in the participating jurisdictions.

Depending on when the event happens, winter storms may damage or destroy crops.

5) Vulnerability

A) Population

As described in Section 3 of Chapter 3 above, Willacy County and the participating jurisdictions are home to many vulnerable residents. Areas with concentrations of young, elderly, and low-income residents may feel greater impacts from winter storms due to those populations’ limited ability to properly address the hazard. Deficiencies may include but aren’t limited to lack of heating in their homes or vehicles, lack of access to heated public spaces during the coldest part of the day or night, and frozen pipes that may jeopardize access to drinking water, and in the worst cases, lead to severe structural damage that can render a home unlivable. The consequences for these populations’ exposure to winter storms can include but are not limited to complications for those suffering from hypertension, hypothyroidism, and diabetes, as well as exhaustion, hypothermia, trench foot, or death.

B) Critical Facilities

Any shutdown of critical facilities due to winter storms is expected to be temporary. However, based on the proximity of trees and powerlines on their properties, the following critical facilities may be at a higher risk of losing power due to falling limbs.

Table 43: Critical Facilities Vulnerable to Winter Storms

Jurisdiction	Critical Facilities	Potential Winter Storm Impacts
		Falling Tree Limbs
Willacy County	Charles R. Johnson Airport	X
	Lasara Community Center	X
	Lasara Fire Station	X
	Lasara ISD	X
	Port Mansfield Public Utility	X
	Port Mansfield Utility District Elevated Water Tank	X

	Port Mansfield VFD	X
	Port Mansfield Wastewater Treatment Plant	X
	Sebastian Head Start	X
	Sebastian Water Utility Elevated Storage Tank	X
	Sebastian Water Utility Water Treatment Plant	X
	Willacy County Community Safe Room	X
	Willacy County Courthouse	X
	Willacy County Courthouse Annex	X
	Willacy County EMS	X
	Willacy County Sherriff's Dept.	X
	WSC Water Plant #3	X
	CR 156 & Humphry Rd. Bridge	X
	All Bridges	X
Lyford	Lyford City Hall	X
	Lyford Elementary School	X
	Lyford Middle School	X
	Lyford High School	X
	Lyford Elevated Water Tank #1	X
	Lyford Elevated Water Tank #2	X
	Lyford Fire Dept.	X
	Lyford Police Dept.	X
	Lyford Water Treatment Plant	X
	Lyford Wastewater Treatment Plant	X
Raymondville	LC Smith Elementary School	X
	Otis Klar Head Start	X
	Texas Migrant Council Head Start	X
	Pittman Elementary School	X
	Raymondville Early College High School	X
	Raymondville Elevated Water Storage Tank - Gem Ave. & 5 th St.	X
	Raymondville Elevated Water Storage Tank – Industrial Drive	X
	Raymondville Elevated Water Storage Tank – S. 12 th	X
	Raymondville Fire Dept.	X
	Raymondville Police Dept.	X
	Raymondville Water Treatment Plant	X
	Regional Detention Facility	X
	Raymondville City Hall	X
Delta Lake Irrigation District	Delta Lake Office	X
	Delta Lake Reservoir Unit #1	
	Delta Lake Reservoir Unit #2	
Willacy County Drainage District #1	DD#1 Office	X

C) Infrastructure

While all of the participating jurisdictions are exposed to extreme temperatures, existing buildings, infrastructure, and critical facilities are not considered vulnerable to significant damage caused by severe winter storm events. This determination was made based on the expectation that most roofs can support 20 lbs. / square foot of snow⁵³. Although it's not impossible⁵⁴ for that much snow to cause structural damage, given that the snow weight is well below the threshold where damage is likely, structural damages are not expected. Additionally, 1" of ice is roughly equivalent in weight per square foot to 1" of snow. Considering the worst ice storms in the participating jurisdictions cause ice accumulations of 1", it's unlikely, but not impossible, that an ice storm causing structural ice accumulations of less than 4" will cause significant structural damages.

However, significant damages may be incurred indirectly. Examples include, but are not limited to, trees and limbs that fall after being overburdened with snow or ice, building strikes due to vehicles losing traction on snow or ice-covered roads, and power outages that affect building temperature regulation and allow pipes to freeze and burst.

D) Vulnerable Parcels

Table 44: Parcels Vulnerable to Winter Storm

Jurisdiction	Parcel Count	Estimated Potential Damage Value
Willacy County	13,711	\$1,321,365,490
City of Lyford	1,079	\$84,713,893
City of Raymondville	3,314	\$285,288,746
Delta Lake Irrigation District	6	\$2,114,717
Willacy County Drainage District	N/A	N/A

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events

⁵³ <https://disastersafety.org/freezing-weather/prevent-roof-collapse-homes/>

⁵⁴ https://www.fema.gov/media-library-data/7d8c55d1c4f815edf3d7e7d1c120383f/FEMA957_Snowload_508.pdf - The weight of a foot a snow can vary widely based on how wet the snow is, between 3 and 21 lbs. per square foot. However, wet snow primarily affects the East Coast, Pacific Northwest, and southwestern Alaska.

will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“Warmer temperatures cause more water to evaporate from the land and oceans, which leads to more precipitation, larger storms, and more variation in precipitation in some areas. In general, a warmer climate causes more of this precipitation to fall in the form of rain instead of snow. Some places, however, could see more snowfall if temperatures rise but still remain below the freezing point, or if storm tracks change. Areas near large lakes might also experience more snowfall as lakes remain unfrozen for longer periods, allowing more water to evaporate. In contrast, other areas might experience less snowfall as a result of wintertime droughts.”⁵⁵

⁵⁵ <https://www.epa.gov/climate-indicators/climate-change-indicators-snowfall>

13. Windstorms

Windstorms are classified as any wind that is strong enough to cause at least light damage to trees and buildings, which may or may not be accompanied by precipitation. Wind speeds during a windstorm typically exceed 41 knots. Damage can be attributed to gusts or longer periods of sustained winds. Although tornados and tropical cyclones also produce wind damage, they are usually classified separately.

Windstorms may last for just a few minutes when caused by downbursts from thunderstorms, or they may last for hours (and even several days) when they result from large-scale weather systems. A windstorm that travels in a straight line and is caused by the gust front (the boundary between descending cold air and warm air at the surface) of an approaching thunderstorm is called a derecho. Derechos are capable of causing widespread damage and landscape devastation.⁵⁶

1) Windstorm History

In the 2018 Willacy County HMAP, Willacy County and the participating jurisdictions recorded 58 windstorm events from 1960 - 2015. There were 2 injuries and 1 fatality associated with windstorms for these events. Historically, the County reported a likely probability of windstorms.

The following tables identify the most comprehensive list available of windstorm events and associated damages in Willacy County and the participating jurisdictions from 2017 - 2023. Windstorm events are only recorded at the county or city level, therefore there are no recorded events for Delta Lake Irrigation District or Willacy County Drainage District #1. For planning purposes, we can assume that events recorded for the County may have also impacted the Districts. There have been no recorded events for Willacy County since the 2018 HMAP, but some events may have gone unreported.

⁵⁶ <https://www.britannica.com/science/windstorm>

Table 45: City of Lyford Windstorm History

Incidents	Date Range	Windstorm Events	Windspeed Range (Knots)	Fatalities	Injuries	Property Damage \$2023	Crop Damage \$2023
Lyford	6/5/2017	1	43	0	0	\$3,661	\$0

Table 46: City of Raymondville Windstorm History

Incidents	Date Range	Windstorm Events	Windspeed Range (Knots)	Fatalities	Injuries	Property Damage \$2023	Crop Damage \$2023
Raymondville	6/5/2017 – 8/25/2019	2	52 - 56	0	0	\$29,865	\$0

2) Likelihood of Future Events

Given the frequency of past events in all jurisdictions, a damaging windstorm event in the future is likely, meaning that an event is probable in the next three years.

3) Extent

The generally accepted extent scale for wind events is the Beaufort Wind Scale. The following table lists categories, measurement, classification, and appearance descriptions.

Table 47: Beaufort Wind Scale⁵⁷

Beaufort Wind Scale				
Force	Wind (Knots)	WMO Classification	Appearance of Wind Effects	
			On the Water	On Land
0	Less than 1	Calm	Sea surface smooth and mirror-like	Calm, smoke rises vertically
1	1-3	Light Air	Scaly ripples, no foam crests	Smoke drift indicates wind direction, still wind vanes
2	4-6	Light Breeze	Small wavelets, crests glassy, no breaking	Wind felt on face, leaves rustle, vanes begin to move
3	7-10	Gentle Breeze	Large wavelets, crests begin to break, scattered whitecaps	Leaves and small twigs constantly moving, light flags extended
4	11-16	Moderate Breeze	Small waves 1-4 feet becoming longer, numerous whitecaps	Dust, leaves, and loose paper lifted, small tree branches move
5	17-21	Fresh Breeze	Moderate waves 4-8 feet taking longer form, many whitecaps, some spray	Small trees in leaf begin to sway

⁵⁷ Source: www.spc.noaa.gov/faq/tornado/beaufort.html

6	22-27	Strong Breeze	Larger waves 8-13 feet, whitecaps common, more spray	Larger tree branches moving, whistling in wires
7	28-33	Near Gale	Sea heaps up, waves 13-20 feet, white foam streaks off breakers	Whole trees moving, resistance felt walking against wind
8	34-40	Gale	Moderately high (13-20 feet) waves of greater length, edges of crests begin to break into spindrift, foam blown in streaks	Whole trees in motion, resistance felt walking against wind
9	41-47	Strong Gale	High waves (20 feet), sea begins to roll, dense streaks of foam, spray may reduce visibility	Slight structural damage occurs, slate blows off roofs
10	48-55	Storm	Very high waves (20-30 feet) with overhanging crests, sea white with densely blown foam, heavy rolling, lowered visibility	Seldom experienced on land, trees broken or uprooted, "considerable structural damage"
11	56-63	Violent Storm	Exceptionally high (30-45 feet) waves, foam patches cover sea, visibility more reduced	
12	64+	Hurricane	Air filled with foam, waves over 45 feet, sea completely white with driving spray, visibility greatly reduced	

The worst windstorm events in Willacy County and the participating jurisdictions have ranged up to 11 on the Beaufort Wind Scale. No recent windstorm events in any of the participating jurisdictions have caused any injuries, deaths, or crop damage. Future windstorm events may meet previous worst-case Force 11 events in terms of strength and intensity of wind speed.

4) Location and Impact

A) Location

Windstorms are not constrained by any distinct geographic boundary. Windstorms can occur across all participating jurisdictions.

B) Impact

Impacts from a windstorm may include but are not limited to damaged or destroyed personal property including vehicles, damaged or destroyed agricultural, residential, commercial, and industrial buildings. Crops may be damaged or destroyed. Pets and livestock may be injured or killed by flying debris. Pets and livestock may escape due to damaged or destroyed structures and fences.

In the worst cases, windstorms may cause injuries and/or be deadly.

5) Vulnerability

Windstorms have the potential to impact all participating jurisdictions. Therefore, each jurisdiction is equally exposed to the hazard. Improved property, critical facilities, critical infrastructure, and the entire population are considered vulnerable to windstorms.

Based on windstorm data collected for the participating jurisdictions, windstorms primarily damage physical structures. However, there is no uniformity with respect to the type of structures that have been damaged by windstorms in any of the participating jurisdictions. Windstorm damages can be directly caused by the wind itself, flying debris, and falling trees, or indirectly by damages like power outages.

A) Population

As described in Section 3 of Chapter 3 above, Willacy County and the participating jurisdictions are home to many vulnerable residents. Increased vulnerability may be due to many factors including but not limited to: age, physical ability, financial means, housing type, and housing condition. Many of these vulnerabilities often overlap.

The participating jurisdictions recognize that vulnerable populations may need additional help preparing for and recovering from a windstorm.

Residents of mobile / manufactured homes are of particular concern. These structures may not be safe during a windstorm.

Residents of sub-standard structures are also of particular concern. Structures in sub-standard condition ahead of a windstorm, whether due to structural damages, missing windows or doors, holes in exterior walls or the roof, may be less safe during a windstorm than structures in standard condition.

Existing structural weaknesses, due to housing type or existing damages, may lead to compounded damages, injuries, or loss of life.

B) Critical Facilities

Certain critical facilities and infrastructure in each jurisdiction may be particularly vulnerable to windstorms, similar to hurricane and tornado events. These facilities have been identified for reasons including: the number of people who use the facility or infrastructure, the facility's role in providing basic services to begin the cleanup process and get the jurisdictions running again, and the facility's ability to offer goods and materials residents will need to resume normalcy as quickly as possible. The selected critical facilities are built from a variety of materials with varying levels of resistance to wind damage. Additionally, their varying ages mean they weren't constructed to uniform building standards. Given wind's potentially violent nature, these facilities may experience increased levels of vulnerability to the hazards. Damage to any of

these facilities may have a disproportionately negative impact on each jurisdiction's recovery from a windstorm if that damage affects the facility's ability to reopen and resume normal business right away.

Table 48: Critical Facilities Vulnerable to Windstorms and Potential Impacts

Jurisdiction	Critical Facilities	Potential Windstorm Impacts								
		Loss of Power	Flying Debris	Uprooted Trees	Flooding Due to Physical Damages	Damaged or Destroyed Roofs	Damaged or Broken Windows	Wind Damage	Injuries	Death
Willacy County	Charles R. Johnson Airport	X	X	X	X	X	X	X	X	X
	Lasara Community Center	X	X	X	X	X	X	X	X	X
	Lasara Fire Station	X	X	X	X	X	X	X	X	X
	Lasara ISD	X	X	X	X	X	X	X	X	X
	Port Mansfield Public Utility	X	X	X	X	X	X	X	X	X
	Port Mansfield Utility District Elevated Water Tank	X	X						X	
	Port Mansfield VFD	X	X	X	X	X	X	X	X	X
	Port Mansfield Wastewater Treatment Plant	X	X	X	X	X	X	X	X	X
	Sebastian Head Start	X	X	X	X	X	X	X	X	X
	Sebastian Water Utility Elevated Storage Tank	X	X						X	
	Sebastian Water Utility Water Treatment Plant	X	X	X	X	X	X	X	X	X
	Willacy County Community Safe Room	X	X	X	X	X	X	X	X	X
	Willacy County Courthouse	X	X	X	X	X	X	X	X	X
	Willacy County Courthouse Annex	X	X	X	X	X	X	X	X	X
	Willacy County EMS	X	X	X	X	X	X	X	X	X
	Willacy County Sherriff's Dept.	X	X	X	X	X	X	X	X	X
	WSC Water Plant #3	X	X	X	X	X	X	X	X	X
	CR 156 & Humphry Rd. Bridge				X				X	X
	All Bridges				X				X	X
Lyford	Lyford City Hall	X	X	X	X	X	X	X	X	X
	Lyford Elementary School	X	X	X	X	X	X	X	X	X
	Lyford Middle School	X	X	X	X	X	X	X	X	X
	Lyford High School	X	X	X	X	X	X	X	X	X
	Lyford Elevated Water Tank #1	X	X						X	

	Lyford Elevated Water Tank #2	X	X						X	
	Lyford Fire Dept.	X	X	X	X	X	X	X	X	X
	Lyford Police Dept.	X	X	X	X	X	X	X	X	X
	Lyford Water Treatment Plant	X	X	X	X	X	X	X	X	X
	Lyford Wastewater Treatment Plant	X	X	X	X	X	X	X	X	X
Raymondville	LC Smith Elementary School	X	X	X	X	X	X	X	X	X
	Otis Klar Head Start	X	X	X	X	X	X	X	X	X
	Texas Migrant Council Head Start	X	X	X	X	X	X	X	X	X
	Pittman Elementary School	X	X	X	X	X	X	X	X	X
	Raymondville Early College High School	X	X	X	X	X	X	X	X	X
	Raymondville Elevated Water Storage Tank - Gem Ave. & 5 th St.	X	X						X	
	Raymondville Elevated Water Storage Tank – Industrial Drive	X	X						X	
	Raymondville Elevated Water Storage Tank – S. 12 th	X	X						X	
	Raymondville Fire Dept.	X	X	X	X	X	X	X	X	X
	Raymondville Police Dept.	X	X	X	X	X	X	X	X	X
	Raymondville Water Treatment Plant	X	X	X	X	X	X	X	X	X
	Regional Detention Facility	X	X	X	X	X	X	X	X	X
	Raymondville City Hall	X	X	X	X	X	X	X	X	X
Delta Lake Irrigation District	Delta Lake Office	X	X	X	X	X	X	X	X	X
	Delta Lake Reservoir Unit #1									
	Delta Lake Reservoir Unit #2									
Willacy County Drainage District #1	DD #1 Office	X	X	X	X	X	X	X	X	X

C) Vulnerable Parcels

Table 49: Parcels Vulnerable to Windstorms

Jurisdiction	Parcel Count	Estimated Potential Damage Value
Willacy County	13,711	\$1,321,365,490
City of Lyford	1,079	\$84,713,893
City of Raymondville	3,314	\$285,288,746
Delta Lake Irrigation District	6	\$2,114,717
Willacy County Drainage District	N/A	N/A

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“The Arctic has warmed more than lower latitudes, and as a result the temperature difference between the mid-latitudes and the polar regions has become reduced, which has changed the path of the northern hemisphere jet stream so that it now moves north and south over a greater range of latitudes. As the atmosphere continues to warm, we expect to see much deeper north-south waves, which will cause a slowing down, or even blocking, of the jet stream. This could result in weather systems that persist for much longer than would be considered normal over any particular region.”⁵⁸

“Another recent study found that there will be regional and seasonal variability in winds in the United States as carbon dioxide levels increase: by 2100, wind speeds will decrease over most of the western U.S. and the East Coast, but the central U.S. will see an increase.”⁵⁹

⁵⁸ <https://ugc.berkeley.edu/background-content/wind/#:~:text=The%20global%20atmospheric%20circulation%20pattern,by%20transporting%20heat%20and%20water.>

⁵⁹ <https://e360.yale.edu/features/global-stilling-is-climate-change-slowing-the-worlds-wind/#:~:text=Another%20recent%20study%20found%20that,U.S.%20will%20see%20an%20increase.>

14. Lightning

Lightning is a massive electrostatic discharge between electrically charged regions within clouds, or between a cloud and the Earth's surface.⁶⁰

Lightning damage can result in electrocution of humans and animals; vaporization of materials along the path of the strike; fire caused by the high temperature produced by the strike; and sudden power surges that can damage electrical and electronic equipment. Millions of dollars of direct and indirect damages result from lightning strikes on electric utility substations and distribution lines. While property damage is the major hazard associated with lightning, it should be noted that lightning strikes kill nearly 49 people⁶¹ each year in the United States.

1) Lightning History

The 2018 Willacy County HMAP recorded 4 lightning events between 1960 - 2011. According to the NCEI database, there have been no recorded events since the 2018 HMAP; however, the planning team determined that lightning events occur multiple times annually.

Hazard events are only recorded at the county or city level, therefore there are no recorded events for Delta Lake Irrigation District or Willacy County Drainage District #1. For planning purposes, we can assume that events recorded for the County may have also impacted the Districts.

2) Likelihood of Future Events

Lightning is especially associated with thunderstorms. Despite the lack of officially reported instances of lightning-caused damage, a lightning event is highly likely, meaning an event affecting any of the participating jurisdictions is probable in the next year. According to information from VAISALA⁶², most of Willacy County can expect about 7 to 10 lightning flashes per square mile per year.

3) Extent

The extent for lightning can be expressed in terms of the number of strikes within an interval. Given the lack of lightning history data, it is expected that Willacy County and all participating jurisdictions may experience lightning events between LAL 1 and LAL 5. Dry thunderstorms, LAL 6, are not expected.

⁶⁰ 2018 State of Texas Hazard Mitigation Plan

⁶¹ <https://www.weather.gov/safety/lightning-victims>

⁶² <https://www.vaisala.com/sites/default/files/documents/WEA-MET-Annual-Lightning-Report-2020-B212260EN-A.pdf>

Table 50: Lightning Activity Levels⁶³

Lightning Activity Level (LAL)		
Activity levels are valuable guidance tools to aid in the preparation for possible fire initiation from cloud-to-ground lightning.		
LAL	Cloud and Storm Development	Lightning Strikes per 15 Minutes
1	No thunderstorms.	-
2	Cumulus clouds are common but only a few reaches the towering cumulus stage. A single thunderstorm must be confirmed in the observation area. The clouds produce mainly virga, but light rain will occasionally reach the ground. Lightning is very infrequent.	1-8
3	Towering cumulus covers less than two-tenths of the sky. Thunderstorms are few, but two to three must occur within the observation area. Light to moderate rain will reach the ground, and lightning is infrequent.	9-15
4	Towering cumulus covers two to three-tenths of the sky. Thunderstorms are scattered and more than three must occur within the observation area. Moderate rain is common, and lightning is frequent.	16-25
5	Towering cumulus and thunderstorms are numerous. They cover more than three-tenths and occasionally obscure the sky. Rain is moderate to heavy and lightning is frequent and intense.	25+
6	Similar to LAL 3 except thunderstorms are dry.	

4) Location and Impact

A) Location

Lightning strikes have no distinct geographic boundary. Lightning can occur across each participating jurisdiction.

B) Impact

Impacts from lightning in all jurisdictions may include but are not limited to loss of power due to electrical surges, damaged or destroyed personal property including computers and other electronics, damaged or destroyed agricultural, residential, commercial, and industrial

⁶³ Source: <http://www.prh.noaa.gov/hnl/pages/LAL.php>

buildings. Crops may be damaged or destroyed. Livestock may be injured or killed by lightning. In the worst cases, lightning may cause injuries or even loss of life.

5) Vulnerability

According to the Lightning Protection Institute, it is a myth⁶⁴ that lightning always strikes the tallest objects. Given lightning's indiscriminate nature, it is impossible to identify buildings that are at an increased risk of being struck by lightning. All existing and future buildings, critical facilities, critical infrastructure, improved property, and the population are exposed to this hazard. However, structures without adequate lightning protection and those with large concentrations of electronic equipment like computers, servers, and printers, are most vulnerable, as are locations that may have outside crowds during a lightning event.

A) Critical Facilities

Table 51: Critical Facilities Vulnerable to Lightning and Potential Impacts

Jurisdiction	Critical Facilities	Potential Lightning Impacts			
		Physical Damage	Electrical Damage	Data Damage or Loss	Fire
Willacy County	Charles R. Johnson Airport	X	X	X	X
	Lasara Community Center	X	X	X	X
	Lasara Fire Station	X	X	X	X
	Lasara ISD	X	X	X	X
	Port Mansfield Public Utility	X	X	X	X
	Port Mansfield Utility District Elevated Water Tank	X			
	Port Mansfield VFD	X	X	X	X
	Port Mansfield Wastewater Treatment Plant	X	X	X	X
	Sebastian Head Start	X	X	X	X
	Sebastian Water Utility Elevated Storage Tank	X			
	Sebastian Water Utility Water Treatment Plant	X	X	X	X
	Willacy County Community Safe Room	X	X	X	X
	Willacy County Courthouse	X	X	X	X
	Willacy County Courthouse Annex	X	X	X	X
	Willacy County EMS	X	X	X	X
	Willacy County Sherriff's Dept.	X	X	X	X
	WSC Water Plant #3	X	X	X	X
	CR 156 & Humphry Rd. Bridge	X			
	All Bridges	X			
Lyford	Lyford City Hall	X	X	X	X
	Lyford Elementary School	X	X	X	X
	Lyford Middle School	X	X	X	X
	Lyford High School	X	X	X	X
	Lyford Elevated Water Tank #1	X			

⁶⁴ http://lightning.org/wp-content/uploads/2015/06/LPI_lightning_infographic_2015.jpg

	Lyford Elevated Water Tank #2	X			
	Lyford Fire Dept.	X	X	X	X
	Lyford Police Dept.	X	X	X	X
	Lyford Water Treatment Plant	X	X	X	X
	Lyford Wastewater Treatment Plant	X	X	X	X
Raymondville	LC Smith Elementary School	X	X	X	X
	Otis Klar Head Start	X	X	X	X
	Texas Migrant Council Head Start	X	X	X	X
	Pittman Elementary School	X	X	X	X
	Raymondville Early College High School	X	X	X	X
	Raymondville Elevated Water Storage Tank - Gem Ave. & 5 th St.	X			
	Raymondville Elevated Water Storage Tank – Industrial Drive	X			
	Raymondville Elevated Water Storage Tank – S. 12 th	X			
	Raymondville Fire Dept.	X	X	X	X
	Raymondville Police Dept.	X	X	X	X
	Raymondville Water Treatment Plant	X	X	X	X
	Regional Detention Facility	X	X	X	X
	Raymondville City Hall	X	X	X	X
Delta Lake Irrigation District	Delta Lake Office	X	X	X	X
	Delta Lake Reservoir Unit #1				
	Delta Lake Reservoir Unit #2				
Willacy County Drainage District #1	DD #1 Office	X	X	X	X

B) Vulnerable Parcels

Table 52: Parcels Vulnerable to Lightning

Jurisdiction	Parcel Count	Estimated Potential Damage Value
Willacy County	13,711	\$1,321,365,490
City of Lyford	1,079	\$84,713,893
City of Raymondville	3,314	\$285,288,746
Delta Lake Irrigation District	6	\$2,114,717
Willacy County Drainage District	N/A	N/A

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“New research from the University of California, Berkeley, found warming conditions would result in 50% more lightning strikes by the end of the century. The scientists found lightning strikes would increase by about 12% for every 1C of warming.”⁶⁵

⁶⁵ <https://romps.berkeley.edu/papers/pubdata/2014/lightning/guardian.pdf>

15. Dam / Levee Failure

A dam is defined as any barrier, wall, or embankment, along with its abutments and appurtenant works, constructed for the purpose of storing water or other liquid material either temporarily or permanently. The term dam failure means that the dam is overtopped or fails to operate in the manner for which it was designed. A catastrophic failure would be a breach that would allow the dam's reservoir to suddenly drain. Dam failure can occur with little or no warning, or it can be an anticipated event. Dam failure can cause mass fatalities, mass structural damage and/or a cascading potential if a populated area is located below the dam structure.

1) Dam History

Neither Willacy County nor the Delta Lake Irrigation District have documented histories of damage caused by dam or levee failure. However, the planning team has determined that the hazard has the ability to affect structures and infrastructure in these jurisdictions. The remaining jurisdictions have no history of dam or levee failure, have no dams or levees nearby, or no high hazard dams nearby and will not be profiling the hazard.

The four dams and levees of concern are known as the Teniente WID No. 1 Dam, the Dry Reservoir Dam, the Harbin Levee, and the Armendaiz Levee. The Teniente WID No. 1 Dam is privately owned, has a maximum storage of 866 acre-feet, and its purpose is irrigation. The dam was built in 1953. Dry Reservoir Dam is privately owned, has a maximum storage of 288 acre feet, and its purpose is for irrigation and water supply. The dam was built in 1949. The Harbin Levee is privately owned, and has a maximum storage of 80 acre feet. The levee was built in 1946. The Armendaiz Levee is privately owned and has a maximum storage of 1,330 acre feet. The levee was built in 1960.

2) Likelihood of Future Occurrence

Given the lack of a prior dam or levee failure in the participating jurisdictions, dam / levee failure is considered unlikely, meaning that one is possible in the next 10 years.

As information on the hazard is gathered more closely moving forward, its likelihood will be revised accordingly.

3) Extent

FEMA's classification system for dam / levee failure is a simple and straight-forward three tier system. It is based on whether there is any probability of a loss of human life, and whether there is a large economic, environmental, or lifeline loss. The low hazard potential classification is used for failures that will not result in any loss of human life, and the economic, environmental, and lifeline losses are low and generally limited to the dam owner. The significant hazard potential classification is used for failures that will not result in any loss of

human life, but the economic, environmental, and lifeline losses would have a great impact on the community. The high hazard potential classification is used when the dam failure will cause the loss of at least one human life, regardless of what the economic, environmental, and lifeline losses are. A way to consider the hazard extent is to use the storage capacity behind the dam to estimate the ground surface that would be covered with a foot of water.

An acre-foot is 325,851 gallons and would cover one acre of land with a foot of water. A 1,000-acre-foot body of water could cover 40 acres with an average depth of 25 feet, and the volume of 1,000 acre-feet is approximately 326 million gallons of water.

Table 53: Dam Failure Extent Classification

Hazard Potential Classification	Loss of Human Life	Dam Storage Capacity
Low	None Expected	Less than 10,000 acre-feet
Significant	Probable (1-6)	Between 10,000 – 100,000 acre-feet
High	Loss of Life Expected (7 or more)	100,000 acre-feet or more

All of the dams and levees in Willacy County are considered low hazard. They hold less than 10,000 acre-feet of water, and no loss of life is expected should any fail. Due to the low hazard nature of dams in the County, High Hazard Potential Dam (HHPD) risk will not be covered.

Although the dams and levees are considered low hazard, Willacy County and the Delta Lake Irrigation District chose to profile them due to their proximity to the jurisdiction and their age.

The Teniente WID No. 1 Dam's storage capacity is 866 acre-feet. If a failure of the Teniente WID No. 1 Dam were to occur, approximately 35 acres of land could be inundated with an average depth of 25 feet.

The Dry Reservoir Dam's storage capacity is 288 acre-feet. If a failure of the Dry Reservoir Dam were to occur, approximately 11 acres of land could be inundated with an average depth of 25 feet.

The Harbin Levee's storage capacity is 80 acre-feet. If a failure of the Harbin Levee were to occur, approximately 3 acres of land could be inundated with an average depth of 25 feet.

The Armendaiz Levee's storage capacity is 1,330 acre-feet. If a failure of the Armendaiz Levee were to occur, approximately 53 acres of land could be inundated with an average depth of 25 feet.

4) Location and Impact

A) Location

The figures below show the location of all dams and levees of concern within Willacy County as well as their proximity to the participating jurisdictions.

I. Willacy County




Figure 25: Willacy County Dams and Levees of Concern

II. Delta Lake Irrigation District




Figure 26: Delta Lake Irrigation District Dams and Levees of Concern

B) Impact

Structures at risk of dam failure may be flooded, damaged by flood borne contaminants, damaged by debris flow, or even completely washed away. Although no loss of life to dam failure is expected in Willacy County, under the right conditions injury or loss of life are possible.

5) Vulnerability

A) Population

All dams and levees in the County are low hazard with small storage capacity. Therefore, negative impacts on the population is unlikely.

B) Critical Facilities

Out of the 46 critical facilities identified in the County and participating jurisdictions, none fall within a potential inundation zone.

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

Climate change could affect the safety of all dam structures, including large and small dams and earthen or concrete dams. Specifically, significant changes in a region's climate, such as increased incidence of extreme temperatures and the increased frequency of heavy precipitation, could seriously impact the integrity and viability of dams.

16. Coastal Erosion

Coastal erosion is a hydrologic hazard defined as the wearing away of land and loss of beach, shoreline, or dune material because of natural coastal processes or manmade influences. Erosion is measured as a rate of change in the position or displacement of a shoreline over a period of time. Short-term erosion typically results from periodic natural events, such as wave action, storm surges and wind. Long-term erosion is a result of repetitive occurrences of this type and of severe storm and flooding events.

Erosion can affect natural and built environments. Impacts depend on topography, soils, building types and construction materials. Coastal erosion can affect natural systems, coastal food supplies, tourism industry, and small-town viability. When sea water infiltrates freshwater wetlands, they can die, removing key habitats for animals and a protective buffer for nearby communities.

At 367 miles, Texas has one of the longest coastlines in the United States. It also has some of the highest rates of coastal erosion.⁶⁶

1) Coastal Erosion History

Individual occurrences of coastal erosion are not recorded, rather, annual rates are estimated as shown below under Section 3. According to the Texas Shoreline Change Project of the Bureau of Economic Geology,⁶⁷ between 2000 – 2019 Willacy County experienced between 1.90 ft - 11.51 ft of loss along their coastline per year.

The planning team has determined that at least one coastal erosion event occurs annually in Willacy County. The remaining jurisdictions will not be profiling coastal erosion as their boundaries are inland and/or they own no property or facilities on the coast, and therefore face no impact.

2) Probability

Given the ongoing nature of coastal erosion, the probability of an event in Willacy County is highly likely, meaning ongoing coastal erosion is probable in the next year.

3) Extent

Coastal erosion is measured by feet of shoreline lost in any given year. Texas has some of the highest coastal erosion rates in the country. Research shows that 64%⁶⁸ of the Texas Gulf Coast is eroding at an average rate of about 6' per year. As a whole the Texas coast is eroding at an average rate of 2.3' per year. In the worst cases, areas may lose 30' or more per year.

⁶⁶ 2018 State of Texas Hazard Mitigation Plan

⁶⁷ <https://coastal.beg.utexas.edu/shorelinechange2019/>

⁶⁸ <http://www.glo.texas.gov/coast/coastal-management/coastal-erosion/index.html>

Ongoing coastal erosion may meet or exceed worst case estimates of up to 30' of erosion per year.

4) Location and Impact

A) Location

Direct impacts from coastal erosion are expected to primarily affect the areas along the shoreline depicted below:

I. Willacy County




Figure 27: Areas Subject to Coastal Erosion in Willacy County

II. Willacy County




Figure 28: Areas Subject to Coastal Erosion in Willacy County

B) Impact

The impacts of erosion may include but are not limited to decreasing property values, the partial or complete loss of structures adjacent to the coast, economic losses to agricultural operations, damage to local infrastructure including roads, bridges, and piers, and increased damage from tropical storms and hurricanes. These losses may be especially acute in the unincorporated, non-self-governing Census Designated Place of Port Mansfield.

5) Vulnerability

A) Critical Facilities

There are 46 critical facilities in Willacy County and the participating jurisdictions. Vulnerability to coastal erosion was determined based on proximity to the coastline in that only critical facilities within 100 yards of the coastline were deemed vulnerable. Out of the 46 critical facilities, 1 is vulnerable to coastal erosion.

Table 54: Critical Facilities Vulnerable to Coastal Erosion

Willacy County Critical Facilities	
Port Mansfield Elevated Water Tank	

B) Vulnerable Parcels

Table 55: Parcels Vulnerable to Coastal Erosion

Jurisdiction	Parcel Count	Estimated Potential Damage Value
Willacy County	1,122	\$64,382,295

6) Climate Change

Climate change is described as a significant change in either the average state of the climate or in its variability over an extended period. Climate change in and of itself is not necessarily a hazard, but it may increase the frequency and/or intensity of identified hazards over time. Climate change could affect communities in a variety of ways, but it is currently unclear what extent the impacts will have on the Planning Area. It is anticipated that hazard-causing events will fluctuate due to climate change over time. As new information and new models are developed, a climate change Risk Assessment may be enhanced to measure and assess these impacts more accurately.

“More storms and higher seas from climate change create more winds, waves, and floods, leading to coastal erosion. Hurricanes can wash away sandy barrier islands, leaving coastlines and islands unprotected from future storm surges. Waves and winds can carry away

beach sand little by little, shrinking scenic beaches and exposing human infrastructure to tides and storms. Beaches in South Carolina, Virginia, Louisiana, and Texas have lost more than two meters of shoreline a year over the last century, with costal erosion estimates for much of the country expected to increase in coming decades.”⁶⁹

⁶⁹ <https://www.usgs.gov/media/images/coastal-erosion-more-severe-under-climate-change#:~:text=Detailed%20Description,unprotected%20from%20future%20storm%20surges>.

17. Mitigation Strategy

1) Capability Assessment

Willacy County and the participating jurisdictions have shown themselves to be highly capable, especially in terms of implementing hazard mitigation actions.

In addition to reviewing previous actions and the steps taken to implement them, the planning team reviewed existing regulatory capabilities and opportunities for establishing new capabilities and enhancing existing ones. At this time, all jurisdictions could improve their hazard mitigation capabilities through the following efforts: budgeting for mitigation actions and support, passing policies and procedures to implement mitigation actions, adopting, and implementing stricter mitigation regulations, approving the hiring, and training of staff for mitigation activities, and approving mitigation updates and additions to existing plans as new needs are recognized. The participating cities could further improve their capabilities by creating and adopting regularly updated comprehensive plans.

Table 56: Capability Assessment by Jurisdiction

Willacy County Administrative, Financial, Regulatory, and Technical Abilities
Emergency Management
Floodplain Management
Subdivision
Building Code Enforcement
Road and Bridge Management
Comprehensive Planning
General Budgeting
CIP Funding
CDBG Funding
State and Federal Grant Funding

City of Lyford Administrative, Financial, Regulatory, and Technical Abilities
Floodplain Management
Emergency Management

Drought Contingency Planning
Subdivision
Zoning
Building Code Enforcement
Nuisance Abatement
Substandard Structures Abatement
Water Conservation Planning
Comprehensive Planning
Economic Development
CIP Funding
CDBG Funding
State and Federal Grant Funding

City of Raymondville Administrative, Financial, Regulatory, and Technical Abilities
Floodplain Management
Emergency Management
Drought Contingency Planning
Subdivision
Zoning
Building Code Enforcement
Nuisance Abatement
Substandard Structures Abatement
Water Conservation Planning
Road and Bridge Maintenance
Comprehensive Planning
Economic Development
Grant Writing
General Budgeting

CIP Funding
CDBG Funding
State and Federal Grant Funding

Delta Lake Irrigation District Administrative, Financial, Regulatory, and Technical Abilities
Drought Contingency Planning
Water Conservation Planning
State and Federal Grant Funding

Willacy County Drainage District #1 Administrative, Financial, Regulatory, and Technical Abilities
Water Conservation Planning
State and Federal Grant Funding

A) Building Codes

Table 57: Building Codes Per Jurisdiction

Jurisdiction	Codes	Description
Willacy County	ICC – International Building Codes	The County has adopted the 2012 International Building Codes, including Residential Code, Plumbing Code, Mechanical Code, Fire Code, Energy Code, and Electrical Code.
Lyford	ICC – International Building Codes	The City of Lyford has adopted the 2012 International Building Codes, including Residential Code, Plumbing Code, Mechanical Code, Fire Code, Energy Code, and Electrical Code.
Raymondville	ICC – International Building Codes	The City of Raymondville has adopted the 2012 International Building Codes, including Residential Code, Plumbing Code, Mechanical Code, Fire

		Code, Energy Code, and Electrical Code.
Delta Lake Irrigation District	N/A	The Delta Lake Irrigation District does not follow or enforce building codes.
Willacy County Drainage District #1	N/A	The Willacy County Drainage District #1 does not follow or enforce building codes.

2) Incorporation and Integration of Existing Capabilities and Hazard Mitigation

As previously outlined, the planning team reviewed a range of codes, ordinances, and other planning mechanisms that have been adopted by the participating jurisdictions. The planning team's goal was to understand how these existing capabilities might affect mitigation actions in terms of implementation and enforcement as well as to identify opportunities for future plan integration.

Table 58: Plan Integration

Department	All Departments	Commissioners' Court, Road and Bridge, Mayor's Office/Council, Public Works, Economic Development	Planning, Zoning, Economic Development, Public Works, Mayor's Office, Floodplain Manager	Office of Emergency Management, Mayor's Office, Mayor and Council, Commissioners' Court	Office of Emergency Management, Mayor's Office, Chief of Fire Department	Office of Emergency Management, Mayor's Office, Administrative Office	Floodplain Manager, Mayor's Office
Activity	Annual Budget	Capital Improvement Projects	Comprehensive Master Plan	Public Involvement	Emergency Operations	Grant Application	Floodplain Management
Time Frame	Quarterly/ Annual workshops	Bi-annually	Every 10 Years	As Needed	Annually	Annual Funding Cycles	Annually
Integration Process	Discuss integration of medium and high priority actions with Commissioners' Court, Council, or Schoolboard (as appropriate) concerning feasibility, potential funding sources, and a preliminary cost benefit review.	Discuss inclusion of mitigation actions with CIPs. Ensure CIPs are consistent with mitigation actions, NFIP compliance, and any new land use development.	Review existing floodplain and land use controls to ensure that long term goals are consistent with actions in the HMAP.	Utilize jurisdictional web sites, social media, and other forms of advertising to make announcements of any periodic review activities concerning potential amendments or updating of the HMAP	Review prevention and protection projects for continued relevance. Ensure appropriate actions and information are included in the Emergency Operation Plan.	Review and update mitigation actions as necessary based on funding opportunities available through FEMA FMA, FEMA PDM, FEMA HMGP, and other grant funding sources.	Update and maintain floodplain information including but not limited to: maps, construction practices, permitting, and NFIP compliance.
Jurisdiction							
Willacy County	x	x	x	x	x	x	x
City of Lyford	x	x	x	x		x	x
City of Raymondville	x	x	x	x	x	x	x
Delta Lake Irrigation District	x						
Willacy County Drainage District #1	x						

As part of each jurisdiction's commitment to transparency, all relevant information, including but not limited to that described above and in each action's description, will be presented to the public before the action is formally adopted for implementation. After public notification, the integration process will resemble the one outlined in Table 59 below.

Table 59: Integration Process

Jurisdiction	Integration Process
Willacy County	<p>After considering integrating mitigation actions with the activities outlined in Table 58 above, mitigation actions will be presented, considered, and formally adopted by the County Commissioners' Court and County Judge.</p> <p>Willacy County will also use the Willacy County Hazard Mitigation Plan as a technical reference and data source for identified and future mitigation actions, as well as future planning processes.</p>
City of Lyford	<p>After considering integrating mitigation actions with the activities outlined in Table 58 above, mitigation actions will be presented, considered, and formally adopted by the council and mayor.</p> <p>The City of Lyford will also use the Willacy County Hazard Mitigation Plan as a technical reference and data source for identified and future mitigation actions, as well as future planning processes.</p>
City of Raymondville	<p>After considering integrating mitigation actions with the activities outlined in Table 58 above, mitigation actions will be presented, considered, and formally adopted by the council and mayor.</p> <p>The City of Raymondville will also use the Willacy County Hazard Mitigation Plan as a technical reference and data source for identified and future mitigation actions, as well as future planning processes.</p>
Delta Lake Irrigation District	<p>After considering integrating mitigation actions with the activities outlined in Table 58 above, mitigation actions will be presented, considered, and formally adopted by the board.</p> <p>The Delta Lake Irrigation District will also use the Willacy County Hazard Mitigation Plan as a technical reference and data source for identified and future mitigation actions, as well as future planning processes.</p>
Willacy County Drainage District #1	<p>After considering integrating mitigation actions with the activities outlined in Table 58 above, mitigation actions will be presented, considered, and formally adopted by the board.</p>

	The Willacy County Drainage District #1 will also use the Willacy County Hazard Mitigation Plan as a technical reference and data source for identified and future mitigation actions, as well as future planning processes.
--	--

A) Past Integration – 2018 Plan

Each jurisdiction has its own established process for integrating new actions, codes, ordinances, plans, and studies into its existing capabilities. The 2018 HMAP was integrated into the County's Comprehensive Plan, in order to prioritize mitigation actions and identify funding sources. Plan integration for the remaining jurisdictions is unknown. Therefore, new tracking measures may be implemented to ensure future staff are aware of plan integration moving forward. The planning team will ensure that each jurisdiction's various departments continue to integrate hazard mitigation actions into their day-to-day processes.

3) Goals and Objectives Overview

The hazard analysis has shown that Willacy County and the participating jurisdictions are at risk of multiple natural hazards. The following goals and objectives take a broad approach to improving outcomes before, during, and after these anticipated natural hazard events.

The goals and objectives in this plan reflect the overarching priorities identified by the communities and are similar to the goals listed in the 2018 plan. They have been expanded to include public services, public infrastructure, economic impacts, civic resources, and cultural resources as priorities in addition to reducing loss of life, injury, property damage, and preservation of natural resources. The mitigation actions the County and participating jurisdictions have selected are designed to address specific hazard-related issues in support of achieving the desired goals and objectives.

4) Long-Term Vision

The hazard mitigation plan must strike a balance between identifying long-term goals and objectives and prioritized mitigation actions that may be addressed sooner, depending on funding availability and local priorities. The result is that certain goals and objectives don't have a corresponding mitigation action. Instead, by taking the long view, the local planning team has created a framework that can be developed as the plan is updated over time.

5) Goals

A) Goal 1: To reduce loss of life and injury to persons

Objective 1.1

Improve the delivery and effectiveness of warning messages

Objective 1.2

Preserve public and private emergency response capability (9-1-1, law enforcement, fire services, emergency medical services, hospitals).

Objective 1.3

Utilize available mitigation measures to prevent or reduce life-threatening impacts of natural hazards.

Objective 1.4

Reduce obstacles to timely and safe evacuation of flood hazard areas.

Objective 1.5

Reduce vulnerability of individuals living in mobile homes / manufactured housing.

Objective 1.6

Reduce life or health threatening impacts on individuals with special physical care requirements.

Objective 1.7

Reduce secondary impacts to health and safety from cascading effects.

B) Goal 2: To reduce disruptions to essential public services and infrastructure

Objective 2.1

Minimize disruption to and enhance rapid restoration of utilities.

Objective 2.2

Minimize disruption to and enhance rapid restoration of essential transportation infrastructure.

Objective 2.3

Minimize disruption to governmental, educational, and other institutions providing services to the public.

C) Goal 3: To reduce economic impacts to individuals, businesses, and area institutions

Objective 3.1

Increase home and business owner investment in available mitigation measures for private property.

Objective 3.2

Increase home and business owner participation in appropriate insurance programs.

Objective 3.3

Increase public and private sector development and use of operations continuity strategies.

Objective 3.4

Utilize available mitigation measures to prevent or reduce economic losses from natural hazards.

Objective 3.5

Reduce vulnerability of existing development by encouraging property owners to participate in buy-out or flood-proofing opportunities.

Objective 3.6

Reduce vulnerability of future development by utilizing available planning and structural standards.

D) Goal 4: To reduce losses to civic, cultural, and environmental resources

Objective 4.1

Protect public investment in community-owned facilities and infrastructure through appropriate structural, non-structural, and financial methods.

Objective 4.2

Reduce future losses to the non-profit sector through participation in available mitigation opportunities.

Objective 4.3

Reduce vulnerability of historically or culturally significant structures.

Objective 4.4

Minimize environmental impacts from cascading effects.

6) Mitigation Action Plan

A) Mitigation Action Prioritization

The planning team members have identified at least one mitigation action per natural hazard. After review, the planning team has determined that the jurisdiction's priorities remain the same. For this update, action items were identified and prioritized in consideration of the following criteria:

- 1) Life safety and property protection improvements
- 2) Cost effectiveness – do the action's future benefits exceed its implementation costs

- 3) Technical feasibility – is the action reasonable given its technical requirements
- 4) Political acceptability
- 5) Administrative capabilities and legal authorities for implementation
- 6) Funding availability
- 7) The action's environmental impacts
- 8) The action's social acceptability
- 9) The action's ability to reduce risk to more than one hazard
- 10) The ease of implementation
- 11) The availability of a local champion
- 12) The action's relationship to other community objectives

In addition to considering an action's cost effectiveness as described above, the planning team considered TDEM's Cost-Effectiveness, Environmental Soundness and Technical Feasibility requirements as they relate to construction projects. Mitigation actions relating to physical infrastructure will meet the State's standards as outlined below:

- A. Any state government construction project, regardless of potential funding source, has to be cost effective, technically feasible and meet all of the appropriate federal, state, and local environmental laws and regulations before it is started.
- B. State government projects funded by Federal Mitigation Grant Programs administered by TDEM have to meet specific criteria related to cost effectiveness, environmental soundness and technical feasibility. These are outlined in the applicable FEMA grant program guidance for that particular funding program.

B) Mitigation Action Status – 2018 Plan

In addition to reviewing existing codes, ordinances, and planning studies, the planning team also examined the status of each mitigation action identified in the 2018 plan. Delta Lake Irrigation District and Willacy County Drainage District were not participants in the 2018 plan, and therefore do not have any previous actions to review.

Mitigation actions marked as abandoned are no longer considered relevant as written to the participating jurisdictions. Deferred and in progress actions are indicated with an asterisk (*) in the new actions tables in Chapter 17, Part C.

Table 60: Previous Mitigation Actions – All Jurisdictions

Willacy County Mitigation Actions Status		
Hazards Addressed	Mitigation Actions	Status
Wildfire, Tornado, Drought, Extreme Heat, Hailstorm	Educational Outreach: This action will create a program to educate the public about specific mitigation actions for multiple hazards, including but not limited to Wildfire Fuels Reduction, Tornado Safe Rooms, Improving Thermal Insulation, Structural Hardening, etc...	<i>Deferred to Plan Update</i>
Hurricane / Tropical Storm, Hailstorm, Windstorm	Harden Facilities: This action proposes hardening facilities. Hardening will include but is not limited to reinforcing building foundations, upgrading and/or adding shatter-resistant films to all glazing, implementing window shutter program for coastal properties, building protective walls around exposed gas tanks and cylinders, shielding roof-mounted equipment, and adding bracing and tie-down clips to building roofs.	<i>Deferred to Plan Update</i>
Flood, Dam / Levee Failure	Construct Drainage Control Structures and Flood Control Gates: This action proposes constructing new drainage control structures and flood control gates to reduce the potential impacts of future flood events.	<i>In Progress</i>
Tornado, Hailstorm	Install Warning Systems: Warning systems will help limit local vulnerability to natural hazards by giving residents an opportunity to take shelter ahead of a hazard event.	<i>In Progress</i>
Hurricane / Tropical Storm, Windstorm	Develop and Implement a New Tie-Down Ordinance for Manufactured / Mobile Homes, Temporary Buildings, and Unrestrained Advertisement Signs: Willacy County will re-	<i>Deferred to Plan Update</i>

	evaluate all existing tie-down measures to identify strengths and weaknesses in order to develop and enforce a new tie-down ordinance.	
Tornado, Windstorm	Utilize Existing Shelters to Limit Vulnerability During Tornadoes and Windstorms: The action's goal is to increase tornado and windstorm resilience by limiting vulnerable populations' exposure to both.	<i>Deferred to Plan Update</i>
Flood	Construct New Drainage Pump Stations: This action proposes constructing new drainage pump stations to reduce the potential impacts of future flood events. Areas adjacent to flood relief outfalls will be prioritized.	<i>In Progress</i>
Flood	Construct Retention and Detention Pond: This action proposes constructing water retention and detention facilities to reduce the potential impacts of future flood events.	<i>In Progress</i>
Flood	Widen Laterals: This action proposes widening canal laterals to reduce the potential impacts of future flood events.	<i>In Progress</i>
Hurricane / Tropical Storm	Require Elevation Certificates for all New Residential and Commercial Construction: Willacy County will re-evaluate all existing building elevation measures to identify strengths and weaknesses in order to develop and enforce new requirements, especially in areas prone to storm surge.	<i>Deferred to Plan Update</i>
Wildfire	Wildfire Fuels Reduction: This action will develop and implement a program to identify and prioritize lands in need of fuels reduction and then reduce or remove wildfire fuels through various methods as appropriate.	<i>In Progress</i>
Wildfire	Develop and Implement New Burn Ban Controls: Willacy County will re-evaluate all existing burn ban measures to identify strengths and weaknesses in order to develop and enforce a new program for limiting wildfires through more effective burn bans.	<i>Deferred to Plan Update</i>
Drought	Develop and Implement a New Drought Ordinance: Willacy County will re-evaluate all existing drought control measures to identify strengths and weaknesses in order to develop and enforce a new drought ordinance.	<i>Deferred to Plan Update</i>

Drought	Develop and Implement a New Water Conservation Ordinance: Willacy County will re-evaluate all existing water conservation and reduction measures to identify strengths and weaknesses in order to develop and enforce a new water conservation ordinance.	<i>Deferred to Plan Update</i>
Coastal Erosion	Restrict Development in Areas Prone to Coastal Erosion: Willacy County will re-evaluate all construction restrictions to identify strengths and weaknesses in order to produce a new ordinance that will reduce potential flood impacts due to coastal erosion by restricting development in areas that may be subject to inundation due to coastal erosion.	<i>Deferred to Plan Update</i>
Coastal Erosion	Develop and Implement Coastal Estuary Programs to Restore Coastline: Willacy County will work with area agencies and local stakeholders to develop and implement a coastal estuary program to help restore coastline lost to erosion.	<i>In Progress</i>
Dam / Levee Failure	Conduct Dam Failure Studies: Willacy County will work with local dam / levee owners to conduct relevant studies to identify peak flow rates and expected inundations in the event of local dam failures.	<i>In Progress</i>
Dam / Levee Failure	Mandate Freeboard on Structures to Reduce Flooding Damage: Willacy County will re-evaluate all existing floodplain construction restrictions to identify strengths and weaknesses in order to produce a new ordinance that will reduce potential flood impacts due to dam / levee failure by instituting a new freeboard requirement.	<i>In Progress</i>
Dam / Levee Failure	Restrict Development in High Hazard Areas: Willacy County will re-evaluate all existing floodplain construction restrictions to identify strengths and weaknesses in order to produce a new ordinance that will reduce potential flood impacts due to dam / levee failure by restricting development in areas that may be subject to inundation due to dam / levee failure.	<i>In Progress</i>
Extreme Heat	Set up Cooling Centers in Existing Facilities: The action's goal is to increase extreme heat resilience by limiting vulnerable populations' exposure to extreme heat.	<i>Deferred to Plan Update</i>

Lightning	Install Surge Protection to Protect Electronic Assets: This action proposes installing surge protection at all Willacy County facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.	<i>In Progress</i>
Lightning	Install Grounding Systems to Protect Electronic Assets: This action proposes installing grounding systems including but not limited to: lightning arresters, grounding rods, and grounding electrodes at all public facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.	<i>In Progress</i>

City of Lyford Mitigation Actions Status		
Hazards Addressed	Mitigation Actions	Status
Hurricanes / Tropical Storms, Tornados, Extreme Heat	Construct Community Safe Rooms: The action's goal is to minimize local population vulnerability to hurricanes / tropical storms, tornados, and extreme heat. In addition to its function as a safe room, the facility will also function as a cooling center to help the City of Lyford mitigate extreme heat.	<i>Deferred to Plan Update</i>
Hurricane / Tropical Storm, Hailstorm, Windstorm	Install Impact and Wind-Resistant Windows and Doors at Public Facilities: This action proposes hardening facilities. Hardening will include adding impact and wind-resistant doors and windows at public buildings in the City of Lyford.	<i>Deferred to Plan Update</i>
Wildfire, Tornado, Extreme Heat	Educational Outreach: This action will create a program to educate the public about specific mitigation actions for all hazards, including but not limited to participation in Wildfire Fuels Reduction, Tornado Saferooms, Structural Hardening, etc...	<i>In Progress</i>

Flood, Hailstorm	Purchase Back Up Power Generators: Installing generators at critical facilities will help ensure physical safety for facility occupants and maintain electronic systems functionality during power outages. Portable generators will maintain additional systems functionality including but not limited to lift stations, pumps, and communications infrastructure.	<i>In Progress</i>
Flood	Upgrade Existing Drainage Pump Stations: This action proposes upgrading existing drainage pump stations to reduce the potential impacts of future flood events.	<i>Deferred to Plan Update</i>
Flood	Construct Regional Detention Facilities: This action proposes constructing regional water detention facilities to reduce the potential impacts of future flood events.	<i>Deferred to Plan Update</i>
Flood	Construct Storm Drainage Infrastructure: This action proposes constructing new storm drainage infrastructure to reduce the potential impacts of future flood events.	<i>Deferred to Plan Update</i>
Flood	Install Check Valves: This action proposes installing check valves to prevent backflow and reduce the potential impacts of future flood events related to local canal systems backing up.	<i>Deferred to Plan Update</i>
Flood	Construct Drainage Control Structures and Flood Control Gates: This action proposes constructing new drainage control structures and flood control gates to reduce the potential impacts of future flood events.	<i>In Progress</i>
Flood	Construct New Drainage Pump Stations: This action proposes constructing new drainage pump stations to reduce the potential impacts of future flood events.	<i>In Progress</i>
Flood	Purchase Portable Pumps: This action proposes purchasing portable pumps that can be deployed as needed to reduce the potential impacts of future flood events.	<i>In Progress</i>

Wildfire	Wildfire Fire Breaks: This action will develop and implement a program to identify and prioritize lands for creation of fire breaks and then reduce or remove wildfire fuels through various methods as appropriate.	<i>In Progress</i>
Drought	Develop and Implement a New Drought Contingency Plan: The City of Lyford will re-evaluate all existing drought control measures to identify strengths and weaknesses in order to develop and enforce a new drought ordinance.	<i>Complete</i>
Drought	Develop and Implement a New Water Conservation Ordinance: The City of Lyford will re-evaluate all existing water conservation and reduction measures to identify strengths and weaknesses in order to develop and enforce a new water conservation ordinance.	<i>Deferred to Plan Update</i>
Extreme Heat	Set up Cooling Center in an Existing Facility: The action's goal is to increase extreme heat resilience by limiting vulnerable populations' exposure to extreme heat.	<i>Deferred to Plan Update</i>
Windstorm	Develop and Implement a New Tie-Down Ordinance for Manufactured / Mobile Homes, Temporary Buildings, and Unrestrained Advertisement Signs: The City of Lyford will re-evaluate all existing tie-down measures to identify strengths and weaknesses in order to develop and enforce a new tie-down ordinance.	<i>Deferred to Plan Update</i>
Dam / Levee Failure	Conduct Dam Failure Studies: The City of Lyford will work with local dam / levee owners to conduct relevant studies to identify peak flow rates and expected inundations in the event of local dam failures.	<i>Abandoned: N/A for Plan Update</i>
Dam / Levee Failure	Mandate Freeboard on Structures to Reduce Flooding Damage: The City of Lyford will re-evaluate all existing floodplain construction restrictions to identify strengths and weaknesses in order to produce a new ordinance, update its existing flood damage prevention ordinance, or update existing	<i>Abandoned: N/A for Plan Update</i>

	freeboard requirements in its zoning code.	
Dam / Levee Failure	Restrict Development in High Hazard Areas: The City of Lyford will re-evaluate all existing floodplain construction restrictions to identify strengths and weaknesses in order to produce a standalone floodplain development restriction ordinance, update its existing flood damage prevention ordinance, and / or update its zoning code.	<i>Abandoned: N/A for Plan Update</i>
Hailstorm	Harden Facilities: This action proposes hardening facilities. Hardening will include but is not limited to installing protective shielding around exposed electrical control panels, gas tanks and cylinders, and roof-mounted equipment.	<i>In progress</i>
Lightning	Install Surge Protection to Protect Electronic Assets: This action proposes installing surge protection at all City of Lyford facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.	<i>Complete</i>
Lightning	Install Grounding Systems to Protect Electronic Assets: This action proposes installing grounding systems including but not limited to: lightning arresters, grounding rods, and grounding electrodes at all public facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.	<i>Complete</i>

City of Raymondville Mitigation Actions Status		
Hazards Addressed	Mitigation Actions	Status
Flood, Wildfire, Tornado, Hailstorm	Educational Outreach: This action will create a program to educate the public about specific mitigation actions for including but not limited to participation in NFIP, Tornado Saferooms, Structural Hardening, etc...	<i>Deferred to Plan Update</i>

Hurricane / Tropical Storm, Windstorm	Install Impact and Wind-Resistant Windows and Doors at Public Facilities: This action proposes hardening facilities. Hardening will include adding impact and wind-resistant doors and windows at public buildings in the City of Raymondville.	<i>Deferred to Plan Update</i>
Hurricanes / Tropical Storms, Tornados	Construct Community Safe Rooms or Shelters: The action's goal is to minimize local population vulnerability to hurricanes / tropical storms and tornados.	<i>Deferred to Plan Update</i>
Extreme Heat, Hailstorm	Harden Facilities: This action proposes hardening facilities. Hardening will include but is not limited to increasing thermal insulation, upgrading and/or adding shatter-resistant films to all glazing, building protective walls around exposed gas tanks and cylinders, shielding roof-mounted equipment.	<i>Deferred to Plan Update</i>
Flood	Construct Storm Drainage Infrastructure: This action proposes constructing new storm drainage infrastructure, including projects outlined in the City's Comprehensive Plan, to reduce the potential impacts of future flood events.	<i>In Progress</i>
Hurricane / Tropical Storm	Purchase Back Up Generators: Installing generators at critical facilities will help ensure physical safety for facility occupants and maintain electronic systems functionality during power outages. Portable generators will maintain additional systems functionality including but not limited to lift stations, pumps, and communications infrastructure.	<i>Deferred to Plan Update</i>
Wildfire	Wildfire Fuels Reduction in WUI: This action will develop and implement a program to identify and prioritize lands in the Wildland Urban Interface in need of fuels reduction and then reduce or remove wildfire fuels through various methods as appropriate.	<i>Deferred to Plan Update</i>
Wildfire	Wildfire Fire Breaks: This action will develop and implement a program to identify and prioritize lands for creation of	<i>Deferred to Plan Update</i>

	fire breaks and then reduce or remove wildfire fuels through various methods as appropriate.	
Drought	Develop and Implement a New Drought Contingency Plan: The City of Raymondville will re-evaluate all existing drought control measures to identify strengths and weaknesses in order to develop and enforce a new drought ordinance.	<i>Deferred to Plan Update</i>
Drought	Develop and Implement a New Water Conservation Ordinance: The City of Raymondville will re-evaluate all existing water conservation and reduction measures to identify strengths and weaknesses in order to develop and enforce a new water conservation ordinance.	<i>Deferred to Plan Update</i>
Drought	Plant Drought Resistant Vegetation on City Properties to Limit Water Consumption: To limit water consumption at City-owned and maintained facilities, the City of Raymondville will adopt a policy of replanting landscaping with drought tolerant plant varieties. To the extent possible, landscaping will be replanted on an as-needed basis, as opposed to an immediate replanting of all landscaping.	<i>Deferred to Plan Update</i>
Drought	Replace Water Fixtures with Low Flow Units: To limit water consumption at City-owned and maintained facilities, the City of Raymondville will adopt a policy of replacing water fixtures with low flow units.	<i>Deferred to Plan Update</i>
Dam / Levee Failure	Conduct Dam Failure Studies: The City of Raymondville will work with local dam / levee owners to conduct relevant studies to identify peak flow rates and expected inundations in the event of local dam failures.	<i>Abandoned: N/A for Plan Update</i>
Dam / Levee Failure	Mandate Freeboard on Structures to Reduce Flooding Damage: The City of Raymondville will re-evaluate all existing floodplain construction restrictions to identify strengths and weaknesses in order to produce a new ordinance, update	<i>Abandoned: N/A for Plan Update</i>

	its existing flood damage prevention ordinance, and / or update its zoning code.	
Dam / Levee Failure	Restrict Development in High Hazard Areas: The City of Raymondville will re-evaluate all existing floodplain construction restrictions to identify strengths and weaknesses in order to produce a standalone floodplain development restriction ordinance, update its existing flood damage prevention ordinance, and / or update its zoning code.	<i>Abandoned: N/A for Plan Update</i>
Extreme Heat	Set Up Cooling Centers in Existing Facilities: The action's goal is to increase extreme heat resilience by limiting vulnerable populations' exposure to extreme heat.	<i>Deferred to Plan Update</i>
Hailstorm	Install Protective Window Shutters on Public Facilities: This action proposes adding protective shutters to public facilities. Doing so will help limit exposure to hailstorm damages.	<i>Deferred to Plan Update</i>
Windstorm	Develop and Implement a New Tie-Down Ordinance for Manufactured / Mobile Homes, Temporary Buildings, and Unrestrained Advertisement Signs: The City of Raymondville will re-evaluate all existing tie-down measures to identify strengths and weaknesses in order to develop and enforce a new tie-down ordinance.	<i>Deferred to Plan Update</i>
Lightning	Install Surge Protection to Protect Electronic Assets: This action proposes installing surge protection at all City of Raymondville facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.	<i>Deferred to Plan Update</i>
Lightning	Install Grounding Systems to Protect Electronic Assets: This action proposes installing grounding systems including but not limited to: lightning arresters, grounding rods, and grounding electrodes at all public facilities to prevent damage to	<i>Deferred to Plan Update</i>

	critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.	
--	---	--

C) Mitigation Actions by Jurisdiction and by Hazard

Each jurisdiction has selected actions that were identified as high, medium or low priority and that are in line with TDEM's recommended mitigation actions. However, many of the mitigation actions below are dependent upon outside grant funding for implementation. For all actions likely to require grant funding, potential sources have been identified. However, grant funding is awarded on a competitive basis, so applying for funding doesn't guarantee that funds will be received. Budget constraints will remain the determining factor for how and when each action is implemented. Each new mitigation action outlines the following requirements: the identified responsible department head or delegate will research all relevant information to confirm the action's feasibility and prioritization, will formulate a plan of action, and will confirm funding sources and identify any fiscal liabilities associated with the mitigation action.

i. Willacy County

Multi-Hazard Actions

Mitigation Action	Educational Outreach*
Objective	This action will create a program to educate the public about specific mitigation actions for all hazards, including but not limited to participation in Wildfire Fuels Reduction, Tornado Saferooms, Structural Hardening, etc.
Hazard	Flood, Wildfire, Tornado, Drought, Dam/Levee Failure, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storm, Winter Storm, Windstorm, Lightning, Coastal Erosion
Priority	Medium
Estimated Cost	Less than \$10,000 per hazard
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	Commissioners' Court, OEM
Implementation Schedule	2 - 5 Years
Target	Existing and future population

Mitigation Action	Construct Drainage Control Structures and Flood Control Gates*
Objective	This action proposes constructing new drainage control structures and flood control gates to reduce the potential impacts of future flood events.
Hazard	Flood, Dam/Levee Failure
Priority	Medium

Estimated Cost	More than \$1,000,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	Commissioners' Court
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Construct Community Safe Rooms and/or Utilize Existing Facilities for Shelter*
Objective	The action's goal is to minimize local population vulnerability to hazards by providing public safe rooms.
Hazard	Hurricane/Tropical Storms, Tornado, Wildfire, Windstorm, Winter Storm
Priority	Medium
Estimated Cost	Greater than \$100,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP
Responsible Department	Commissioners' Court, OEM
Implementation Schedule	2 - 5 Years
Target	Existing and future population and infrastructure

Mitigation Action	Set up Cooling and Heating Centers in Existing Facilities*
Objective	The action's goal is to increase extreme temperature resilience by limiting vulnerable populations' exposure to extreme temperatures by creating new, or opening up existing facilities as cooling centers or warming centers.
Hazard	Extreme Heat & Extreme Cold
Priority	Medium
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP
Responsible Department	Commissioners' Court
Implementation Schedule	2 - 5 Years
Target	Existing and future population

Mitigation Action	Install Back Up Power Generators
Objective	Installing generators at critical facilities will help ensure physical safety for facility occupants and maintain electronic systems functionality during power outages. Portable generators will maintain additional systems functionality including but not limited to lift stations, pumps, and communications infrastructure.
Hazard	Flood, Wildfire, Tornado, Dam/Levee Failure, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storm, Winter Storm, Windstorm, Lightning
Priority	Medium
Estimated Cost	More than \$100,000 Each for Fixed Generators, Including Associated Engineering Costs. Less than \$100,000 Each for Portable Generators
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP
Responsible Department	Commissioners' Court
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Install and Expand Warning Systems/Weather Radio*
Objective	Warning systems will help limit local vulnerability to hazards by giving residents an opportunity to take shelter before one occurs.
Hazard	Flood, Wildfire, Tornado, Drought, Dam/Levee Failure, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storm, Winter Storm, Windstorm, Lightning
Priority	High
Estimated Cost	\$1,000 - \$100,000 per device
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP
Responsible Department	Commissioners' Court, OEM
Implementation Schedule	1 - 2 Years
Target	Existing and future population

Mitigation Action	Develop and Implement a New Tie-Down Ordinance for Manufactured / Mobile Homes, Temporary Buildings, and Unrestrained Advertisement Signs*
Objective	Re-evaluate all existing tie-down measures to identify strengths and weaknesses in order to develop and enforce a new tie-down ordinance.

Hazard	Windstorm, Tornado, Hurricanes/Tropical Storm
Priority	Low
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP
Responsible Department	Commissioners' Court
Implementation Schedule	1 - 2 Years
Target	Existing and future population and infrastructure

Mitigation Action	Harden Facilities*
Objective	This action proposes hardening facilities. Hardening will include but is not limited to adding impact and wind-resistant doors, windows; reinforcing building foundations, elevating low-lying structures, upgrading and/or adding shatter-resistant films to all glazing, upgrading thermal insulation, building protective walls around exposed gas tanks and cylinders, shielding roof-mounted equipment, and adding bracing and tie-down clips to building roofs.
Hazard	Flood, Hurricane/Tropical Storms, Hailstorms, Winter Weather, Windstorm, Tornadoes
Priority	Medium
Estimated Cost	Greater than \$100,000
Potential Funding Source (s)	County, FEMA FMA, FEMA BRIC, FEMA HMGP, CDBG MIT
Responsible Department	Commissioners' Court
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Single Hazard Actions

Mitigation Action	Construct New Drainage Pump Stations*
Objective	This action proposes constructing new drainage pump stations to reduce the potential impacts of future flood events. Areas adjacent to flood relief outfalls will be prioritized.
Hazard	Flood
Priority	Medium
Estimated Cost	More than \$1,000,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB

Responsible Department	Commissioners' Court
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Construct Retention and Detention Pond*
Objective	This action proposes constructing water retention and detention facilities to reduce the potential impacts of future flood events.
Hazard	Flood
Priority	Medium
Estimated Cost	More than \$1,000,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	Commissioners' Court
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Widen Laterals*
Objective	This action proposes widening canal laterals to reduce the potential impacts of future flood events.
Hazard	Flood
Priority	Medium
Estimated Cost	More than \$1,000,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	Commissioners' Court
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Require Elevation Certificates for all New Residential and Commercial Construction*
Objective	Willacy County will re-evaluate all existing building elevation measures to identify strengths and weaknesses in order to develop

	and enforce new requirements, especially in areas prone to storm surge.
Hazard	Hurricane/Tropical Storms
Priority	Medium
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA FMA, FEMA HMGP, CDBG-MIT
Responsible Department	Commissioners' Court
Implementation Schedule	2 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Install Surge Protection and Grounding Systems to Protect Electronic Assets*
Objective	This action will install surge protection and/or grounding systems at all County facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.
Hazard	Lightning
Priority	Medium
Estimated Cost	\$1,000 - \$100,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP
Responsible Department	Commissioners' Court, OEM
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Wildfire Fuels Reduction in WUI*
Objective	This action will develop and implement a program to identify and prioritize lands in the Wildland Urban Interface in need of fuels reduction and then reduce or remove wildfire fuels through various methods as appropriate.
Hazard	Wildfire
Priority	Low
Estimated Cost	\$10,000 - \$100,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP

Responsible Department	Commissioners' Court, OEM
Implementation Schedule	1 - 2 Years
Target	Existing and future infrastructure

Mitigation Action	Develop and Implement New Burn Ban Controls*
Objective	Willacy County will re-evaluate all existing burn ban measures to identify strengths and weaknesses in order to develop and enforce a new program for limiting wildfires through more effective burn bans.
Hazard	Wildfire
Priority	Low
Estimated Cost	\$10,000 - \$100,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP
Responsible Department	Commissioners' Court, OEM
Implementation Schedule	1 - 2 Years
Target	Existing and future infrastructure

Mitigation Action	Develop and Implement a New Drought Ordinance*
Objective	Willacy County will re-evaluate all existing drought control measures to identify strengths and weaknesses in order to develop and enforce a new drought ordinance.
Hazard	Drought
Priority	Medium
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA FMA, FEMA HMGP, CDBG-MIT
Responsible Department	Commissioners' Court
Implementation Schedule	1 - 2 Years
Target	Existing and future infrastructure

Mitigation Action	Develop and Implement a New Water Conservation Ordinance*
Objective	Willacy County will re-evaluate all existing water conservation and reduction measures to identify strengths and weaknesses in order to develop and enforce a new water conservation ordinance.
Hazard	Drought
Priority	Medium
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA FMA, FEMA HMGP, CDBG-MIT
Responsible Department	Commissioners' Court
Implementation Schedule	1 - 2 Years
Target	Existing and future infrastructure

Mitigation Action	Restrict Development in Areas Prone to Coastal Erosion*
Objective	Willacy County will re-evaluate all construction restrictions to identify strengths and weaknesses in order to produce a new ordinance that will reduce potential flood impacts due to coastal erosion by restricting development in areas that may be subject to inundation due to coastal erosion.
Hazard	Coastal Erosion
Priority	Medium
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA FMA, FEMA HMGP, CDBG-MIT
Responsible Department	Commissioners' Court
Implementation Schedule	1 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Develop and Implement Coastal Estuary Programs to Restore Coastline*
Objective	Willacy County will work with area agencies and local stakeholders to develop and implement a coastal estuary program to help restore coastline lost to erosion.
Hazard	Coastal Erosion

Priority	Medium
Estimated Cost	More than \$100,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA FMA, FEMA HMGP, CDBG-MIT
Responsible Department	Commissioners' Court
Implementation Schedule	2 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Conduct Dam Failure Studies*
Objective	This action will install surge protection at all County facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.
Hazard	Dam/Levee Failure
Priority	Medium
Estimated Cost	\$1,000 - \$100,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP
Responsible Department	Commissioner's Court, OEM
Implementation Schedule	2 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Mandate Freeboard on Structures to Reduce Flooding Damage*
Objective	Willacy County will re-evaluate all existing floodplain construction restrictions to identify strengths and weaknesses in order to produce a new ordinance that will reduce potential flood impacts due to dam / levee failure by instituting a new freeboard requirement.
Hazard	Dam/Levee Failure
Priority	Medium
Estimated Cost	Under \$10,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP
Responsible Department	Commissioner's Court
Implementation Schedule	2 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Restrict Development in High Hazard Areas*
Objective	Willacy County will re-evaluate all existing floodplain construction restrictions to identify strengths and weaknesses in order to produce a new ordinance that will reduce potential flood impacts due to dam / levee failure by restricting development in areas that may be subject to inundation due to dam / levee failure.
Hazard	Dam/Levee Failure
Priority	Medium
Estimated Cost	Under \$10,000
Potential Funding Source (s)	County, FEMA BRIC, FEMA HMGP
Responsible Department	Commissioner's Court
Implementation Schedule	2 - 5 Years
Target	Existing and future infrastructure

ii. City of Lyford

Multi-Hazard Actions

Mitigation Action	Educational Outreach*
Objective	This action will create a program to educate the public about specific mitigation actions for all hazards, including but not limited to participation in Wildfire Fuels Reduction, Tornado Saferooms, Structural Hardening, etc.
Hazard	Flood, Wildfire, Tornado, Drought, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storm, Winter Storm, Windstorm, Lightning,
Priority	Medium
Estimated Cost	Less than \$10,000 per hazard
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	City Council
Implementation Schedule	1 - 5 Years
Target	Existing and future population

Mitigation Action	Construct Community Safe Rooms*
Objective	The action's goal is to minimize local population vulnerability to hazards by providing public safe rooms.
Hazard	Hurricane/Tropical Storm, Tornado, Wildfire, Windstorm, Winter Storm
Priority	Medium
Estimated Cost	Greater than \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing and future population and infrastructure

Mitigation Action	Set up Cooling and Heating Centers in Existing Facilities*
Objective	The action's goal is to increase extreme temperature resilience by limiting vulnerable populations' exposure to extreme temperatures by creating new, or opening up existing facilities as cooling centers or warming centers.
Hazard	Extreme Heat & Extreme Cold

Priority	Medium
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing and future population

Mitigation Action	Install Back Up Power Generators*
Objective	Installing generators at critical facilities will help ensure physical safety for facility occupants and maintain electronic systems functionality during power outages. Portable generators will maintain additional systems functionality including but not limited to lift stations, pumps, and communications infrastructure.
Hazard	Flood, Wildfire, Tornado, Extreme Heat, Hailstorm, Hurricane/Tropical Storm, Extreme Cold, Winter Weather, Windstorm, Lightning
Priority	Medium
Estimated Cost	More than \$100,000 Each for Fixed Generators, Including Associated Engineering Costs. Less than \$100,000 Each for Portable Generators
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Develop and Implement a New Tie-Down Ordinance for Manufactured / Mobile Homes, Temporary Buildings, and Unrestrained Advertisement Signs*
Objective	Re-evaluate all existing tie-down measures to identify strengths and weaknesses in order to develop and enforce a new tie-down ordinance.
Hazard	Windstorm, Tornado, Hurricanes/Tropical Storm
Priority	High
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	City Council
Implementation Schedule	1 - 2 Years

Target	Existing and future population and infrastructure
--------	---

Mitigation Action	Install and Expand Warning Systems/Weather Radio
Objective	Warning systems will help limit local vulnerability to hazards by giving residents an opportunity to take shelter before one occurs.
Hazard	Flood, Wildfire, Tornado, Drought, Extreme Heat, Extreme Cold, Hailstorm, Winter Storm, Windstorm, Lightning
Priority	High
Estimated Cost	\$1,000 - \$100,000 per device
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing and future population

Mitigation Action	Implement a Tree Trimming Program
Objective	This action will develop and implement a tree trimming program to reduce loose / dead tree limbs that may cause damage during a hazard event.
Hazard	Wildfire, Tornado, Winter Storm, Windstorm
Priority	High
Estimated Cost	\$10,000 - \$500,0000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	3 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Update Building Code Requirements
Objective	The City will re-evaluate current building codes and update where needed to improve building standards to withstand impacts from hazards.
Hazard	Flood, Wildfire, Tornado, Drought, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storm, Winter Storm, Windstorm, Lightning,

Priority	High
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	City Council
Implementation Schedule	3 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Harden Facilities*
Objective	This action proposes hardening facilities. Hardening will include but is not limited to adding impact and wind-resistant doors, windows; reinforcing building foundations, elevating low-lying structures, upgrading and/or adding shatter-resistant films to all glazing, upgrading thermal insulation, building protective walls around exposed gas tanks and cylinders, shielding roof-mounted equipment, and adding bracing and tie-down clips to building roofs.
Hazard	Flood, Hurricane/Tropical Storms, Hailstorms, Winter Weather, Windstorm, Tornados, Lightning
Priority	Medium
Estimated Cost	Greater than \$100,000
Potential Funding Source (s)	City, FEMA FMA, FEMA BRIC, FEMA HMGP, CDBG MIT
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Single Hazard Actions

Mitigation Action	Construct Drainage Control Structures and Flood Control Gates*
Objective	This action proposes constructing new drainage control structures and flood control gates to reduce the potential impacts of future flood events.
Hazard	Flood
Priority	Medium
Estimated Cost	More than \$1,000,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB

Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Upgrade Existing Drainage Pump Stations*
Objective	This action proposes upgrading existing drainage pump stations to reduce the potential impacts of future flood events.
Hazard	Flood
Priority	Medium
Estimated Cost	More than \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Construct Storm Drainage Infrastructure and/or Regional Detention Facilities*
Objective	This action proposes constructing new storm drainage infrastructure and/ or regional water detention facilities to reduce the potential impacts of future flood events.
Hazard	Flood
Priority	Medium
Estimated Cost	More than \$1,000,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Install Check Valves*
Objective	This action proposes installing check valves to prevent backflow and reduce the potential impacts of future flood events related to local canal systems backing up.
Hazard	Flood
Priority	Medium
Estimated Cost	More than \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Construct New Drainage Pump Station and/or Purchase Portable Pumps*
Objective	This action proposes constructing new drainage pump stations and/or purchasing portable pumps to reduce the potential impacts of future flood events.
Hazard	Flood
Priority	Medium
Estimated Cost	More than \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Develop and Implement a New Flood Damage Prevention Ordinance
Objective	The City of Lyford will re-evaluate existing flood damage prevention and reduction measures to identify strengths and weaknesses in order to develop and enforce a new flood damage prevention ordinance.
Hazard	Flood
Priority	High
Estimated Cost	Less than \$10,000

Potential Funding Source (s)	City, FEMA BRIC, FEMA FMA, FEMA HMGP, CDBG-MIT
Responsible Department	City Council
Implementation Schedule	1 - 2 Years
Target	Existing and future infrastructure

Mitigation Action	Create Drainage Master Plan
Objective	This action proposes creating a drainage master plan for the City, in conjunction with other jurisdictions, that will provide the City with a comprehensive planning document that provides basic information and necessary guidance for the county-wide drainage system, including but not limited to an H&H study.
Hazard	Flood
Priority	High
Estimated Cost	Less than \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA FMA, FEMA HMGP, CDBG-MIT
Responsible Department	City Council
Implementation Schedule	3 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Develop and Implement a New Water Conservation Ordinance*
Objective	The City of Lyford will re-evaluate all existing water conservation and reduction measures to identify strengths and weaknesses in order to develop and enforce a new water conservation ordinance.
Hazard	Drought
Priority	Medium
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA FMA, FEMA HMGP, CDBG-MIT
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	1 - 2 Years
Target	Existing and future infrastructure

Mitigation Action	Develop and Implement a New Drought Contingency Plan
Objective	City will re-evaluate drought contingency plan to identify strengths and weaknesses in order to develop and enforce a new plan.
Hazard	Drought
Priority	High
Estimated Cost	Less than \$50,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	City Council
Implementation Schedule	2 - 4 Years
Target	Existing and planned infrastructure

Mitigation Action	Install Surge Protection and Grounding Systems to Protect Electronic Assets*
Objective	This action will install surge protection at all City facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.
Hazard	Lightning
Priority	High
Estimated Cost	\$1,000 - \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Wildfire Breaks*
Objective	This action will develop and implement a program to identify and prioritize lands for creation of fire breaks and then reduce or remove wildfire fuels through various methods as appropriate.
Hazard	Wildfire
Priority	Low
Estimated Cost	\$10,000 - \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP

Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing and future infrastructure

iii. City of Raymondville

Multi-Hazard Actions

Mitigation Action	Educational Outreach*
Objective	This action will create a program to educate the public about specific mitigation actions for all hazards, including but not limited to participation in Wildfire Fuels Reduction, Tornado Saferooms, Structural Hardening, etc.
Hazard	Flood, Wildfire, Tornado, Drought, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storm, Winter Storm, Windstorm, Lightning
Priority	High
Estimated Cost	Less than \$10,000 per hazard
Potential Funding Source(s)	City, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	City Council
Implementation Schedule	2 - 5 Years
Target	Existing and future population

Mitigation Action	Construct Community Safe Rooms*
Objective	The action's goal is to minimize local population vulnerability to hazards by providing public safe rooms.
Hazard	Hurricane/Tropical Storm, Tornado, Wildfire, Windstorm, Winter Storm
Priority	High
Estimated Cost	Greater than \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	City Council, Building Code
Implementation Schedule	2 - 5 Years
Target	Existing and future population and infrastructure

Mitigation Action	Harden Facilities*
Objective	This action proposes hardening facilities. Hardening will include but is not limited to adding impact and wind-resistant doors, windows; reinforcing building foundations, elevating low-lying structures, upgrading and/or adding shatter-resistant films to all glazing, upgrading thermal insulation, building protective walls around exposed gas tanks and cylinders, shielding roof-mounted equipment, and adding bracing and tie-down clips to building roofs.
Hazard	Flood, Hurricane/Tropical Storms, Hailstorms, Winter Weather, Windstorm, Tornadoes, Lightning
Priority	High
Estimated Cost	Greater than \$100,000
Potential Funding Source (s)	City, FEMA FMA, FEMA BRIC, FEMA HMGP, CDBG MIT
Responsible Department	Planning Dept., Building Code
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Update Building Code Requirements
Objective	The City will re-evaluate current building codes and update where needed to improve building standards to withstand impacts from hazards.
Hazard	Flood, Wildfire, Tornado, Drought, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storm, Winter Storm, Windstorm, Lightning,
Priority	Medium
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	City Council, Planning Dept., City Administrator
Implementation Schedule	3 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Set up Cooling and Heating Centers in Existing Facilities*
Objective	The action's goal is to increase extreme temperature resilience by limiting vulnerable populations' exposure to extreme temperatures

	by creating new, or opening up existing facilities as cooling centers or warming centers.
Hazard	Extreme Heat & Extreme Cold
Priority	Medium
Estimated Cost	Less than \$10,000
Potential Funding Source(s)	City, FEMA BRIC, FEMA HMGP
Responsible Department(s)	City Administration
Implementation Schedule	1 - 5 Years
Target	Existing and future population

Mitigation Action	Develop and Implement a New Tie-Down Ordinance for Manufactured / Mobile Homes, Temporary Buildings, and Unrestrained Advertisement Signs*
Objective	Re-evaluate all existing tie-down measures to identify strengths and weaknesses in order to develop and enforce a new tie-down ordinance.
Hazard	Windstorm, Tornado, Hurricanes/Tropical Storm
Priority	High
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	City Council
Implementation Schedule	1 - 2 Years
Target	Existing and future population and infrastructure

Mitigation Action	Implement a Tree Trimming Program
Objective	This action will develop and implement a tree trimming program to reduce loose / dead tree limbs that may cause damage during a hazard event.
Hazard	Wildfire, Tornado, Winter Storm, Windstorm
Priority	High
Estimated Cost	\$10,000 - \$500,0000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, City Council

Implementation Schedule	3 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Purchase Back Up Power Generators*
Objective	Installing generators at critical facilities will help ensure physical safety for facility occupants and maintain electronic systems functionality during power outages. Portable generators will maintain additional systems functionality including but not limited to lift stations, pumps, and communications infrastructure.
Hazard	Flood, Wildfire, Tornado, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storm, Winter Storm, Windstorm, Lightning
Priority	High
Estimated Cost	More than \$100,000 Each for Fixed Generators, Including Associated Engineering Costs. Less than \$100,000 Each for Portable Generators
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	City Council, City Administrator, Police Dept., Fire Dept.
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Install and Expand Warning Systems/Weather Radio
Objective	Warning systems will help limit local vulnerability to hazards by giving residents an opportunity to take shelter before one occurs.
Hazard	Flood, Wildfire, Tornado, Drought, Extreme Heat, Extreme Cold, Hailstorm, Winter Storm, Windstorm, Lightning
Priority	Medium
Estimated Cost	\$1,000 - \$100,000 per device
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Police Dept., City Council
Implementation Schedule	2 - 5 Years
Target	Existing and future population

Mitigation Action	Purchase Portable Digital Warning Signs
Objective	Warning systems will help limit local vulnerability to hazards by giving residents an opportunity to take shelter before one occurs.
Hazard	Flood, Wildfire, Tornado, Drought, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storms, Winter Storm, Windstorm, Lightning
Priority	Medium
Estimated Cost	\$1,000 - \$100,000 per device
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Police Dept., Fire Dept., City Council
Implementation Schedule	2 - 5 Years
Target	Existing and future population

Single Hazard Actions

Mitigation Action	Construct Storm Drainage Infrastructure*
Objective	This action proposes constructing new storm drainage infrastructure to reduce the potential impacts of future flood events.
Hazard	Flood
Priority	Medium
Estimated Cost	More than \$1,000,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	City Council, Public Works
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Create Drainage Master Plan
Objective	This action proposes creating a drainage master plan for the City, in conjunction with the County, that will provide the City with a comprehensive planning document that provides basic information and necessary guidance for the county-wide drainage system, including but not limited to an H&H study.
Hazard	Flood

Priority	High
Estimated Cost	Less than \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA FMA, FEMA HMGP, CDBG-MIT
Responsible Department	City Council, City Administrator, Planning Dept.
Implementation Schedule	5 Years
Target	Existing and future infrastructure

Mitigation Action	Develop and Implement a New Flood Damage Prevention Ordinance
Objective	The City of Raymondville will re-evaluate existing flood damage prevention and reduction measures to identify strengths and weaknesses in order to develop and enforce a new flood damage prevention ordinance.
Hazard	Flood
Priority	High
Estimated Cost	Less than \$10,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA FMA, FEMA HMGP, CDBG-MIT
Responsible Department	City Council, City Administrator, Planning Dept.
Implementation Schedule	1 - 2 Years
Target	Existing and future infrastructure

Mitigation Action	Construct New Drainage Pump Station and/or Purchase Portable Pumps
Objective	This action proposes constructing new drainage pump stations and/or purchasing portable pumps to reduce the potential impacts of future flood events.
Hazard	Flood
Priority	Medium
Estimated Cost	More than \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP, FEMA FMA, TWDB
Responsible Department	Planning Dept., City Council
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Wildfire Fuels Reduction in WUI*
Objective	This action will develop and implement a program to identify and prioritize lands in the Wildland Urban Interface in need of fuels reduction and then reduce or remove wildfire fuels through various methods as appropriate.
Hazard	Wildfire
Priority	Low
Estimated Cost	\$10,000 - \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Wildfire Breaks*
Objective	This action will develop and implement a program to identify and prioritize lands for creation of fire breaks and then reduce or remove wildfire fuels through various methods as appropriate.
Hazard	Wildfire
Priority	Low
Estimated Cost	\$10,000 - \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing and future infrastructure

Mitigation Action	Develop and Implement a New Water Conservation Ordinance*
Objective	City will re-evaluate all existing water conservation and reduction measures to identify strengths and weaknesses in order to develop and enforce a new water conservation ordinance.
Hazard	Drought
Priority	Low
Estimated Cost	Less than \$10,000

Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	City Council
Implementation Schedule	1 - 2 Years
Target	Existing and future population and infrastructure

Mitigation Action	Develop and Implement a New Drought Contingency Plan*
Objective	City will re-evaluate drought contingency plan to identify strengths and weaknesses in order to develop and enforce a new plan.
Hazard	Drought
Priority	High
Estimated Cost	Less than \$50,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	City Council
Implementation Schedule	2 - 4 Years
Target	Existing and planned infrastructure

Mitigation Action	Plant Drought Resistant Vegetation*
Objective	To limit water consumption at City-owned and maintained facilities, the City of Raymondville will adopt a policy of replanting landscaping with drought tolerant plant varieties. To the extent possible, landscaping will be replanted on an as-needed basis, as opposed to an immediate replanting of all landscaping.
Hazard	Drought
Priority	Medium
Estimated Cost	More than \$10,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works
Implementation Schedule	3 - 5 Years
Target	Existing and Future infrastructure

Mitigation Action	Replace Water Fixtures with Low Flow Units*
Objective	To limit water consumption at City-owned and maintained facilities, the City of Raymondville will adopt a policy of replacing water fixtures with low flow units.
Hazard	Drought
Priority	Medium
Estimated Cost	More than \$10,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works
Implementation Schedule	3 - 5 Years
Target	Existing and Future infrastructure

Mitigation Action	Install Surge Protection and Grounding Systems to Protect Electronic Assets*
Objective	This action will install surge protection at all City facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.
Hazard	Lightning
Priority	High
Estimated Cost	\$1,000 - \$100,000
Potential Funding Source (s)	City, FEMA BRIC, FEMA HMGP
Responsible Department	Public Works, Emergency Management, City Council
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

iv. Delta Lake Irrigation District

Multi-Hazard Actions

Mitigation Action	Purchase Portable Digital Warning Signs
Objective	Warning systems will help limit local vulnerability to hazards by giving residents an opportunity to take shelter before one occurs.
Hazard	Flood, Wildfire, Tornado, Drought, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storms, Winter Storm, Windstorm, Lightning, Dam/Levee Failure
Priority	Low
Estimated Cost	\$1,000 - \$100,000 per device
Potential Funding Source (s)	District, FEMA BRIC, FEMA HMGP
Responsible Department	District Board
Implementation Schedule	2 - 5 Years
Target	Existing and future population

Mitigation Action	Purchase Back Up Power Generators
Objective	Installing generators at critical facilities will help ensure physical safety for facility occupants and maintain electronic systems functionality during power outages. Portable generators will maintain additional systems functionality including but not limited to lift stations, pumps, and communications infrastructure.
Hazard	Flood, Wildfire, Tornado, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storm, Winter Storm, Windstorm, Lightning, Dam/Levee Failure
Priority	Medium
Estimated Cost	More than \$100,000 Each for Fixed Generators, Including Associated Engineering Costs. Less than \$100,000 Each for Portable Generators
Potential Funding Source (s)	District, FEMA BRIC, FEMA HMGP
Responsible Department	District Board
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Harden Facilities
Objective	This action proposes hardening facilities. Hardening will include but is not limited to adding impact and wind-resistant doors, windows; reinforcing building foundations, elevating low-lying structures, upgrading and/or adding shatter-resistant films to all glazing, upgrading thermal insulation, building protective walls around exposed gas tanks and cylinders, shielding roof-mounted equipment, and adding bracing and tie-down clips to building roofs.
Hazard	Flood, Hurricane/Tropical Storms, Hailstorms, Winter Weather, Windstorm, Tornadoes, Lightning, Dam/Levee Failure
Priority	Low
Estimated Cost	Greater than \$100,000
Potential Funding Source (s)	District, FEMA FMA, FEMA BRIC, FEMA HMGP, CDBG MIT
Responsible Department	District Board
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Single Hazard Actions

Mitigation Action	Install Surge Protection and Grounding Systems to Protect Electronic Assets
Objective	This action will install surge protection at all City facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.
Hazard	Lightning
Priority	Low
Estimated Cost	\$1,000 - \$100,000
Potential Funding Source (s)	District, FEMA BRIC, FEMA HMGP
Responsible Department	District Board
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Mitigation Action	Conduct Dam Failure Studies
Objective	This action will install surge protection at all County facilities to prevent damage to critical electronic devices including but not

	limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.
Hazard	Dam/Levee Failure
Priority	Low
Estimated Cost	\$1,000 - \$100,000
Potential Funding Source (s)	District, FEMA BRIC, FEMA HMGP
Responsible Department	District Board
Implementation Schedule	2 - 5 Years
Target	Existing and future infrastructure

v. Willacy County Drainage District

Multi-Hazard Actions

Mitigation Action	Purchase Portable Digital Warning Signs
Objective	Warning systems will help limit local vulnerability to hazards by giving residents an opportunity to take shelter before one occurs.
Hazard	Flood, Wildfire, Tornado, Drought, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storms, Winter Storm, Windstorm, Lightning
Priority	Low
Estimated Cost	\$1,000 - \$100,000 per device
Potential Funding Source (s)	District, FEMA BRIC, FEMA HMGP
Responsible Department	District Board
Implementation Schedule	2 - 5 Years
Target	Existing and future population


Mitigation Action	Purchase Back Up Power Generators
Objective	Installing generators at critical facilities will help ensure physical safety for facility occupants and maintain electronic systems functionality during power outages. Portable generators will maintain additional systems functionality including but not limited to lift stations, pumps, and communications infrastructure.
Hazard	Flood, Wildfire, Tornado, Extreme Heat, Extreme Cold, Hailstorm, Hurricane/Tropical Storm, Winter Storm, Windstorm, Lightning
Priority	Medium
Estimated Cost	More than \$100,000 Each for Fixed Generators, Including Associated Engineering Costs. Less than \$100,000 Each for Portable Generators
Potential Funding Source (s)	District, FEMA BRIC, FEMA HMGP
Responsible Department	District Board
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure


Mitigation Action	Harden Facilities
Objective	This action proposes hardening facilities. Hardening will include but is not limited to adding impact and wind-resistant doors, windows; reinforcing building foundations, elevating low-lying structures, upgrading and/or adding shatter-resistant films to all glazing, upgrading thermal insulation, building protective walls around exposed gas tanks and cylinders, shielding roof-mounted equipment, and adding bracing and tie-down clips to building roofs.
Hazard	Flood, Hurricane/Tropical Storms, Hailstorms, Winter Weather, Windstorm, Tornadoes, Lightning
Priority	Low
Estimated Cost	Greater than \$100,000
Potential Funding Source (s)	District, FEMA FMA, FEMA BRIC, FEMA HMGP, CDBG MIT
Responsible Department	District Board
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Single Hazard Actions


Mitigation Action	Install Surge Protection and Grounding Systems to Protect Electronic Assets
Objective	This action will install surge protection at all City facilities to prevent damage to critical electronic devices including but not limited to: computers, servers, audio/visual equipment, laboratory equipment, and appliances.
Hazard	Lightning
Priority	Low
Estimated Cost	\$1,000 - \$100,000
Potential Funding Source (s)	District, FEMA BRIC, FEMA HMGP
Responsible Department	District Board
Implementation Schedule	2 - 5 Years
Target	Existing infrastructure

Appendix A – FIRM Maps






NOTES TO USERS




LEGEND

MAP NUMBER
4E48C01000
EFFECTIVE DATE
APRIL 5, 2011


[illegible]

[illegible][illegible]

[illegible]

- [illegible]

[illegible]

[illegible][illegible]

NOTES TO USERS

1. We warrant that the software will perform substantially as described in the accompanying user manual for the period of 90 days from the date of purchase. If you are not satisfied with the software, you may return it to us for a full refund. This warranty does not cover damage to the software caused by misuse, accident, or other factors beyond our control.

2. The software is provided "as is" without any other warranties, express or implied. We make no representation or warranty about the results that may be obtained from the use of the software. The user assumes all responsibility for the use of the software and for any damage or loss resulting from its use.

3. The software is not to be used for any purpose other than that intended by the developer. Any unauthorized use of the software is strictly prohibited. The user agrees to indemnify and hold the developer harmless from any and all claims, damages, and expenses, including reasonable attorneys' fees, that may be incurred by the developer as a result of the user's use of the software.

4. The software is the property of the developer and is to be used only on the computer to which it was originally installed. The user agrees to maintain the confidentiality of the software and to prevent its disclosure to any third party. The user agrees to return the software to the developer upon request.

5. The software is not to be copied, reproduced, or distributed in any form without the written permission of the developer. Any unauthorized copying, reproduction, or distribution of the software is strictly prohibited. The user agrees to indemnify and hold the developer harmless from any and all claims, damages, and expenses, including reasonable attorneys' fees, that may be incurred by the developer as a result of the user's use of the software.


6. The software is not to be used for any purpose other than that intended by the developer. Any unauthorized use of the software is strictly prohibited. The user agrees to indemnify and hold the developer harmless from any and all claims, damages, and expenses, including reasonable attorneys' fees, that may be incurred by the developer as a result of the user's use of the software.


7. The software is not to be used for any purpose other than that intended by the developer. Any unauthorized use of the software is strictly prohibited. The user agrees to indemnify and hold the developer harmless from any and all claims, damages, and expenses, including reasonable attorneys' fees, that may be incurred by the developer as a result of the user's use of the software.

8. The software is not to be used for any purpose other than that intended by the developer. Any unauthorized use of the software is strictly prohibited. The user agrees to indemnify and hold the developer harmless from any and all claims, damages, and expenses, including reasonable attorneys' fees, that may be incurred by the developer as a result of the user's use of the software.

9. The software is not to be used for any purpose other than that intended by the developer. Any unauthorized use of the software is strictly prohibited. The user agrees to indemnify and hold the developer harmless from any and all claims, damages, and expenses, including reasonable attorneys' fees, that may be incurred by the developer as a result of the user's use of the software.

10. The software is not to be used for any purpose other than that intended by the developer. Any unauthorized use of the software is strictly prohibited. The user agrees to indemnify and hold the developer harmless from any and all claims, damages, and expenses, including reasonable attorneys' fees, that may be incurred by the developer as a result of the user's use of the software.

[illegible][illegible][illegible]




NOTES TO USERS



	LEGEND
--	--------

Model	Panel 0404E
-------	-------------

[illegible][illegible]